

Contents

| | |
|---|------------|
| Preface to the Second Edition of <i>Bergey's Manual</i> [®] of Systematic Bacteriology | vii |
| Preface to the First Edition of <i>Bergey's Manual</i> [®] of Systematic Bacteriology | ix |
| Preface to the First Edition of <i>Bergey's Manual</i> [®] of Determinative Bacteriology | xi |
| Contributors | xix |
| The History of <i>Bergey's Manual</i> | 1 |
| On Using the <i>Manual</i> | 15 |
| Prokaryotic Domains | 21 |
| Classification of Prokaryotic Organisms and the Concept of Bacterial Speciation | 27 |
| Identification of Prokaryotes | 33 |
| Numerical Taxonomy | 39 |
| Polyphasic Taxonomy | 43 |
| Overview: A Phylogenetic Backbone and Taxonomic Framework for Prokaryotic Systematics | 49 |
| Nucleic Acid Probes and Their Application in Environmental Microbiology | 67 |
| Bacterial Nomenclature | 83 |
| Etymology in Nomenclature of Prokaryotes | 89 |
| Microbial Ecology—New Directions, New Importance | 101 |
| Culture Collections: An Essential Resource for Microbiology | 111 |
| Intellectual Property of Prokaryotes | 115 |
| The Road Map to the <i>Manual</i> | 119 |
| DOMAIN ARCHAEA | |
| PHYLUM AI | |
| Crenarchaeota | 169 |
| Class I. <i>Thermoprotei</i> | 169 |
| Order I. <i>Thermoproteales</i> | 170 |
| Family I. <i>Thermoproteaceae</i> | 170 |
| Genus I. <i>Thermoproteus</i> | 171 |
| Genus II. <i>Caldivirga</i> | 173 |
| Genus III. <i>Pyrobaculum</i> | 174 |
| Genus IV. <i>Thermocladium</i> | 177 |
| Family II. <i>Thermofilaceae</i> | 178 |
| Genus I. <i>Thermofilum</i> | 178 |
| Order II. <i>Desulfurococcales</i> | 179 |
| Family I. <i>Desulfurococcaceae</i> | 180 |
| Genus I. <i>Desulfurococcus</i> | 181 |
| Genus II. <i>Aeropyrum</i> | 183 |
| Genus III. <i>Ignicoccus</i> | 184 |
| Genus IV. <i>Staphylothermus</i> | 186 |
| Genus V. <i>Stetteria</i> | 187 |
| Genus VI. <i>Sulfophobococcus</i> | 188 |

| | |
|--|-----|
| Genus VII. <i>Thermodiscus</i> | 189 |
| Genus VIII. <i>Thermosphaera</i> | 190 |
| Family II. <i>Pyrodictiaceae</i> | 191 |
| Genus I. <i>Pyrodictium</i> | 192 |
| Genus II. <i>Hyperthermus</i> | 195 |
| Genus III. <i>Pyrolobus</i> | 196 |
| Order III. <i>Sulfolobales</i> | 198 |
| Family I. <i>Sulfolobaceae</i> | 198 |
| Genus I. <i>Sulfolobus</i> | 198 |
| Genus II. <i>Acidianus</i> | 202 |
| Genus III. <i>Metallosphaera</i> | 204 |
| Genus IV. <i>Stygiolobus</i> | 207 |
| Genus V. <i>Sulfurisphaera</i> | 208 |
| Genus VI. <i>Sulfurococcus</i> | 209 |
| PHYLUM AII | |
| Euryarchaeota | 211 |
| Taxonomy of Methanogenic Archaea | 211 |
| Class I. <i>Methanobacteria</i> | 213 |
| Order Methanobacteriales | 214 |
| Family I. <i>Methanobacteriaceae</i> | 214 |
| Genus I. <i>Methanobacterium</i> | 215 |
| Genus II. <i>Methanobrevibacter</i> | 218 |
| Genus III. <i>Methanosphaera</i> | 226 |
| Genus IV. <i>Methanothermobacter</i> | 230 |
| Family II. <i>Methanothermaceae</i> | 233 |
| Genus I. <i>Methanothermus</i> | 233 |
| Class II. <i>Methanococci</i> | 235 |
| Order I. <i>Methanococcales</i> | 236 |
| Family I. <i>Methanococcaceae</i> | 236 |
| Genus I. <i>Methanococcus</i> | 236 |
| Genus II. <i>Methanothermococcus</i> | 241 |
| Family II. <i>Methanocaldococcaceae</i> | 242 |
| Genus I. <i>Methanocaldococcus</i> | 243 |
| Genus II. <i>Methanotorris</i> | 245 |
| Order II. <i>Methanomicrobiales</i> | 246 |
| Family I. <i>Methanomicrobiaceae</i> | 247 |
| Genus I. <i>Methanomicrobium</i> | 247 |
| Genus II. <i>Methanoculleus</i> | 251 |
| Genus III. <i>Methanofollis</i> | 253 |
| Genus IV. <i>Methanogenium</i> | 256 |
| Genus V. <i>Methanolacinia</i> | 258 |
| Genus VI. <i>Methanoplanus</i> | 259 |
| Family II. <i>Methanocorpusculaceae</i> | 262 |
| Genus I. <i>Methanocorpusculum</i> | 262 |
| Family III. <i>Methanospirillaceae</i> | 264 |
| Genus I. <i>Methanospirillum</i> | 264 |
| Genus Incertae Sedis I. <i>Methanocalculus</i> | 267 |
| Order III. <i>Methanosarcinales</i> | 268 |
| Family I. <i>Methanosarcinaceae</i> | 268 |
| Genus I. <i>Methanosarcina</i> | 269 |
| Genus II. <i>Methanococcoides</i> | 276 |
| Genus III. <i>Methanohalobium</i> | 279 |
| Genus IV. <i>Methanohalophilus</i> | 281 |
| Genus V. <i>Methanolobus</i> | 283 |
| Genus VI. <i>Methanosalsum</i> | 287 |
| Family II. <i>Methanosaetaceae</i> | 289 |

| | |
|---|-----|
| Genus I. <i>Methanosaeta</i> | 289 |
| Class III. <i>Halobacteria</i> | 294 |
| Order I. <i>Halobacteriales</i> | 294 |
| Family I. <i>Halobacteriaceae</i> | 299 |
| Genus I. <i>Halobacterium</i> | 301 |
| Genus II. <i>Haloarcula</i> | 305 |
| Genus III. <i>Halobaculum</i> | 309 |
| Genus IV. <i>Halococcus</i> | 311 |
| Genus V. <i>Haloferax</i> | 315 |
| Genus VI. <i>Halogeometricum</i> | 318 |
| Genus VII. <i>Halorubrum</i> | 320 |
| Genus VIII. <i>Haloterrigena</i> | 324 |
| Genus IX. <i>Natrialba</i> | 325 |
| Genus X. <i>Natrinema</i> | 327 |
| Genus XI. <i>Natronobacterium</i> | 329 |
| Genus XII. <i>Natronococcus</i> | 330 |
| Genus XIII. <i>Natronomonas</i> | 332 |
| Genus XIV. <i>Natronorubrum</i> | 333 |
| Class IV. <i>Thermoplasmata</i> | 335 |
| Order I. <i>Thermoplasmatales</i> | 335 |
| Family I. <i>Thermoplasmataceae</i> | 335 |
| Genus I. <i>Thermoplasma</i> | 335 |
| Family II. <i>Picrophilaceae</i> | 339 |
| Genus I. <i>Picrophilus</i> | 339 |
| Class IV. <i>Thermococci</i> | 341 |
| Order I. <i>Thermococcales</i> | 341 |
| Family I. <i>Thermococcaceae</i> | 341 |
| Genus I. <i>Thermococcus</i> | 342 |
| Genus II. <i>Pyrococcus</i> | 346 |
| Class VI. <i>Archaeoglobi</i> | 349 |
| Order I. <i>Archaeoglobales</i> | 349 |
| Family I. <i>Archaeoglobaceae</i> | 349 |
| Genus I. <i>Archaeoglobus</i> | 349 |
| Genus II. <i>Ferroglobus</i> | 352 |
| Class VII. <i>Methanopyri</i> | 353 |
| Order I. <i>Methanopyrales</i> | 353 |
| Family I. <i>Methanopyraceae</i> | 353 |
| Genus I. <i>Methanopyrus</i> | 354 |

DOMAIN BACTERIA

PHYLUM BI

| | |
|---|-----|
| Aquificae | 359 |
| Class I. <i>Aquificae</i> | 359 |
| Order I. <i>Aquificales</i> | 359 |
| Family I. <i>Aquificaceae</i> | 360 |
| Genus I. <i>Aquifex</i> | 360 |
| Genus II. <i>Calderobacterium</i> | 362 |
| Genus III. <i>Hydrogenobacter</i> | 363 |
| Genus IV. <i>Thermocrinis</i> | 364 |
| Genus Incertae Sedis I. <i>Desulfurobacterium</i> | 366 |

PHYLUM BII

| | |
|---------------------------------------|-----|
| Thermotogae | 369 |
| Class I. <i>Thermotogae</i> | 369 |
| Order I. <i>Thermotogales</i> | 369 |
| Family I. <i>Thermotogaceae</i> | 370 |
| Genus I. <i>Thermotoga</i> | 370 |

| | |
|---|-----|
| Genus II. <i>Fervidobacterium</i> | 375 |
| Genus III. <i>Geotoga</i> | 377 |
| Genus IV. <i>Petrotoga</i> | 382 |
| Genus V. <i>Thermosipho</i> | 385 |
| PHYLUM BIII | |
| Thermodesulfobacteria | 389 |
| Class I. <i>Thermodesulfobacteria</i> | 389 |
| Order I. <i>Thermodesulfobacteriales</i> | 389 |
| Family I. <i>Thermodesulfobacteriaceae</i> | 390 |
| Genus I. <i>Thermodesulfobacterium</i> | 390 |
| PHYLUM BIV | |
| "Deinococcus-Thermus" | 395 |
| Class I. <i>Deinococci</i> | 395 |
| Order I. <i>Deinococcales</i> | 395 |
| Family I. <i>Deinococcaceae</i> | 395 |
| Genus I. <i>Deinococcus</i> | 396 |
| Order II. <i>Thermales</i> | 403 |
| Family I. <i>Thermaceae</i> | 403 |
| Genus I. <i>Thermus</i> | 404 |
| Genus II. <i>Meiothermus</i> | 414 |
| PHYLUM BV | |
| Chrysiogenetes | 421 |
| Class I. <i>Chrysiogenetes</i> | 421 |
| Order I. <i>Chrysiogenales</i> | 421 |
| Family I. <i>Chrysiogenaceae</i> | 421 |
| Genus I. <i>Chrysiogenes</i> | 422 |
| PHYLUM BVI | |
| Chloroflexi | 427 |
| Class I. " <i>Chloroflexi</i> " | 427 |
| Order I. " <i>Chloroflexales</i> " | 427 |
| Family I. " <i>Chloroflexaceae</i> " | 427 |
| Filamentous Anoxygenic Phototrophic Bacteria | 427 |
| Genus I. <i>Chloroflexus</i> | 429 |
| Genus II. <i>Chloronema</i> | 437 |
| Genus III. <i>Heliobacterium</i> | 438 |
| Genus IV. <i>Oscillochloris</i> | 440 |
| Order II. " <i>Herpetosiphonales</i> " | 444 |
| Family I. " <i>Herpetosiphonaceae</i> " | 445 |
| Genus I. <i>Herpetosiphon</i> | 445 |
| PHYLUM BVII | |
| Thermomicrobia | 447 |
| Class I. <i>Thermomicrobia</i> | 447 |
| Order I. <i>Thermomicrobiales</i> | 447 |
| Family I. <i>Thermomicrobiaceae</i> | 447 |
| Genus I. <i>Thermomicrobium</i> | 448 |
| PHYLUM BVIII | |
| Nitrospirae | 451 |
| Class I. " <i>Nitrospira</i> " | 451 |
| Order I. " <i>Nitrospirales</i> " | 451 |
| Family I. " <i>Nitrospiraceae</i> " | 451 |
| Genus I. <i>Nitrospira</i> | 451 |
| Genus II. <i>Leptospirillum</i> | 453 |
| Genus III. " <i>Candidatus Magnetobacterium</i> " | 457 |
| Genus IV. <i>Thermodesulfovibrio</i> | 460 |

| | |
|---|------------|
| PHYLUM BIX | |
| Deferribacteres | 465 |
| Class I. <i>Deferribacteres</i> | 465 |
| Order I. <i>Deferribacterales</i> | 465 |
| Family I. <i>Deferribacteraceae</i> | 465 |
| Genus I. <i>Deferribacter</i> | 466 |
| Genus II. <i>Flexistipes</i> | 468 |
| Genus III. <i>Geovibrio</i> | 468 |
| Genus Incertae Sedis I. <i>Synergistes</i> | 470 |
| PHYLUM BX | |
| Cyanobacteria | 473 |
| Oxygenic Photosynthetic Bacteria | 473 |
| Oxygenic Photosynthetic Bacteria | 474 |
| General Characteristics of the Cyanobacteria | 474 |
| Phylogenetic Relationships Among the Cyanobacteria Based on | |
| 16S rRNA Sequences | 487 |
| Subsection I. | 493 |
| Form-genus I. <i>Chamaesiphon</i> | 495 |
| Form-genus II. <i>Chroococcus</i> | 496 |
| Form-genus III. <i>Cyanobacterium</i> | 497 |
| Form-genus IV. <i>Cyanobium</i> | 498 |
| Form-genus V. <i>Cyanothece</i> | 499 |
| Form-genus VI. <i>Dactylococcopsis</i> | 501 |
| Form-genus VII. <i>Gloeobacter</i> | 502 |
| Form-genus VIII. <i>Gloeocapsa</i> | 503 |
| Form-genus IX. <i>Gloeothece</i> | 504 |
| Form-genus X. <i>Microcystis</i> | 505 |
| Form-genus XI. <i>Prochlorococcus</i> | 506 |
| Form-genus XII. <i>Prochloron</i> | 507 |
| Form-genus XIII. <i>Synechococcus</i> | 508 |
| Form-genus XIV. <i>Synechocystis</i> | 512 |
| Subsection II. | 514 |
| Genera Reproducing by Multiple Fissions Only, or in Combination with | |
| Limited (1-3) Binary Fissions | 520 |
| Form-genus I. <i>Cyanocystis</i> | 520 |
| Form-genus II. <i>Dermocarpella</i> | 520 |
| Form-genus III. <i>Stanieria</i> | 523 |
| Form-genus IV. <i>Xenococcus</i> | 524 |
| Genera in Which Extensive Vegetative Binary Fission Precedes Multiple | |
| Fission | 528 |
| Form-genus I. <i>Chroococciopsis</i> | 528 |
| Form-genus II. <i>Myxosarcina</i> | 531 |
| Pleurocapsa-group | 533 |
| Subsection III. | 539 |
| Form-genus I. <i>Arthrospira</i> | 542 |
| Form-genus II. <i>Borzia</i> | 543 |
| Form-genus III. <i>Crinalium</i> | 543 |
| Form-genus IV. <i>Geitlerinemia</i> | 544 |
| Form-genus V. <i>Leptolyngbya</i> | 544 |
| Form-genus VI. <i>Limnothrix</i> | 546 |
| Form-genus VII. <i>Lyngbya</i> | 547 |
| Form-genus VIII. <i>Microcoleus</i> | 548 |
| Form-genus IX. <i>Oscillatoria</i> | 550 |
| Form-genus X. <i>Planktothrix</i> | 553 |
| Form-genus XI. <i>Prochlorothrix</i> | 554 |
| Form-genus XII. <i>Pseudanabaena</i> | 554 |

| | |
|---|-----|
| Form-genus XIII. <i>Spirulina</i> | 557 |
| Form-genus XIV. <i>Starria</i> | 559 |
| Form-genus XV. <i>Symploca</i> | 559 |
| Form-genus XVI. <i>Trichodesmium</i> | 560 |
| Form-genus XVII. <i>Tychonema</i> | 561 |
| Subsection IV. | 562 |
| Subsection IV.I | 565 |
| Form-genus I. <i>Anabaena</i> | 566 |
| Form-genus II. <i>Anabaenopsis</i> | 568 |
| Form-genus III. <i>Aphanizomenon</i> | 569 |
| Form-genus IV. <i>Cyanospira</i> | 570 |
| Form-genus V. <i>Cylindrospermopsis</i> | 571 |
| Form-genus VI. <i>Cylindrospermum</i> | 572 |
| Form-genus VII. <i>Nodularia</i> | 574 |
| Form-genus VIII. <i>Nostoc</i> | 575 |
| Form-genus IX. <i>Scytonema</i> | 580 |
| Subsection IV.II | 582 |
| Form-genus I. <i>Calothrix</i> | 582 |
| Form-genus II. <i>Rivularia</i> | 586 |
| Form-genus III. <i>Tolypothrix</i> | 587 |
| Subsection V. | 589 |
| Form-genus I. <i>Chlorogloeopsis</i> | 591 |
| Form-genus II. <i>Fischerella</i> | 593 |
| Form-genus III. <i>Geitleria</i> | 595 |
| Form-genus IV. <i>Iyengariella</i> | 598 |
| Form-genus V. <i>Nostochopsis</i> | 598 |
| Form-genus VI. <i>Stigonema</i> | 599 |
| PHYLUM BXI | |
| Chlorobi | 601 |
| Class I. " <i>Chlorobia</i> " | 601 |
| Subclass I. | 601 |
| Order I. " <i>Chlorobiales</i> " | 601 |
| Family I. " <i>Chlorobiaceae</i> " | 601 |
| Green Sulfur Bacteria | 601 |
| Genus I. <i>Chlorobium</i> | 605 |
| Genus II. <i>Ancalochloris</i> | 610 |
| Genus III. <i>Chloroherpeton</i> | 612 |
| Genus IV. <i>Pelodictyon</i> | 614 |
| Genus V. <i>Prosthecochloris</i> | 617 |
| Addendum to the Green Sulfur Bacteria: Phototrophic Green Sulfur Bacteria Living in Consortia with Other Microorganisms. | 620 |
| PHYLUM BXIII | |
| Firmicutes | 625 |
| Class I. " <i>Clostridia</i> " | 625 |
| Order I. " <i>Clostridiales</i> " | 625 |
| Family VI. " <i>Heliobacteriaceae</i> " | 625 |
| Genus I. <i>Heliobacterium</i> | 626 |
| Genus II. <i>Heliobacillus</i> | 629 |
| Genus III. <i>Heliophilum</i> | 629 |
| Genus IV. <i>Heliorestis</i> | 630 |
| The Anoxygenic Phototrophic Purple Bacteria | 631 |
| Bibliography | 639 |
| Index of Scientific Names of Archaea and Bacteria | 703 |