


HANSER



Sample Pages

Charles P. Rader, John S. Dick

Raw Materials Supply Chain for Rubber Products

Overview of the Global Use of Raw Materials, Polymers, Compounding
Ingredients, and Chemical Intermediates

ISBN (Buch): 978-1-56990-537-1

ISBN (E-Book): 978-1-56990-538-8

For further information and order see

<http://www.hanser-fachbuch.de/978-1-56990-537-1>

or contact your bookseller.

Contents

Preface	V
Acknowledgments	VI
1 Introduction	1
1.1 Rubber Industry's Place in the World Economy	2
1.2 The Structure of the Tire Industry	2
1.3 The Structure of the Nontire Industry	5
1.4 Sectors of the Nontire Rubber Industry	7
1.4.1 The Rubber Hose Industry	7
1.4.2 The Belt Segment	7
1.4.3 Seals and Gaskets	7
1.4.4 Blowout Preventers and Packers	8
1.4.5 Single-Ply Roofing	8
1.4.6 Bushings and Motor Mounts	8
1.4.7 Molded Rubber Goods	8
1.4.8 Tank Lining	8
1.4.9 Wire and Cable Insulation	9
1.4.10 Shoe Heel and Sole Applications	9
1.4.11 Sponge Rubber Products	9
1.4.12 Rubber Weatherstripping	9
1.4.13 Rubber Latex Products	9
1.4.14 Rubber Rollers	9
1.4.15 Rubber Tiles	10
1.4.16 Rubber Bands	10
1.5 Market Forces	10
2 Basic Raw Materials from Earth Extractions and Agriculture	13
2.1 Vital Basic Raw Materials for Rubber	14
2.1.1 Crude Petroleum Oil	14
2.1.2 Natural Gas	20
2.1.3 Natural Rubber	23
2.1.4 Sulfur	25
2.1.5 Zinc Ore	26
2.1.6 Copper Ore	27
2.1.7 Iron Ore	28

2.1.8	Silica	29
2.1.9	Brine and Sea Salt	30
2.1.10	Fluorspar	30
2.2	Important Basic Raw Materials for Rubber	31
2.2.1	Antimony Ore	31
2.2.2	Aluminum Ore	31
2.2.3	Clay	32
2.2.4	Coal	33
2.2.5	Cobalt Ore	34
2.2.6	Limestone	35
2.2.7	Phosphate Rock	35
2.2.8	Pine Trees	36
2.2.9	Tallow (from Cattle)	37
2.2.10	Titanium Ore	38
2.2.11	Vegetable Oils	38
2.3	Summary	40
3	General-Purpose Elastomers	41
3.1	Natural Rubber	41
3.2	Synthetic Natural Rubber	43
3.3	Styrene Butadiene Rubber (SBR)	45
3.4	Butadiene Rubber (BR)	53
3.5	Ethylene Propylene Diene Rubber (EPDM)	58
3.6	Summary	62
4	Specialty Elastomers	65
4.1	Butyl Rubber	66
4.2	Halobutyl Rubber	69
4.3	Brominated Copolymer of Isobutylene and <i>para</i> -Methylstyrene (BIMSM)	73
4.4	Nitrile Rubber	75
4.5	Hydrogenated Nitrile Rubber (HNBR)	79
4.6	Curable PVC/NBR Polyblends	82
4.7	Acrylic Rubber	86
4.8	Polychloroprene (CR)	88
4.9	Chlorinated Polyethylene Rubber	92
4.10	Chlorosulfonated Polyethylene (CSM)	94
4.11	Epichlorohydrin Rubber	96
4.12	Ethylene Acrylic Elastomer (AEM)	99
4.13	Ethylene Vinyl Acetate (EVA)	101
4.14	Fluoroelastomers	104
4.15	Perfluoroelastomers (FFKM)	109
4.16	Silicone Rubber	110
4.17	Summary	113

5	Textile Reinforcing Materials and Their Adhesive Systems Used in Rubber	115
5.1	Textile Reinforcing Materials	115
5.1.1	Aramid	115
5.1.2	Carbon Fibers	118
5.1.3	Glass Fibers	120
5.1.4	Nylon	122
5.1.5	Polyester Fiber	127
5.1.6	Rayon	130
5.1.7	Steel Cord and Cable	134
5.2	Adhesive Systems Used in Rubber	136
5.2.1	Dips for Rubber-to-Cord Adhesion	136
5.2.1.1	Resorcinol Formaldehyde Resin (Liquid)	137
5.2.1.2	Styrene Butadiene Vinylpyridine Latex	139
5.2.1.3	Isocyanate and/or Epoxy Treatment	142
5.2.2	Rubber Compounding Additives for Cord Adhesion	143
5.2.2.1	Hydrated Precipitated Silica	144
5.2.2.2	Resorcinol Formaldehyde Resin (Solid)	146
5.2.2.3	Hexamethoxymethylmelamine (HMMM)	148
5.2.2.4	Hexamethylene Tetramine (HMT)	151
5.2.2.5	Cobalt Stearate	152
5.3	Summary	154
6	Thermoplastic Elastomers	155
6.1	Styrenic Block Copolymers (SBC)	156
6.2	Thermoplastic Olefins (TPO)	160
6.3	Thermoplastic Vulcanizate (TPV) Based on PP/EPDM	163
6.4	Thermoplastic Vulcanizate (TPV) Based on NBR/PP	167
6.5	Thermoplastic Vulcanizate (TPV) Based on IIR/PP	169
6.6	Thermoplastic Vulcanizate (TPV) Based on ACM/Nylon	172
6.7	Thermoplastic Vulcanizate (TPV) Based on BIMS/Nylon	174
6.8	Thermoplastic Polyurethanes (TPUs)	175
6.9	Copolyester and Polyamide Block Copolymers	177
6.10	Summary	178
7	Polyurethane	179
7.1	Polyols	181
7.2	Adipic Acid-Ethylene Glycol Polyester Polyol	181
7.3	Polypropylene Glycol Polyol	183
7.4	Isocyanates	184
7.4.1	4,4'-Diphenylmethane Diisocyanate (MDI)	185
7.4.2	Toluene Diisocyanate (TDI)	188
7.5	Chain Extenders	189
7.5.1	1,4-Butanediol (1,4-BD)	190
7.5.2	Bis(<i>beta</i> -hydroxyethyl) Ether of Resorcinol (HER)	192

7.5.3	Hydroquinone Di-(2-hydroxyethyl) Ether (HQEE)	194
7.5.4	Trimethylolpropane (TMP)	196
7.6	Methylene-Bis- <i>o</i> -chloroaniline (MBCA)	197
7.7	Summary	199
8	Carbon Black, Fillers, Reinforcing Agents, and Coupling Agents	201
8.1	Furnace Carbon Blacks	201
8.2	Thermal Carbon Black	206
8.3	Acetylene Carbon Black	208
8.4	Hydrated Precipitated Silica	210
8.5	Fumed Silica	213
8.6	TESPT Organosilane Coupling Agent	215
8.7	Kaolin Clay	217
8.8	Calcium Carbonate	220
8.9	Talc	222
8.10	Titanium Dioxide	224
8.11	Ground Coal	226
8.12	Iron Oxide	227
8.13	Summary	229
9	Process Oils, Synthetic Ester Plasticizers, and Processing Aids	231
9.1	Aromatic Process Oil	231
9.2	Naphthenic Process Oil	234
9.3	Paraffinic Oil	236
9.4	Rosin Oil	239
9.5	Diocetyl Phthalate (DOP)	240
9.6	Diisodecyl Phthalate (DIDP)	244
9.7	Diocetyl Adipate (DOA)	246
9.8	Diocetyl Sebacate (DOS)	248
9.9	Butyl Oleate	250
9.10	Dibutoxyethoxyethyl Adipate (DBEEA)	253
9.11	Vulcanized Vegetable Oil (VVO)	255
9.12	Summary	256
10	Curatives	257
10.1	Activators	258
10.1.1	Zinc Oxide	258
10.1.2	Stearic Acid	261
10.2	Vulcanizing Agents (Sulfur Based)	263
10.2.1	Rubber Maker's Sulfur	263
10.2.2	Insoluble Sulfur	266
10.2.3	Dithiodimorpholine (DTDM)	268
10.2.4	Tetramethylthiuram Disulfide (TMTD)	271

10.3	Primary Accelerators	274
10.3.1	N- <i>t</i> -butyl-2-benzothiazole Sulfenamide (TBBS)	274
10.3.2	N-Cyclohexyl-2-benzothiazole Sulfenamide (CBS)	277
10.3.3	2-(4-Morpholiniothio)-benzothiazole Sulfenamide (MBS)	280
10.3.4	N,N'-Dicyclohexyl-2-benzothiazole Sulfenamide (DCBS)	283
10.3.5	4-Morpholinyl-2-benzothiazole Disulfide (MBSS)	285
10.3.6	Alkyl Phenol Disulfide	288
10.3.7	Ethylene Thiourea (ETU)	289
10.4	Secondary Accelerators	291
10.4.1	2-Mercaptobenzothiazole (MBT)	291
10.4.2	Benzothiazole Disulfide (MBTS)	294
10.4.3	Tetramethyl Thiuram Monosulfide (TMTM)	297
10.4.4	Zinc Dibutyldithiocarbamate (ZnDBC)	300
10.4.5	Zinc Dimethyldithiocarbamate (ZnDMC)	302
10.4.6	Tellurium Diethyldithiocarbamate (TeDEC)	304
10.4.7	Diphenyl Guanidine (DPG)	306
10.4.8	Di- <i>o</i> -Tolylguanidine (DOTG)	309
10.5	Inhibitors and Retarders	311
10.5.1	Cyclohexylthiophthalimide (CTP)	311
10.5.2	Benzoic Acid	314
10.5.3	Phthalic Anhydride	316
10.5.4	Salicylic Acid	317
10.5.5	Magnesium Oxide (MgO)	319
10.6	Nonsulfur Vulcanizing Agents	320
10.6.1	Dicumyl Peroxide (DCP)	321
10.6.2	Di(2- <i>t</i> -butylperoxyisopropyl)benzene (BBPIB)	323
10.6.3	Methylol-Terminated <i>p</i> -Alkyl-Substituted Phenol Formaldehyde Curing Resin	324
10.6.4	Zinc Oxide	326
10.7	Summary	327
11	Antioxidants, Antiozonants, Tackifiers, Flame Retardants, and Blowing Agents	329
11.1	Antioxidants	329
11.1.1	2,2,4-Trimethyl-1,2-dihydroquinoline (TMQ)	329
11.1.2	Acetone Diphenylamine Condensation Product (ADPA)	332
11.1.3	Phenyl- <i>alpha</i> -naphthylamine (PAN)	334
11.1.4	Octylated Diphenylamine (8DPA)	337
11.1.5	Methylene-bis-methylbutyl phenol (<i>o</i> -MBp14)	339
11.1.6	N,N'-Di- <i>beta</i> -naphthyl- <i>p</i> -phenylene Diamine (DNPD)	341
11.2	Antiozonants	343
11.2.1	N-1,3-Dimethylbutyl-N'-phenyl- <i>p</i> -phenylene Diamine (6PPD)	343
11.2.2	N-N'-bis (1-methylheptyl)- <i>p</i> -phenylene Diamine (i88PD)	348
11.2.3	N,N'-Diphenyl- <i>p</i> -phenylene Diamine (DPPD)	350
11.2.4	Protective Waxes	352

11.3	Tackifiers	354
11.3.1	Phenol Formaldehyde Resins	354
11.3.2	Phenol Acetylene Tackifying Resin	356
11.3.3	Petroleum Aliphatic Hydrocarbon Resins	358
11.3.4	Polyterpene Resins	359
11.4	Blowing Agents (for Sponge Rubber)	361
11.4.1	Azodicarbonamide (ADC)	361
11.4.2	<i>p,p'</i> -Oxybis(benzenesulfonyl) Hydrazide (OBSH)	362
11.5	Flame Retardants	365
11.5.1	Antimony Oxide (Antimony Trioxide)	365
11.5.2	Chlorinated Paraffin (CP)	367
11.5.3	Alumina Trihydrate (ATH)	369
11.5.4	Zinc Borate Hydrate	370
11.5.5	Triaryl Phosphate (TAP)	372
11.6	Summary	373
12	Intermediate Feedstocks	375
12.1	Acetaldehyde	377
12.2	Acetic Acid	378
12.3	Acetone	379
12.4	Acetylene	380
12.5	Acrylonitrile (ACN)	381
12.6	Acrylonitrile Butadiene Rubber (NBR)	382
12.7	Adipic Acid	383
12.8	<i>p</i> -Alkylphenol (<i>para</i> -Alkylphenol)	384
12.9	4-Aminodiphenylamine (4-ADPA)	384
12.10	Ammonia	385
12.11	Ammonium Thiocyanate	387
12.12	<i>t</i> -Amylene	388
12.13	Aniline	388
12.14	Aniline Hydrochloride	390
12.15	Antimony	391
12.16	Antimony Trichloride	391
12.17	Benzene	392
12.18	Benzothiazyl Disulfide (MBTS)	394
12.19	Borates (Borax)	394
12.20	Boric Acid	395
12.21	Bromine	396
12.22	Butadiene (BD)	397
12.23	Butane	399
12.24	1,4-Butanediol (BDO)	400
12.25	Butanol (Butyl Alcohol)	401
12.26	<i>n</i> -Butyl Acrylate	402

12.27	<i>t</i> -Butylamine	403
12.28	<i>n</i> -Butyl Chloride	404
12.29	<i>t</i> -Butylphenol	404
12.30	<i>n</i> -Butyraldehyde	405
12.31	Calcium Carbide	406
12.32	Calcium Hydroxide	407
12.33	Calcium Oxide	408
12.34	Caprolactam	408
12.35	Carbon Disulfide	410
12.36	Chlorine	411
12.37	Chlorobenzene (Monochlorobenzene)	412
12.38	Chlorodifluoromethane	413
12.39	Chlorohydrin	413
12.40	Coal Tar	414
12.41	Crotonaldehyde	414
12.42	Cumene	415
12.43	Cyclohexane	416
12.44	Cyclohexanone	418
12.45	Cyclohexylamine	419
12.46	Cyclohexyl Mercaptan	419
12.47	Cyclopentadiene	420
12.48	<i>p,p'</i> -Diaminodiphenylmethane	421
12.49	Diaminotoluene	421
12.50	Dibutylamine	422
12.51	Dichlorodimethylsilane	423
12.52	Dicyclohexylamine	424
12.53	Dicyclopentadiene	424
12.54	Diethylamine	425
12.55	Diisobutylene	426
12.56	Dimethylamine	426
12.57	Dimethyl Terephthalate	427
12.58	<i>p</i> -Dinitrobenzene (<i>para</i> -Dinitrobenzene)	428
12.59	2,4-Dinitrotoluene	429
12.60	Diphenylamine	429
12.61	Diphenylmethane-4,4'-Diisocyanate (MDI)	430
12.62	Epichlorohydrin	432
12.63	Ethane	433
12.64	Ethyl Acrylate	433
12.65	Ethyl Alcohol (Ethanol)	434
12.66	Ethylbenzene	435
12.67	Ethylene	436
12.68	Ethylene Carbonate	438

12.69	Ethylene Chlorohydrin	438
12.70	Ethylenediamine	439
12.71	Ethylene Dichloride	440
12.72	Ethylene Glycol (EG)	441
12.73	Ethylene Oxide (EO)	441
12.74	2-Ethylhexanol (2EH)	443
12.75	5-Ethylidenenorbornene (ENB)	444
12.76	Formaldehyde	445
12.77	1,4-Hexadiene	447
12.78	Hexamethylenediamine	447
12.79	Hexamethylenetetramine (HMT)	448
12.80	Hydrazine	449
12.81	Hydrochloric Acid	450
12.82	Hypochlorous Acid	451
12.83	Hydrogen	451
12.84	Hydrogen Fluoride	452
12.85	Hydrogen Peroxide	453
12.86	Hydroquinone	454
12.87	Iron	455
12.88	Isobutylene	455
12.89	Isobutylene-Isoprene Rubber (IIR, Butyl Rubber)	457
12.90	Isocyanate-Terminated Prepolymer	458
12.91	Isoprene	458
12.92	Isopropyl Alcohol	459
12.93	<i>p</i> -Isopropylphenol	460
12.94	Melamine	461
12.95	Mercaptobenzothiazole (MBT)	462
12.96	Mesityl Oxide	462
12.97	Methane	463
12.98	Methanol	464
12.99	Methyl Acrylate	465
12.100	Methyl Chloride	466
12.101	Methylethyl Ketone (MEK)	467
12.102	Methyl Isobutyl Ketone (MIBK)	468
12.103	<i>p</i> -Methylphenol	469
12.104	<i>p</i> -Methylstyrene	469
12.105	Morpholine	470
12.106	Naphthalene	471
12.107	β -Naphthol	472
12.108	α -Naphthylamine	472
12.109	Nitric Acid	473
12.110	<i>p</i> -Nitroaniline	474

12.111 Nitrobenzene	475
12.112 α -Nitronaphthalene	475
12.113 <i>n</i> -Octanol (octyl alcohol)	476
12.114 <i>p</i> - <i>t</i> -Octylphenol (<i>p</i> - <i>tert</i> -Octylphenol)	477
12.115 Oleic Acid	478
12.116 Phenol	479
12.117 <i>p</i> -Phenylenediamine (PPDA)	481
12.118 Phosgene	482
12.119 Phosphorus	483
12.120 Phosphorus Oxychloride	483
12.121 Phosphorus Pentoxide	484
12.122 Phosphorus Trichloride	485
12.123 Phthalic Anhydride	486
12.124 Phthalimide	487
12.125 α -Picoline	488
12.126 Polyacrylonitrile	489
12.127 Polypropylene (PP)	489
12.128 Polypropylene Glycol	490
12.129 Polyvinyl Chloride (PVC)	491
12.130 Potassium Bromide	492
12.131 Propane	493
12.132 Propylene	494
12.133 Propylene Glycol (PG)	495
12.134 Propylene Oxide	496
12.135 Quinone (1,4-Benzoquinone)	497
12.136 Resorcinol	498
12.137 Sebacic Acid	499
12.138 Silicon Metal	500
12.139 Silicon Tetrachloride	501
12.140 Sodium Bromide	502
12.141 Sodium Carbonate	502
12.142 Sodium Dimethyldithiocarbamate (NaDMC)	503
12.143 Sodium Hydroxide (Caustic Soda)	504
12.144 Sodium Hypochlorite	505
12.145 Sodium Mercaptobenzothiazole (NaMBT or Sodium MBT)	506
12.146 Sodium Nitrate	507
12.147 Sodium Phenate	507
12.148 Sodium Silicate	508
12.149 Sodium Sulfate	508
12.150 Sodium Sulfite	509
12.151 Stannous Chloride	510
12.152 Stearic Acid	511

12.153 Styrene	512
12.154 Sulfur	513
12.155 Sulfur Dioxide	514
12.156 Sulfuric Acid	515
12.157 Sulfur Monochloride	516
12.158 Terephthalic Acid	517
12.159 Tetrafluoroethylene	518
12.160 Tin	519
12.161 Titanium Tetrachloride	519
12.162 Toluene	520
12.163 Toluene Diisocyanate (TDI)	521
12.164 <i>o</i> -Toluidine (<i>ortho</i> -Toluidine)	522
12.165 1,1,1-Trichloroethane	523
12.166 Trichlorosilane	524
12.167 1,1,1-Trimethylolpropane (TMP)	524
12.168 Urea	525
12.169 Vinyl Acetate	526
12.170 Vinyl Chloride Monomer	527
12.171 Vinyl Fluoride	528
12.172 Vinyl Pyridine	529
12.173 Wax	530
12.174 Xylene	530
12.175 Zinc Metal	531
12.176 Zinc Carbonate	532
12.177 Zinc Stearate	533
12.178 Zinc Sulfate	533
Glossary of Acronyms	535
Index	543
About the Authors	583

Preface

This book provides a current overview of the chemical supply chain for the \$220 billion rubber industry. It reviews the present and future international economic connections and their effects on this chemical supply chain to the rubber producers, compounding ingredient manufacturers, custom mixers, rubber fabricators, molders, extruders, and others.

This book explains the chemical connectivity of rubber compounding materials and polymers to their chemical feedstocks. It enables the reader to directly link current commercial changes in 178 commonly used chemical feedstocks to hundreds of different rubber compounding ingredients, polymers, textiles, and other raw materials.

One of the purposes of this book is to explain in simple terms the chemistry involved in the manufacture of these diverse materials. Also, a goal of this book is to explain why these various rubber chemicals and polymers are used, what comparative advantages they provide the rubber industry, and what competing uses they have in other industries.

Lastly, this book provides a wide range of technical terms and abbreviations that are currently used in the rubber industry.

1

Introduction

The purpose of this book is to improve understanding of the chemical nature of the global rubber industry in a context of commercial and political forces. These forces have often resulted in higher prices and periodic shortages in the supply of raw materials and intermediates necessary for the continued production of rubber products. Both the 20th and 21st centuries have witnessed numerous raw material shortages that have seriously impacted the global rubber industry. In all probability, these shortages and disruptions will continue for the foreseeable future.

The rubber industry today is based on the mixing of batches of rubber compounds. This industry is basically a batch industry where raw rubber(s), filler(s), and other compounding ingredient(s) are mixed together using either a two-roll mill or an internal mixer to prepare batches of rubber compounds (Figure 1.1). These uncured batches are further processed “downstream” through capital-intensive processes involving extruders, calenders, injection-molding machines, continuous vulcanization units, and curing presses. The continuity of these processes relies on a consistent, steady supply of rubber compounding ingredients and base polymers (natural and synthetic rubbers); see Figure 1.2 for how these topics are arranged in this book.




Figure 1.1 Rubber mixing process

There are three types of material shortages that have occurred and can occur in the rubber industry. These three types of shortages or material disruptions are as follows:

1. Shortage or supply disruptions in base materials from earth extraction or agriculture.
2. Shortage or supply disruptions in chemical intermediates.
3. Shortage or supply disruptions in supply of compounding ingredients or base polymers (rubbers).




Figure 1.2 Organization of this book

Examples of shortages of extracted base materials from the earth were seen with the oil embargo of 1973 and extraction of cobalt ore in the 1980s. Shortages of the monomer styrene or butadiene needed for the polymerization of styrene butadiene rubber (SBR) are examples of chemical intermediate shortages in the 1980s and the last decade as well. Examples of rubber compounding ingredient or finished base polymer shortages are seen when the United States was cut off from its sources of natural rubber supply during World War II, shortages of zinc oxide and titanium dioxide in the 1970s and 1980s, as well as shortages of various raw elastomers in the recent past.

■ 1.1 Rubber Industry's Place in the World Economy

The worldwide rubber industry totaled about \$220 billion in 2010, which is about one-quarter of one percent of the world GDP. About two-thirds of the rubber industry is tire related with one-third being non-tire related.

■ 1.2 The Structure of the Tire Industry

There are over 70 active tire manufacturers in the world (Table 1.1). In 2012, the big three tire companies (Bridgestone, Goodyear, and Michelin) represented about 46% of all tire sales. Bridgestone, Michelin, Goodyear, and Continental represented about 50% in 2010 of all tire sales. If Pirelli, Sumitomo, Yokohama, Hankook, Cooper Tire, Cheng Shin, Hangzhou Zhongce, Kumho Tire, Toyo Tire and Triangle are added as well, these top 14 firms represent a total of 75% of world tire manufacturing.

Table 1.1 Seventy Tire Manufacturers in Approximately Descending Order by Size

Tire Company	Headquarters Location
Bridgestone Corp.	Tokyo, Japan
Michelin	Clermont-Ferrand, France
Goodyear Tire and Rubber Co.	Akron, OH, USA
Continental AG	Hanover, Germany
Pirelli SpA	Milan, Italy
Sumitomo Rubber Industries Ltd.	Kobe, Japan
Hankook Tire Co. Ltd.	Seoul, South Korea
Cooper Tire and Rubber Co.	Findlay, OH, USA
Kumho Tire Co.	Seoul, South Korea
Toyo Tire and Rubber Co.	Osaka, Japan
Cheng Shin	Yuanlin, Taiwan
Giti Tire Co.	Singapore/China
Triangle Group Co.	Shandong, China
MRF Ltd.	Chennai, India
Noklan Tyres PLC	Nokia, Finland
Sibur-Russkie Shiny	Moscow, Russia
Apollo Tyres Ltd.	Kerala, India
Shanghai Tyre and Rubber Co. Ltd.	Shanghai, China
Amtel-Vredestein N. V.	Moscow, Russia
J. K. Industries Ltd.	New Delhi, India
Hangzhou Zhongce Rubber Co.	Hangzhou, China
Shandong Chengshan Tire Co.	Chengshan, China
Nexen Tire Corp.	Seoul, South Korea
Ceat Ltd.	Mumbai, India
Nizhnekamskshina	Nizhnekamsk, Russia
Aeolus Tyre Co.	Jiaozuo, China
BRISA/Bridgestone Sabanci Tire	Izmit, Turkey
P. T. Gajah Tunggal	Jakarta, Indonesia
GPX International Tire Corp.	Malden, MA, USA
Qingdao Doublestar Industrial Co.	Qingdao, China
Kenda Rubber Industrial Co.	Yuanlin, Taiwan
Matador AS	Puchov, Slovakia
Trelleborg AB	Trelleborg, Sweden
Carlisle Companies, Inc.	Charlotte, NC, USA
South China Tire and Rubber Co.	Cuangzhou City, China
Nankang Rubber Tire Corp.	Taipei, Taiwan
JSC Belshina Belarus Tyre Works	Bobruisk, Belarus
Dunlop Tyres International Pty. Ltd.	Durban, South Africa

Table 1.1 Seventy Tire Manufacturers in Approximately Descending Order by Size (*continuation*)

Tire Company	Headquarters Location
Marangoni, S. p. A.	Verona, Italy
FATE S. A. I. C. I.	San Fernando, Argentina
Hwa Fong Rubber Ind. Co. Ltd.	Taipei, Taiwan
CGS Ceske Gumarenska Spol.	Prague, Czech Republic
GTY Tire Co.	Mount Vernon, IL, USA
Federal Corp.	Tao Yuan, Taiwan
Alliance Tire Co.	Hadera, Israel
Cia. Hulera Tornel S. A. de C. V.	Mexico City, Mexico
Inoue Rubber Co.	Ikeda, Japan
Kerman Tire and Rubber Co.	Tehran, Iran
JSC Dneproshina	Dnepropetrovsk, Ukraine
Vredestein NV	Enschede, Netherlands
Balkrishna Industries Ltd.	Maharashtra, India
Loadsar Pvt. Ltd./Solideal Co.	Colombo, Sri Lanka
Guangzhou Pearl River Rubber Tyre	Guangzhou, China
Denman Tire Corp.	Leavittsburg, OH, USA
Dena Tire and Rubber Mfg. Co. Ltd.	Tehran, Iran
Beijing Shouchuang Tyres Co.	Beijing, China
Metro Tyres Ltd.	Ludhiana, India
Qingdao Yellow Sea Rubber Co., Ltd.	Qingdao, China
Shandong Zhongce Tyre Co.	Shouguang City, China
Silverstone Corp.	Kuala Lumpur, Malaysia
Double Happiness Tyre Industries	Taiyuan, China
Liaoning Tyres Group Co.	Liaoning, China
Xuzhou Tyre Group	Xuzhou, Jiangsu, China
Casumina (Southern Rubber Industry)	Ho Chi Minh City, Vietnam
TVS Srchakra Ltd.	Chennai, India
Specialty Tires of America	Indiana, PA, USA
Societe Tunisienne des Pneumatiques	Sousse, Tunisia
J. V. Matador-Omskshina	Omsk, Russia
General Tyre and Rubber Co. of Pakistan, Ltd.	Karachi, Pakistan
Falcon Tyres Ltd.	Mysore, India

The tire industry sales consist of about 60% passenger tires and 30% truck and bus tires, with the remaining 10% represented by farm service, aircraft, motorcycle, bicycle, and earth-moving tires (also called off-the-road or OTR tires).

The world tire industry produced over 1 billion tires of all types in 2010. By the numbers of tires (not sales figures), about 80% of all tires are passenger tires. There

are about eight passenger tires made for every truck tire produced. According to the Rubber Manufacturers Association (RMA), a typical passenger tire weighs about 25 pounds and contains about 3.5 pounds of natural rubber, about 6.8 pounds of synthetic rubber, 7 pounds of carbon black, and 3.7 pounds of steel tire cord and bead wire. Likewise, the typical truck tire weighs about 120 pounds and contains about 32.4 pounds of natural rubber, 17 pounds of synthetic rubber, 33.5 pounds of carbon black, and 17.4 pounds of steel tire cord and bead wire.

■ 1.3 The Structure of the Nontire Industry

There are numerous nontire rubber fabricators in the world today (Table 1.2). A far larger number of different rubber fabrication plants exist for the nontire than for the tire sector. The economies of scale are different for tire manufacturing compared to fabrication of rubber articles and products for the nontire sector. Achieving effective economies of scale for a tire plant requires a certain minimal size of perhaps 25,000 tires per day. On the other hand, the minimal capital and size requirements for production plants in the nontire sector are considerably less. Therefore, the nontire sector is populated with a larger number of production plants, representing a broader mix of large, medium, and small plants.

Table 1.2 Some of the Largest Nontire Rubber Companies in the World in Approximate Descending Order of Their Annual Sales of Nontire Rubber Products

Company	Country of Origin
Continental AG	Germany
Hutchinson	France
Bridgestone Corp.	Japan
Freudenberg Group	Germany
Trelleborg	Sweden
Tokai Rubber Industries	Japan
Tomkins PLC	United Kingdom
Cooper Standard Automotive	USA
Parker Hannifin Corp.	USA
NOK Inc.	Japan
New Balance Athletic Shoe	USA
Veyance Technologies	USA
Mark IV Industries	USA
Federal-Mogul Corp.	USA
Eaton Corp.	USA

Table 1.2 Some of the Largest Nontire Rubber Companies in the World in Approximate Descending Order of Their Annual Sales of Nontire Rubber Products (*continuation*)

Company	Country of Origin
Wolverine World Wide	USA
Carlisle Companies	USA
Metzeler Automotive Profile Systems	Germany
Yokohama Rubber Co.	Japan
Ansell Ltd.	Australia
Toyo Tire and Rubber Co.	Japan
Semperit AG	Austria
Fenner PLC	United Kingdom
Dana Corp.	USA
Bando Chemicals Industries	Japan
ZF Boge Elastmetall	Germany
Sumitomo Rubber Industries	Japan
SKF AB	Sweden
West Pharmaceutical Services	USA
WOCO Industrietechnik	Germany
ElringKlinger AG	Germany
Kinugawa Rubber Co.	Japan
Cardinal Health	USA
Veritas AG	Germany
Saar Gummi Group	Germany
Zodiac SA	France
Fukoku Co.	Japan
Avon Rubber p.l.c.	United Kingdom
Mitsuboshi Belting Ltd.	Japan
Nishikawa Rubber Co.	Japan
SSL International PLC	United Kingdom
Okamoto Industries	Japan
Lord Corp.	USA

The top four nontire companies are Freudenberg, Hutchinson, Bridgestone, and Continental, each with about three billion dollars in annual sales. Therefore, in 2010 these top four firms represented at least one-fifth of the entire nontire rubber industry.

This nontire rubber industry is about 38% dependent on the automotive industry, 32% industrial, 12% construction, 12% aerospace and other transportation, and 6% other application areas.

■ 1.4 Sectors of the Nontire Rubber Industry

The major sectors of the nontire industry include the following:

- Hoses
- Conveyor belts
- Transmission belts
- Seals and gaskets
- Blowout preventers
- Single-ply roofing
- Bushings and motor mounts
- Molded rubber goods
- Tank lining
- Wire and cable insulation
- Shoe heels and soles
- Sponge rubber
- Weatherstripping
- Latex products
- Rubber rollers
- Rubber tiles
- Rubber bands

1.4.1 The rubber *hose* industry is one of the two largest segments of nontire rubber fabricators. Worldwide, the hose industry had about \$6 billion dollars in total sales in 2010. Automotive and industrial are two very large market areas for hose. Some hose processes, for machine-made and hand-built hose, are very labor intensive. Processes for braided and spiral hose are less labor intensive. Hoses constructed in the factory are commonly cured in autoclaves.

1.4.2 The *belt* segment is approximately the same size as the hose segment, \$6 billion dollars worldwide in 2010. Conveyor belts (or large belts) are used as an efficient conveyance system for ores and mineral deposits for both surface and underground mining. Power transmission belts are used extensively in the automotive and industrial equipment markets. Light belts are used in such applications as food cafeterias.

1.4.3 *Seals and gaskets* are another multibillion dollar industry. Modern machinery requires many seals and gaskets, which are used everywhere in industry. There are static seals such as traditional O-rings and gaskets. Also, there are dynamic seals used under reciprocating conditions such as radial lip seals. Dynamic seals are also used under rotary conditions. These rotary seals can be either contacting or noncon-

tacting. Contacting rotary, dynamic seals are represented by radial shaft seals, axial slingers, mechanical face seals, and packings. Noncontacting, rotary, dynamic seals are represented by viscoseals, fluid seals, labyrinths, and bushings. Seals are usually manufactured by either injection or compression molding.

1.4.4 *Blowout preventers and packers* are adjustable sealing devices made of rubber and metal that are used extensively in oil drilling operations (called “downhole”). These devices are relatively large and critical to successful oil exploration and production. Because of the increasing need for more oil, this market has been growing significantly. About 5% of the available nitrile rubber goes into BOP (blowout preventer) production. Significant quantities of fluoroelastomers, HNBR and XNBR, are also used in this area. Much of the manufacture of these devices is carried out in the states of Texas and California.

1.4.5 *Single-ply roofing* is one of the largest single uses for EPDM rubber. It is the preferred roofing material for most commercial buildings, especially in the United States. Warranties are very important in this market. These roofing materials must function as an effective barrier for many years.

1.4.6 *Bushings and motor mounts* are components used in virtually all motorized vehicles. Here dynamic performance is critical. Rubber is compounded to impart specific, targeted dynamic property characteristics to these components. Rubber compounds in these components can be formulated to function as “isolators,” which pass mechanical energy through the component with only a minimal amount of heat generation. Or, rubber compounds can be formulated as “dampers,” which deliberately absorb energy being passed through the component and dissipate that energy as heat. Dynamic targets are set up for the quality assurance of these products, so they can function in the field as they were designed. Usually, injection or compression molding is used to manufacture these rubber-metal components.

1.4.7 Besides seals and dynamic rubber components (bushings and motor mounts), other *molded rubber goods* represent a sizable market. Products are manufactured through compression molding or the more productive injection molding. Also, liquid injection molding (LIM) has been gaining a larger market share. In fact, many molded rubber goods for the medical industry are made from liquid silicone rubber (LSR) through LIM. Some other common examples of molded rubber goods include bumpers, grommets, end stops, buffers, diaphragms, and bellows (cylindrical extendable vessels).

1.4.8 *Tank lining* is a relatively small market where rubber is specially formulated and cured to make an effective barrier to contain various liquids for transportation and storage. Worldwide, there are just a few rubber fabricators serving this market. Rubber lining is also used as a wear layer, protecting steel pipe from highly abrasive mining slurry.

4

Specialty Elastomers

Unlike the general-purpose elastomers just discussed, specialty elastomers have lower volumes of use. Except for butyl and halobutyl rubbers, most of the rubbers in this group have some degree of oil resistance. On the other hand, butyl and halobutyl rubbers possess good aging resistance properties.

The following specialty elastomers in Table 4.1 are discussed in this chapter.

Table 4.1 Specialty Elastomers

Name	Official ASTM Abbreviation	Alternate Name
Butyl Rubber	IIR	
Halobutyl Rubber	BIIR, CIIR	Chlorobutyl Rubber, Bromobutyl Rubber
Isobutylene-para-methyl Styrene Rubber	BIMSM	BIMS
Acrylonitrile Butadiene Rubber	NBR	Nitrile Rubber
Hydrogenated Acrylonitrile Butadiene Rubber	HNBR	Hydrogenated Nitrile Rubber
Curable PVC/NBR Polyblends	None	
Acrylic Rubber	ACM	Polyacrylate Rubber
Polychloroprene	CR	Neoprene
Chlorinated Polyethylene Rubber	CM	CPE
Chlorosulfonated Polyethylene	CSM	
Epichlorohydrin Rubber	CO, ECO	Chlorohydrin Rubber
Ethylene Acrylic Elastomer	AEM	
Ethylene Vinyl Acetate	EVM	EVA
Fluoroelastomers	FKM, FEPM	Fluorocarbon Elastomer
Perfluoroelastomer	FFKM	Perfluorocarbon Elastomer
Silicone Rubber	MQ, PMQ, PVMQ, VMQ, FMQ, FVMQ	

Reference: ASTM D1418; ASTM D2000

The following discussion gives a classification of these specialty elastomers based on their relative oil vs. heat resistance, in accordance with ASTM D2000 testing (Figure 4.1).




Figure 4.1 Classifying specialty elastomers by ASTM D2000

Except for butyl and halobutyl, these specialty elastomers are largely used in the nontire sector of the rubber industry. They typically provide differing degrees of heat aging and oil resistance.

■ 4.1 Butyl Rubber

Butyl rubber is a copolymer of isobutylene and isoprene. It is a product of research carried out in both Germany and the United States in the 1930s.

Polyisobutylene rubber (IM) was a precursor to butyl rubber, which was first developed in Germany. However, this polymer had no unsaturation; it could not be cured with a sulfur-based system. In 1937 Standard Oil (now ExxonMobil) developed the copolymer version that is used today in high volume. A small amount of isoprene provides the unsaturation that enables conventional curing with sulfur or other crosslinkers.

The world productive capacity for butyl rubber (and its related “cousin” halobutyl) is about 2 billion pounds annually from over 12 production plants scattered around the world. This volume represents 7% of the world production of synthetic elastomers. It is the fifth largest volume rubber used today and the highest volume specialty elastomer. In fact, the consumption of butyl rubber is comparable in volume to that of the general-purpose elastomers discussed earlier.

ExxonMobil and Lanxess together have about 80% of the world capacity, with ExxonMobil possessing the larger market share in 2010. The demand for butyl grows about 1.5% annually. Some new capacity has been created in China and Singapore. However, because of the specialized nature of butyl rubber's manufacture, it is difficult for other companies to quickly acquire the "know-how" to break into this market. While there are butyl rubber plants around the world, there appears to be a disproportionately high level of capacity in North America. However, because of the relatively higher prices for butyl rubber compared to general-purpose elastomers, the shipment costs are only a small fraction of the total costs. Therefore, a significant quantity of butyl rubber is exported from North America to many other countries worldwide.

Butyl rubber (Figure 4.2) is made from a cationic vinyl polymerization of isobutylene, with a relatively smaller quantity of isoprene, carried out at very low temperatures (to prevent the reaction from proceeding too quickly and getting out of control). This polymerization reaction is very exothermic.




Figure 4.2 Butyl rubber synthesis

Synonyms

IIR

Butyl rubber

Feedstock Dependency

Isobutylene is obtained from fractionation of refinery gases see Figure 4.3.




Figure 4.3

The fractionation of refinery gases to obtain isobutylene

Isoprene can be obtained from three different processes shown in Figure 4.4.




Figure 4.4 Three processes for obtaining isoprene

Standard Classifications

There is no official standard classification for butyl rubber. These elastomers are classified usually by their Mooney viscosity (ASTM D1646), and the mole percent unsaturation (which is proportional to the amount of the second monomer (isoprene) is generally not greater than 3%. Higher mole percent unsaturation will increase the cure rate but can hurt the ozone resistance imparted to the cured rubber compound.

Some Producers

ExxonMobil

Lanxess

Japan Butyl Co. (JSR/ExxonMobil)

JSR (Japan)

Nizhnekamskneftekhim (Russia)

Socabu (ExxonMobil) (France)

Sibur (Russia)

Reliance Industries (India)

Sinopec (China)

Zhejiang Cenway New Synthetic (China)

Why Used in Rubber Industry

The major reason that butyl rubber is used in the tire industry is its superior resistance to air permeability, as well as other gases. Butyl has approximately 13 times greater resistance to air permeability than natural rubber. This makes it ideal for use in making tire innerliners and inner tubes. While some polar specialty elastomers can also provide good air permeability resistance, they are far more expensive and generally do not possess the right combination of other needed properties.

Butyl rubber, because of its chemical structure, imparts high damping properties in dynamic applications where energy absorption is needed in automotive and other applications. In addition, certain grades of butyl are used in medical applications.

Alternate Nonrubber Uses

Butyl is also used in the manufacture of sealants and caulking materials. Special FDA-approved grades of butyl rubber are used in chewing gum.

Substitutability and Technical Alternatives

Because of butyl rubber's unique resistance to air permeability, its use is very important. It is very difficult to substitute with another elastomer, especially when those elastomers cost more.

Tight Supply Situations in the Past and Future Supply Outlook

There have been tight supply situations for butyl and halobutyl in the past. The demand for regular butyl rubber is decreasing in developed countries because it is chiefly used in tire inner tubes, which are in declining use in developed economies. (The innerlining of tires today uses halobutyl rubber, which will be discussed next.) Because of this decline in use of tire inner tubes, ExxonMobil will be eliminating its production of regular butyl but increasing production of bromobutyl at its Baytown, Texas, plant. Also, Lanxess has announced a similar increase in production of halobutyl rubber at its Sarnia, Canada, plant and built a new plant in Singapore.

■ 4.2 Halobutyl Rubber

The halogenated form of butyl rubber, which was developed in the 1950s, has replaced a significant amount of regular butyl consumption over the last few decades. It is the only form of butyl that can be used in tubeless tire innerliners, which now represents over 60% of all forms of butyl rubber use. Halobutyl rubber has partially replaced the use of regular butyl because it is compatible in blends with general-purpose elastomers such as natural rubber. Since zinc oxide is a vulcanizing agent for halobutyl

rubber, it can be covulcanized with general-purpose elastomers as well. This was not possible with regular butyl rubber, which cannot be cocured. Also, halobutyl imparts adhesion to general-purpose elastomers where regular butyl rubber does not.

There are two variants of halobutyl: chlorobutyl and bromobutyl rubbers see Figures 4.5 and 4.6, respectively. These halobutyl rubbers are made directly from regular butyl rubber.




Figure 4.5 The process for chlorobutyl rubber (CIIR)




Figure 4.6 The process for bromobutyl rubber (BIIR)

Bromobutyl rubber is a little more expensive to produce than chlorobutyl rubber; however, it will sometimes give better adhesion than chlorobutyl rubber to other elastomer-based compounds. Also, bromobutyl rubber cures a little faster than chlorobutyl. However, bromobutyl rubber may also have a greater tendency than chlorobutyl rubber to impart scorch problems to a compound during processing.

Synonyms

Chlorobutyl rubber

CIIR

Bromobutyl rubber

BIIR

XIIR

HIIR

Feedstock Dependency

With chloro- and bromobutyl rubbers, regular butyl rubber is considered a “raw material” that is being halogenated with either chlorine or bromine from the following sources, see Figure 4.7.




Figure 4.7 The preparation of chlorine for the chlorination of butyl rubber

Bromine can be obtained by a simple substitution reaction of sodium bromide with elemental chlorine shown in Figure 4.8.




Figure 4.8 Elemental chlorine reacts with sodium bromide and yields bromine

Standard Classifications

Just as with regular butyl rubber, there is no official classification system for halobutyl rubber. However, these polymers are commonly classified by their Mooney viscosity value (ASTM D1646), and amount and type of halogenation and unsaturation.

Some Producers

ExxonMobil

Lanxess

JSR (Japan)

Chinopec (China)

SIBUR (Russia)

Zhejiang Cenway New Synthetic (China)

Why Used in Rubber Industry

Halobutyl rubber is used mostly to make the innerliner compound for today's modern tubeless tires. This is because halobutyl rubber is compatible with general-purpose rubbers, can be covulcanized with them, and can impart good adhesion to them. Virtually all tubeless tire innerliners use halobutyl rubber.

Alternate Nonrubber Uses

There are not as many nonrubber applications for halobutyl rubber as there are for regular butyl rubber.

Substitutability and Technical Alternatives

The technical alternatives to halobutyl rubber in tire innerliner applications are very poor, in the short term. However, with the development of new innerliner compounds based on BIMS (see below), a substitution could be achieved long term with much development work.

A new BIMS/nylon thermoplastic vulcanizate innerliner is being investigated for possible use as a tire innerliner.

Tight Supply Situations in the Past and Future Supply Outlook

There have been tight supply situations and even customer allocations of halobutyl rubber that from time to time have limited its availability. Sometimes, the problem has been limited productive capacity. Sometimes, the problem has been a shortage of isobutylene feedstock. These problems should be alleviated somewhat with announced capacity improvements by ExxonMobil and Lanxess. ExxonMobil announced that it has increased its productive capacity for halobutyl rubber at its Baytown, TX, plant,

and its joint venture in Japan has been expanded. Lanxess has increased the halobutyl rubber capacity at its plants in Sarnia, Canada, and Singapore.

■ 4.3 Brominated Copolymer of Isobutylene and *para*-Methylstyrene (BIMSM)

Brominated copolymer of isobutylene and *para*-methylstyrene (BIMS) is the latest new class of synthetic rubber that has been developed for the rubber industry. The sole producer of this new class of elastomer is ExxonMobil, which commercialized it successfully under the trade name Exxpro in the first decade of this new century. The advantage of this new polymer class vs. bromobutyl rubber is that this new elastomer possesses a completely saturated backbone and possesses more reactive benzylic bromine functionality than the bromine sites on the conventional bromobutyl backbone. This means that BIMS reportedly gives superior performance in service vs. BIIR. This superiority is shown as better high-temperature resistance, better aging stability than either BIIR or EPDM, better weathering resistance, and better ozone resistance. Also, BIMS provides the potential of imparting superior air permeability resistance.

This new commercial rubber is produced from the carefully controlled bromination of the copolymer of isobutylene and *para*-methylstyrene, which forms a terpolymer as shown in Figure 4.9.




Figure 4.9 Copolymerization of isobutylene and *para*-methylstyrene to give BIMSM

The quantity of *para*-methylstyrene (PMS) used in this polymerization is small relative to the isobutylene (maybe only 2 to 20 weight percent PMS depending on the grade) while the bromine is even less, perhaps 0.2 to 3 mole percent. The ratio of feedstocks has a great influence on the performance of the BIMSM in rubber compounding.

Synonyms

BIMS

BIMSM (official ASTM abbreviation where all rubbers with saturated backbones must end the abbreviation with M)

Feedstock Dependency

The production of BIMSM depends on the availability of bromine, isobutylene, and paramethylstyrene, as shown in Figure 4.10 through Figure 4.12.





Figure 4.10
Optional paths to synthesis of bromine





Figure 4.12 Derivation of *para*-methylstyrene

Standard Classifications

There is no formally accepted method of classifying the different grades of BIMSM. However, an informal classification could be based on the amounts of *para*-methylstyrene and the level of bromination that determines the different grades of BIMSM.

Some Producers

ExxonMobil Chemical Company

Why Used in Rubber Industry

BIMSM may be used instead of halobutyl rubber because it possesses a saturated backbone that imparts a heat aging resistance superior to XIIR. Also, tires can be constructed with a BIMSM-based innerliner that will hold air longer than conventional innerliners based on XIIR.

Alternate Nonrubber Uses

Unknown

Substitutability and Technical Alternatives

Of course, before BIMSM was invented, XIIR (halobutyl rubber) was (and still is) extensively used for tire innerliners. If there were a shortage of BIMSM, the tire industry should be able to return to XIIR-based innerliners.

ExxonMobil in 2005 announced that it was increasing its productive capacity for manufacturing BIMS. How successful BIMS will be at partially replacing XIIR is currently being determined. The use of BIMS to make an “alloy” TPV with nylon may actually have a better chance at replacing traditional XIIR innerliners through a new blow molding process. Also, BIMS is being considered for medical applications.

■ 4.4 Nitrile Rubber

Nitrile rubber is a copolymer of acrylonitrile and butadiene (BD) with the standard abbreviation of NBR. NBR is produced by emulsion polymerization, and it dates back to the 1940s. The emulsion polymerization process developed for NBR is somewhat similar to the emulsion process developed for SBR in the same time period.

As a specialty elastomer, a rather large quantity of nitrile rubber is consumed. About one billion pounds of NBR are manufactured in the world each year, almost 4% of the total production of synthetic elastomers. The reason for its relatively large worldwide use is simply that this polymer is a relatively inexpensive rubber for use

whenever good oil resistance is needed, for example in hose applications, belting, “under the hood” automotive applications, and “downhole” oil drilling applications. The chemical process for manufacturing NBR is shown in Figure 4.13.




Figure 4.13
Chemical process for nitrile rubber (NBR)

Synonyms

Nitrile rubber

Acrylonitrile butadiene rubber

NBR

Buna N

Paracril

Nitrile butadiene rubber

Feedstock Dependency

The basic feedstocks for NBR are shown in Figures 4.14 and 4.15. For acrylonitrile, propylene can be reacted with ammonia to produce acrylonitrile (ACN).




Figure 4.14 Production of acrylonitrile (ACN)

Butadiene, on the other hand, is derived as shown in Figure 4.15.




Figure 4.15 Derivation of butadiene (BD)

Today more butadiene is produced from butene (another C4) through steam cracking of naphtha gas oil as a byproduct from ethylene/propylene production. Through extractive distillation of this C4 cracker stream, butadiene is obtained. Commonly, the yield achieved for BD is dependent on the quality of the feedstocks used for ethylene production. Usually, the heavier the feedstock, the greater the BD production. Reportedly, the “light” feedstock only yields about one-fifth the yield of butadiene compared to the “heavy” feedstock.

One major problem with the availability of NBR in 2007 and 2008 was the availability of butadiene monomer. Because of the gradual switchover from petroleum-based naphtha feedstocks to ethane natural-gas-based feedstocks in the production of ethylene for the plastics industry, there are fewer C4 streams available for butadiene production. Ethylene plants are gaining significant economic savings by making this feedstock conversion from naphtha to ethane. This has resulted in significant shortages of butadiene to the rubber industry during the last decade. However, there is optimism now that butadiene will be more available than previously because of the emergence of hydraulic fracturing (or “fracking”) for natural gas (especially “wet” natural gas), which has resulted in a new abundance of butane. With all these new reserves of butane, there should be no problem in the future in building “on purpose” cracking units for the sole purpose of converting butane into butadiene.

Standard Classifications

There is no official standard classification system for different grades of nitrile rubber. Commonly the percent acrylonitrile (ACN) and the Mooney viscosity value (which crudely relates to average molecular weight by ASTM D1646) are used to classify an NBR. Even with this, however, it is very possible that two sources of NBR with the same ACN content and the same Mooney viscosity will still process very differently and impart quite different physical properties to a rubber compound.

NBR grades that possess higher bound ACN content will usually impart higher oil resistance to a rubber product while in service. However, a higher percent ACN content will also hurt the products low-temperature properties and resiliency.

Some Producers

Zeon Chemical Co.

Lanxess

DSM Copolymer

Nitrilo

INSA, LLC

Nitriflex (Brazil)

Kumho

Nantex (Taiwan)

Synthos (Poland)

Sibur (Russia)

JSR

Polimeri

Insa Gpro (Nanjing) Synthetic Rubber Co. (China)

Girsa (Mexico)

PetroChina

Hyundai (Korea)

Why Used in Rubber Industry

NBR is commonly selected where good oil resistance is needed but high-temperature service conditions are not required. If high protection against heat is not needed, then the price of NBR is usually quite reasonable.

About 20% of NBR is used in the molding of rubber seals and O-rings that will be exposed to engine oil, lubrication oil, and so on.

Another 30% is used in hose and belting stock, again for oil resistance.

About 5% is used in making blowout preventers or packers in the so-called “down-hole” applications in drilling for oil

Another 10% is used in molding miscellaneous parts.

About 12% is used in making rubber latex products, while another 5% goes into sponge applications.

Maybe 3% is used in footwear (such as in the soles of work shoes and military footwear).

Alternate Nonrubber Uses

About 15% of NBR is used by the sealant and adhesives industry.

A significant quantity of NBR is used as an impact modifier in the plastics industry for ABS plastic and NBR/PVC plastic blends.

Substitutability and Technical Alternatives

Certainly, other specialty elastomers can be substituted for NBR to achieve even better oil resistance. However, most of these alternatives currently have a significantly higher price than NBR. For oil resistance per se, NBR is very price effective.

Tight Supply Situations in the Past and Future Supply Outlook

In the 1980s there were approximately 10 NBR plants in North America and many others in Europe, Asia, and South America. Now there is only one nitrile rubber plant left in the United States (Zeon's Louisville, KY, plant). Also, there is the nitrile rubber plant in Altamira, Mexico, which exports into the United States. (The Lanxess Canadian NBR plant has been shut down.) The NBR polymerization technology is mature. The "barriers to entry" are small compared to some other types of polymer plants. Thus other countries are increasing their NBR productive capacities while developed countries such as the United States have been decreasing theirs. However, in 2008 Lanxess modernized their Lawantzenau, France, NBR plant, which increased its output by 30%. Lanxess invested \$15 million in this upgrade. Also, significant, new productive capacity of NBR is being created in Asia.

In the last twenty years the demand for NBR has been rather flat (or even declining in some locations) because many of the newer specialty elastomers have substituted for automotive "under the hood" applications that traditionally went to NBR. The operating temperatures "under the hood" have been getting progressively higher. Regular NBR does not have very good heat aging resistance.

Worldwide demand for NBR is projected to grow about 3% annually on average even though the growth in the United States has been declining about -1.2% annually. The largest growth in emerging producers of NBR can be found in mainland China and Taiwan.

There have been some shortages from time to time of available NBR in the last twenty years.

■ 4.5 Hydrogenated Nitrile Rubber (HNBR)

HNBR has significant advantages over NBR in that it imparts superior heat and oxidative resistance compared to the less-expensive NBR, without loss in oil resistance. Also, the hydrogenation to convert NBR to HNBR changes the butene backbone to a methylene backbone, which improves the strength of an HNBR compound as measured by ultimate tensile strength and tear-resistance tests. However, converting the butene backbone to a more flexible, saturated methylene backbone can hurt low-temperature properties because of crystallization. So in order to prevent this sacrifice in low-temperature properties, a second generation of HNBR polymers was developed using proprietary third monomers in order to break up crystallinity tendencies and restore good low-temperature properties. Not only do HNBR elastomers retain their oil-resistant properties, but they possess superior dynamic properties

vs. NBR, which explains why HNBR is the preferred polymer for use in the production of automotive timing belts.

HNBR is manufactured from specially prepared NBR elastomers. By using a proprietary precious metal catalyst (which selectively saturates the olefinic rather than the nitrile unsaturation, with a catalyst cost of more than \$500 per ounce), this NBR feedstock is converted into HNBR, which is marketed at a much higher price than NBR. Because of HNBR's specialized applications and higher cost, only about 50 million pounds are used each year worldwide.




Figure 4.16 The manufacture of hydrogenated nitrile rubber (HNBR) from NBR

As seen in Figure 4.16, the HNBR possesses no unsaturation in the backbone if it is fully saturated. However, many grades are produced where the NBR is only partially saturated, leaving a relatively small level of unsaturation in order to sulfur cure the HNBR polymer. Sulfur cures can impart less heat buildup during dynamic flexing of a given product; however, peroxide cures of a fully saturated HNBR-based compound can give greater strength and heat resistance.

Complete saturation of the polymer backbone as shown above imparts much better resistance to ozone attack, extended service temperature range, and improved hot air resistance, compared to compounds based on conventional NBR. In other words, compounds based on HNBR are much more resistant to heat than those based on regular NBR elastomers. HNBR compounds have better thermo-oxidative aging resistance, qualifying them for automotive “under the hood” applications.

Synonyms

Hydrogenated nitrile

Hydrogenated NBR

Hydrogenated acrylonitrile butadiene rubber

HNBR

Highly saturated nitrile (HSN)

Index

Symbol

- 1,1,1-trichloroethane 523
1,1,1-trimethylolpropane (TMP) 524
1,1'-azobisformamide 361
1,2-dichloroethane 437
1,3-ethylene-2-thio-urea 289
1,4-BD 190, 191
1,4-bis-(*t*-butylperoxyisopropyl)benzene 323
1,4-butanediol 190, 191, 381, 401, 406, 446, 464
1,4-*cis*-polybutadiene 54
1,4-*cis*-polyisoprene 43
1,4-hexadiene 59, 447
2,2,4-trimethyl-1,2-dihydroquinoline 329
2,2,4-trimethyl-1,2-dihydroquinoline polymer 330
2,2'-dithiobis(benzothiazole) 295
2,2'-methylene-bis-(4-methyl-6-*t*-butylphenol) 340
2,2'-methylene-bis(6-*t*-butyl-4-methylphenol) 340
2,4-dinitrotoluene 429
2-(4-morpholiniothio)-benzothiazole sulfenamide 280, 281
2,5-dimethyl-2,5-di-(*t*-butylperoxy)hexane 324
2,5-dimethyl-2,5-di-(*tert*-butylperoxy)hexyne-3 324
2-alkyl-9,10-dihydroxyanthracene 322
2-chloro-1,3-butadiene 90
2EH 443, 444
2-ethylhexanol 241, 246, 247, 249, 377, 444, 452
2-ethylhexyl phthalate 240
2-imidazolidinethione 289
2-mercaptobenzothiazole (MBT) 291, 504
2-mercapto-imidazoline 289
2-propanol 468
2-propylheptanol 444
3,3'-dichloro-4,4'-diaminodiphenylmethane 198
3M 110
3M Dyneon Group 108
3-mercaptopropyltriethoxysilane 216
3-octanoylthio-1-propyltriethoxysilane 217
4,4'-bis(diethylamino)-benzophenone 47
4,4'-diphenylmethane diisocyanate (MDI) 185, 430
4,4'-dithiodimorpholine 269
4,4'-methylene-bis(2-chlorobenzeneamine) 198
4,4'-oxybis(benzenesulfonyl hydrazide) 364
4,5-dihydroimidazole-2(3H)-thione 289
4-ADPA 384, 393
4-aminodiphenylamine (4-ADPA) 384, 475
4-morpholinyl-2-benzothiazole disulfide 285, 286
5-ethylidene-2-norbornene 58
5-ethylidenenorbornene (ENB) 60, 444
6PPD 343, 345, 348, 385, 389, 393, 416, 460, 468
6PPD antiozonant 379, 390, 430, 460, 463, 475
- production 385
8DPA 337
 α -naphthylamine 472, 473, 476
 α -nitronaphthalene 473, 476
 α -picoline 140, 488
 β -naphthol 472
- ## A
- Aabtonsmart Chemical (China) 425
abietic acid mixture 239
abrasion 205
- resistance 176, 179, 181, 182, 203
ABS 399, 435, 513
- plastics 382
- resin 490
absorbent 445
abundance of butane 142, 398
accelerator 257, 273, 288, 375, 506
Acentech Corporation 322
acetaldehyde 102, 241, 247, 249, 251, 375, 377, 434
acetate esters 378
acetic acid 102, 378, 434, 467
acetic anhydride 377, 378
Aceto Corp. 340, 429, 474, 477, 481, 488, 511, 522
acetone 329, 331, 332, 379, 415, 416, 430, 460, 468
acetone cyanohydrins 380
acetone-diphenylamine condensation product 332, 379, 430
acetylene 90, 91, 190, 191, 208, 357, 375, 380, 405, 406, 480
acetylene carbon black 208, 380, 406
- production from acetylene 208
acetylene gas 208
acetylene phenolic tackifying resin 480
acetylene phenol tackifying resin 380, 405
acid acceptor 320
Acidchem 478, 511

- ACM 65, 86, 87, 172, 254, 375, 380, 465
 - /nylon 172
 - /nylon-6 thermoplastic vulcanizate 380
 - rubber 402, 409, 434, 465
 - specialty elastomer 406
- ACN 77, 494
 - acrylonitrile 381
 - content 77
- Acna 272, 278, 292, 299
- Acros Organics (Belgium) 445
- acrylamide 382
- acrylester rubber 87
- acrylic acid 495
- acrylic fibers 382
- acrylic polymers 403
- acrylic rubber 65, 86, 87
- acrylonitrile (ACN) 21, 76, 77, 119, 167, 375, 381, 386, 494, 495
- acrylonitrile and butadiene copolymer 75
- acrylonitrile butadiene rubber (NBR) 76, 381, 382, 452
- acrylonitrile content 82
- Acsium 95
- activation 257
- activator 257, 258, 260, 376, 511, 533
- ADC 361, 375, 412, 449, 505, 506, 526
 - blowing agent 386
- adhere 354
- adhesion 488, 498, 503, 504, 509
 - chemistry 285
 - promoter 375, 386
 - systems 393, 446, 449, 461
 - to other compounds 288
- adhesives 45, 78, 95, 156, 159, 179, 184, 187, 189, 195, 197, 214, 216, 222, 326, 384, 403, 477, 508, 521, 522, 526, 527
 - industry 113, 240, 356, 360, 378, 449
 - systems 115, 136
- adipic acid 124, 125, 181, 183, 246, 247, 253, 383, 417, 441, 442, 480
- adipic acid-ethylene glycol 442
 - polyester (polyol) 181, 383, 437, 451
- adiponitrile (ADN) 382, 383, 399
- Aditya Agro Chemicals 370
- Aditya Birla Group 204 - 206
- ADPA antioxidant 332, 389, 416, 450, 460
- ADPA AO 390
- Advanced Elastomer Systems (AES) 163
- Advanced Technology and Industrial Co. (China) 424
- Advance Research Chemicals 520
- Advansa (UK) 518
- AECM 100
- AEM 65, 99, 100, 493, 523
 - rubber 436, 439, 464, 465
- Aeolus Tyre Co. 3
- aerosol propellant 399
- aerospace 104
 - and defense industries 110
 - applications 111
- AES (Advanced Elastomer Systems, which now is a division of ExxonMobil) 169, 171
- Afino Fine (Taiwan) 431
- Aflas 108
- after the market 450
- aged tack 358
 - values 356
- aging 528
 - properties 270, 437, 492
 - resistance 61, 91, 145, 212
- agricultural chemicals 411, 473
- agricultural fertilizer 534
- agricultural use 387
- agriculture 265, 320, 408, 515, 534
- agriculture sprays 238
- Agrium 525
- air aging resistance 268
- aircraft 4
- air floatation 218
- air-floated clays 218
- air permeability 69, 223
 - resistance 69, 169, 171, 174, 175, 459
- air pollutant 468
- air pollution 201
- Air Products and Chemicals 310
- Air Products (USA) 419, 456, 501, 524, 528
- Akrochem 256, 262, 265, 290, 306, 310, 353, 356
- AK Scientific (USA) 385, 390, 404, 422, 506
- Akzo Nobel 117, 118, 322 - 324, 410, 439, 442
- Albany International 129
- Alcan Rubber and Chemicals 279, 282, 296, 301, 303
- Alcan Specialty 529
- Alchemie USA 474, 481
- Alchimica (Czech Republic) 484, 485
- alcohol 217, 241
- Aldehydes India 152
- aldolized 377, 406
- Alemark Chemicals 387, 460, 462, 465, 511
- Alfa Aesar GmbH & Co. (Germany) 424
- Alfa Aesar-Johnson Matthey 392, 484, 492
- aliphatic 236
 - hydrocarbon resins 358
 - tackifying resins 358
- alkaloids 460
- alkyd resins 487, 500, 525, 531
- alkyl acrylate copolymer 87
- alkylantraquinone 453
- alkylated 355
 - phenol feedstocks 355
 - phenols 446

- alkylation 340, 350, 355, 357, 435
 - of benzene 157, 512
 - value 490
- alkyl-lithium 46
- alkyl phenol 480, 517
 - disulfide 288, 514
 - accelerator 517
- alkylphenol (*para*-alkylphenol) 384
- Allan Chemical Corp. 407, 492, 533
- Allchem Industries 396, 427, 439, 462, 525
- Alliance Tire Co. 4
- allocation 399
- alloys 519
- allyl alcohol 400
- alpha*-methylstyrene 416
- alpha*-naphthylamine 334, 335, 389, 450, 471
- alpha*-nitro-naphthalene 335, 450, 471
 - feedstock 335
- alpha*-olefins 437
- Altair Partners 413
- alumina trihydrate (ATH) 31, 367, 369
- aluminosilicate clay deposits 31
- aluminum 31, 500
 - ore 31
 - oxide 121
- Amato International 478, 511
- ambient temperature 354
- Amelia Chemicals 470
- American Borate 395, 396
- American Fibers and Yarns 129
- American International 387, 533
- American Lubricants and Chemical LLC 235
- American method 258
- American process 259
- American Synthetic Rubber 50, 55
- Ameripol Synpol 52
- AMI Agrolinz Melamine 461
- amine-type AOs 339
- aminodiphenylamine 475
- ammonia 21, 76, 84, 150, 151, 168, 269, 271, 275, 281, 286, 289, 290, 298, 300, 303, 305, 312, 361, 375, 385, 386, 404, 408, 410, 413, 440, 442, 452, 456, 464, 480, 487, 494, 506, 523
- ammonium hydroxide 392
- ammonium iodide 275
- ammonium nitrate 387, 473
- ammonium thiocyanate 289, 290, 386, 387, 410, 439
- ammoxidation 381
- Amoco 243
- Amoco Process 517
- amorphous, insoluble sulfur 266
- amorphous, polymeric form of sulfur 266
- amorphous sulfur 267
- Amresco (USA) 479
- amylene 358, 359, 388
- anatase 38, 225
- Anchor Chemical 295, 308
- Angarsk 512
- aniline 187, 194, 275, 278, 282, 284, 291, 292, 295, 307, 329, 330, 333, 334, 337, 345, 349, 351, 375, 379, 388, 393, 410, 413, 415, 431, 450, 452, 460, 471, 473, 475, 476, 480
 - hydrochloride 333, 337, 389, 390
- animal feed 526, 534
- animal repellent 273
- Ankit Enterprise Mumbai 153
- Ansell Ltd. 6
- Anshan Tianchang (China) 471
- anthracite coal 33
- anthrahydroquinone 453
- antibranching agents 42
- antidegradants 329, 336, 338, 351, 352, 481
- antifoaming agents 476, 491
- antifreeze 435, 441, 443
 - inhibitor 439
 - production 496
- antiknock agent for gasoline 397
- antimony 365, 391
 - chloride 392
 - ore 31
 - oxide
 - ores 365
 - oxide (antimony trioxide) 365, 367
 - sulfide 366
 - trichloride 391
 - trioxide 365, 391, 392
- antioxidant 329, 332, 344, 379, 393, 405, 415, 450, 456, 471, 473, 476
- antiozonant 329, 343, 344, 348, 350, 352, 393, 463, 468, 475, 497
- antiseptics 471, 472
- AOs 339
- APAR Industries 50, 238
- Apollo 445
- Apollo Tyres Ltd. 3
- apparel 130
- appearance 163
- Aqua Chemical 459
- aqueous resorcinol formaldehyde resin liquid 137
- aqueous soap emulsion 46
- aramid 115, 116, 137
 - cord 118
 - fiber 428, 474, 481
- archery bows 120
- Arizona Chemical 360
- Arkema Inc. 288, 322-324, 356, 403, 410, 422, 453
- aromatic 235
 - diol 192
 - extender oil 232
 - extracts 232, 233
 - hydrocarbon (PAH) 414
 - nylon 116

- oil 231 - 233, 236, 240
- polyamide 116
- process oil 231, 232, 240, 480
- residue oil 202
- Arpechim 512
- art gum erasers 256
- Aryavart Chemicals 153
- Asahi Glass (Aflas) 108
- Asahi Kasei Chemical 50, 55
- Asahi Kasei (Japan) 381
- asbestos substitute 115
- A. Schulman 162
- Ashland Chemical 245, 247, 422, 434, 508, 523
- As Kimya Sanayi Ve Ticaret AS 91
- asphalt 156
- asphaltene 232, 235
 - content 237
- asphalt modification 233
- aspirin 318
- Astlett Rubber 49, 55
- ASTM abbreviation 340
- ASTM D1418 43, 60, 107, 111, 112
- ASTM D1506 Ash Content 204
- ASTM D1508 Carbon Black Pelleted Fines 204
- ASTM D1509 Heating Loss 204
- ASTM D1510 Iodine Adsorption Number 204
- ASTM D1511 Pellet Size Distribution 204
- ASTM D1512 pH Value 204
- ASTM D1513 Pellet Pour Density 204
- ASTM D1514 Sieve Residue 204
- ASTM D1618 Extractables from Transmittance of Toluene Extract 204
- ASTM D1619 Carbon Black Sulfur Content 204
- ASTM D1646 Mooney Viscosity Test 44, 49, 55, 61, 68, 72, 77, 81, 93, 95, 98
- ASTM D1765 203, 207, 209
- ASTM D1937 Carbon Black Pellet Mass Strength 204
- ASTM D1992 242, 245, 247, 250, 252, 254, 372
- ASTM D1993 Surface Area by Multipoint BET Nitrogen Adsorption 145, 211
- ASTM D2000 testing 65
- ASTM D2007, a column chromatographic method 232, 235, 237
- ASTM D2226 classifies petroleum process oils 232, 235, 237
- ASTM D2227 41
- ASTM D2414 Carbon Black Oil Absorption Number (OAN) 204
- ASTM D2501 237
- ASTM D3191 Testing Carbon Black in SBR 204
- ASTM D3192 Testing Carbon Black in Natural Rubber 204
- ASTM D3265 Tint Strength 204
- ASTM D3313 Individual Pellet Hardness of Carbon Black 204
- ASTM D3493 Testing Oil Absorption Number (COAN) of Compressed Samples 204
- ASTM D3765 Testing CTAB Surface Area of Carbon Black 204
- ASTM D3849 Morphological Characterization Using Electron Microscopy 204
- ASTM D3853 275, 278, 281
- ASTM D4295 classifies rubber grades of zinc oxide 259
- ASTM D4527 Carbon Black Solvent Extractables 204
- ASTM D4528 classifies different grades of insoluble sulfur 264, 267
- ASTM D4676 331, 334, 336, 338, 340, 342, 347, 349, 351
- ASTM D4677 225
- ASTM D4817 262
- ASTM D4818 275, 278, 282, 284, 287, 292, 295, 298, 301, 303, 305, 308, 310
- ASTM D4924 classifies paraffin waxes 353
- ASTM D5230 Automated Individual Pellet Hardness for Carbon Black 204
- ASTM D5377 226
- ASTM D5604 Surface Area by Single Point BET Nitrogen Adsorption 145, 211
- ASTM D6086 Compressed Volume Index for Carbon Black (Void Volume) 204
- ASTM D6204 Part A Rubber Process Analyzer 44
- ASTM D6556 Total and External Surface Area by Nitrogen Adsorption 204
- ASTM D6738 Volatility Content 145, 211
- ASTM D6739 pH Value 145, 211
- ASTM D6740 Ignition Loss Test for Residue 215
- ASTM D6741 Sulfur Content 216
- ASTM D6843 Characterization by Gas Chromatography 216
- ASTM D6844 Characterization by High-Performance Liquid Chromatography 215, 216
- ASTM D6844 Purity by HPLC Method 215
- ASTM D6845 CTAB (Cetyltrimethylammonium Bromide) Surface Area 145, 211
- ASTM D6854 Oil Absorption Number (for structure) 145, 211
- atacamite 27
- ATH 31, 369, 505
- athletic shoes 101, 103
- ATI Wah Chang 501
- Atlantic Equipment Engineers Micron Metals (USA) 500
- Atman Chemical Industry 152, 265, 270, 273, 276, 280, 293, 296, 299, 301, 334
- Atman Chemical Industry (China) 290, 309
- atmospheric ozone 343
- atomic hydrogen welding 452
- Atotech 510
- ATTS Inc. (USA) 481, 499
- Austin Chemical (USA) 477, 524

- automotive
 - applications 104
 - bumpers 160
 - bushings 42
 - fascias 160
 - industry 441
 - instrument panels 176
 - packings 88
 - safety glass 527
 - availability of the butadiene 397
 - Avon Rubber PLC 6
 - Avtex Fibers 131
 - axial slingers 8
 - azodicarbonamide (ADC) 361, 505
 - azo dye intermediate 421
 - azurite 27
- B**
- bactericide 471, 477
 - bacteriostat 273
 - Bainbridge Chemical 265
 - Balkrishna Industries Ltd. 4
 - ballistic protection 115
 - bands 10
 - ban on aromatic oils 233
 - Baofull Co. Ltd. (China) 272
 - Barker Industries 492
 - barrier 352
 - to gas permeability 223
 - Basell 398, 489, 494
 - Basell USA 489
 - BASF 123, 125, 187, 358, 362, 389, 400-403, 408, 409, 416, 418, 431, 441-443, 445, 450, 461, 465, 482, 486, 488, 491, 494, 497, 503, 512, 522
 - BASF (Belgium) 404, 447
 - batteries 205
 - bauxite (aluminum ore) 31, 369
 - bauxite ore 505
 - Bay Chemical 525
 - Bayer 176, 187, 188, 369, 431, 445, 450, 522
 - Bayer (Belgium) 456
 - Bayer CropScience 482
 - Bay Zinc 534
 - BBA Fiberweb 129
 - BBP 240
 - BBPIB 323
 - BBTS 275
 - BCH Bruhl Chemikalien Handel (Germany) 407
 - BD 49, 76, 77, 141, 168, 397
 - BDO 191, 400, 401
 - bead area 150
 - bead wire 118, 135, 136, 519
 - bearing alloys 391
 - Beaulieu of America 129
 - Beckmann Chemikalien (Germany) 385
 - Beckmann rearrangement 408
 - beef 263
 - Behn Meyer 216
 - Beijing SHLHT Chemical (China) 471, 479
 - Beijing Shouchuang Tyres Co. 4
 - Bekaert 135
 - bellows 8, 166
 - Belmont Metals (USA) 391, 519
 - belt applications 81
 - belted radial tires 134
 - belting 76, 78, 139, 148
 - belts 116, 118, 134, 135, 254, 354
 - belt segment 7
 - benzene 47, 48, 141, 193, 321, 350, 375, 392, 431, 433, 435, 437, 493, 516, 521
 - benzoic acid 314, 487, 521
 - benzothiazole (benzothiazyl)disulfide (MBTS) 294, 295, 394
 - benzyl chloride 521
 - beta*-naphthol 341, 342, 471
 - better wear 215
 - Beyo Chemical (China) 499
 - BF Goodrich Chemical Co. 96
 - bicycle 4, 120
 - Biddle Sawyer Corp. 364, 421, 454, 474
 - BIIR 65, 70, 71, 397, 457, 493, 502
 - BIMS 72-74, 456, 470
 - BIMSM 74
 - BIMS/nylon 72, 174
 - thermoplastic vulcanizate (TPV) 171, 470
 - BIMS rubber 412, 456
 - biocides 480
 - biofuel 435
 - bis(2-ethylhexyl)phthalate 241
 - bis(3-chloro-4-aminophenyl)methane 198
 - bis-[3-(triethoxysilyl)propyl] disulfide 217
 - bis-[3-(triethoxysilyl)propyl] tetrasulfide 215
 - bis(4-amino-3-chlorophenyl)methane 198
 - bis(*beta*-hydroxyethyl) ether of resorcinol (HER) 192
 - bis-(dimethylthiocarbamyl)disulfide 271
 - bisphenol A 380, 480
 - bituminous coal 33, 226
 - black 201, 202, 227, 228
 - black oxide of iron 227
 - bladders 258, 326, 446
 - bleaching 510
 - agent 506
 - blended with cotton 130
 - blends of stearic, palmitic, and oleic acids 262
 - block copolymers 156, 177
 - blocked polyisocyanate 142
 - block polymerization 494
 - block polymers 393, 433, 513
 - bloom 255, 266, 267, 323, 350, 352, 514
 - rate 348
 - resistance 337

- blowing agent 101, 329, 361, 362, 412, 449, 505, 506, 526
- blow molding 108
- blown film 175
- blowout preventer 8
- Blue Star 112
- boat hulls 122
- boehmite 31
- Bombay Lubricants Oil Co. 152
- bond between rubber and textile cord 431
- boots 166, 176
- BOP 8
- borates 394
- borax 121, 394, 516
- Borden Chemical 445
- Borealis 489, 494
- boric acid 371, 395, 516
- boron oxide 121
- Borsodchem (Hungary) 431
- bottles 130
- bottoms 202
- bound ACN 77
- bound styrene level 49
- bound water 369
- Bozzetto 272, 295, 301, 303
- BP 243, 494
- BPA 480
- BP Amoco 242, 245, 246
- BP Chemical 377, 405, 416, 476, 491
- BP (USA, Belgium) 518
- BR 53, 139, 354, 375, 399
- braided 7
- Brainerd Chemical 459
- brass 532
- brass alloys 532
- brass-coated steel tire cord 532
- brass plate 134
- brass-plated steel tire cord adhesion 152
- breaker compounds 143
- breaker stock 146
- Bridgestone Corp. 3, 5, 52
- Bridgestone/Firestone 57
- bright colors 82
- brightener 387
- bright light exposure 341
- brimstone 264
- brine 30, 93, 319
- BRISA/Bridgestone Sabanci Tire 3
- British Petroleum 531
- brominated copolymer of isobutylene and para-methylstyrene 174
- brominated flame retardant 397
- bromination 75
- bromine 74, 396, 412, 493, 502
- bromobutyl rubber (BIIR) 65, 70, 71, 397, 412, 457, 493, 502
- bronze 134, 500
 - alloy 519
- bronzing iron 392
- Brook-Chem 439, 510
- brookite 38
- brown rubber 47
- brown vulcanized vegetable oil (VVO) 255
- brown VVO products 255
- BR production 398
- Bruchem Inc. 396, 459, 511, 525
- BST Elastomer 50, 56
- BTZ 300
- bubbles 361
- buffers 8
- building and construction materials 408
- building construction 446
- building tack 43, 354, 359, 446
- bulletproof ballistic protection 115
- bulletproof vests 118
- bumpers 8
- Buna N 76
- Buna S 47
- Burgess Pigment Co. 219
- burning chlorine 450
- bus 126
- bushings 8
- butadiene 46-48, 53, 57, 60, 76, 77, 89, 140, 141, 157, 165, 168, 375, 380, 397-399, 412, 420, 434, 493
 - monomer 141
 - production 141
 - rubber 53
- butane 21, 48, 53, 61, 77, 142, 168, 169, 375, 398, 399, 436, 467, 494
- butanediol 400, 446, 464
- butanol 196, 251, 377, 386, 401
 - feedstock 467
- butene 77, 89, 141, 158, 168, 397
 - backbone 79
- butyl 324
 - acrylate 402
 - alcohol 251, 401
 - benzyl phthalate (BBP) 240
 - bladders 324
 - chloride 404
 - compounds 326
 - curing resin 325, 445
- butylamine 403, 456, 506
- butylating agent 404
- butylene 157, 158
- butyl oleate 250, 251, 377, 478
 - plasticizer 402
- butyl phenol 357, 404, 405
- butyl rubber (IIR) 62, 65, 66, 169, 170, 304, 397, 411, 412, 456, 457, 459, 477, 493, 510
 - -based TPV 170
 - compounds 519

- curatives 169
- synthesis 67
- butyraldehyde 196, 241, 247, 249, 402, 405, 415, 452

C

- C4 cracker stream 48, 77, 168, 397
- C4 streams 53, 77
- C5 feedstocks 358, 359
- C6 streams 358, 359
- C16 saturated fatty acid 261
- C18 fatty acid 261
- cable 134, 136, 455
 - sheaths 391
- Cabot Corp. 201, 204–206, 214
- Caffaro 368
- Calabrian 509, 514
- calcination 319
- calcination to MgO 319
- calcium carbide 191, 406
- calcium carbonate 35, 220, 221, 408
- calcium fluoride 452
- calcium hydroxide 407, 408
- calcium oxide 121, 220, 408
- calcium phosphate 35
- Caldic Chemie 445
- calendered fabric 354
- Calico Printers 127
- camelback 42
- Camida (Ireland) 500, 501
- Canada Talc 223
- Cancarb Limited 207
- candles 530
- Canex Group 87
- Cangzhou Goldlion Chemicals (China) 434
- caprolactam 123–125, 408, 417, 418, 480
- captive 378
 - requirements 486
- captively 450
- car bodies 122
- carbon 202
 - black 5, 201, 202, 375
 - -carbon crosslink 321
 - content 119
 - dioxide 386, 408, 507
 - disulfide 131, 132, 271, 272, 275, 278, 282, 290, 291, 295, 298, 300–302, 305, 310, 375, 386, 389, 410, 422, 425, 427, 463, 504, 505, 514, 523
 - fiber production 119
 - fibers 118, 119, 375, 382, 489, 494
 - monoxide 185, 191, 380
 - paper 205
 - steel 134
 - tetrachloride 411, 517
- carbon black producers, top four 205
- carboxybenzene 314
- carcass 118
 - grade 203
- Cardinal Health 6
- car interiors 160
- Carlisle Companies, Inc. 3, 6
- Carom SA 45, 50, 51, 56
- Carothers 127
- carpet backing 51, 513
- carpets 126, 127, 130
- car seats 522
- casein 136
- castable polyurethane elastomers 522
- castable two-part polyurethanes 175
- cast molding 179
 - of rubber parts 179
- castor oil 249, 499
- cast polyurethane systems 196
- Casumina (Southern Rubber Industry) 4
- catalysis of oxidative degradation 439
- catalyst 54, 228, 401, 441, 516, 520
 - production 225
- catalytic
 - alkylation 355, 357
 - cracker units 202
 - cracking 359
 - dehydrogenation 467
 - hydrogenation 453, 493
 - reforming 520
- cat cracker bottoms 202, 203, 375, 414
- Cater Chemicals 492
- cationic polymerization 358
- cattle 262
- caulking 236, 238
 - industry 113
- caustic soda 504
 - solution 504
- CB 54
- CBS 277, 278, 280, 375, 376, 394, 410, 419, 462, 463, 504, 514
 - accelerator 389, 506
- Ceat Ltd. 3
- Celanese 378, 401, 467, 468, 526
- cellophane 411, 505
- cellular rubber 361
- cellulose acetate 380
 - fiber production 380
- cellulosic fiber 131
- cement 219, 407
- C-E Minerals 145, 211
- Century Multech 532
- CEPSA 520
- ceramics 219, 222, 223, 225, 260, 366, 370, 533
- CertainTeed 491
- cetyltrimethylammonium bromide 211
- CFTE 104
- CGS Ceske Gumarenska Spol. 4

- chain extender 179, 185, 189, 196
- chain transfer agent 46
- chalcocite 27
- chalcopyrite 27
- chalk 225
- chalking sealants 457
- Changde Dingyuan Chemical Industrial Limited 276, 279, 282, 293, 296, 347
- changes in availability 376
- Changu Chemical (China) 484
- channel black 201
- char 371
- characterize acetylene black 209
- Charch 136
- Charkit Chemical 387, 449, 454
- Charles B. Chrystal Co., Inc. 219
- Charles Goodyear 263
- Chattem Chemicals 448
- Chefaro 272, 299, 301, 304, 306
- chelating agent 439
- chelation products 420
- Chemapol 272, 279, 295, 308
- chemical
 - antiozonant 343, 352
 - attack 329
 - inertness 109, 113
 - intermediates 375
 - manufacturers 376
 - resistance 95, 176
 - uniformity 239
- Chemical and Metal Industries 392
- chemical intermediates, top 30 375, 376
- Chemical Lime Co. 221
- Chemos GmbH (Germany) 385, 394, 405, 406, 410, 412, 422, 426, 433, 445, 460, 470, 473, 489, 520, 528
- Chemtrade Logistics 514
- Chemtura 187, 334, 336, 338, 347, 353, 372
- Cheng Shin 3
- Chenguang Fluoro & Silicone Polymer Co. Ltd. 87
- Chevron Phillips Chemical 512
- Chevron Phillips 416, 435, 436, 456, 489
- Chevron Phillips Chemicals Deutschland GmbH 420
- Chevron Texaco 238
- Chi Mei Corp. 50, 56
- Chimica 445
- china clay 218
- China Petrochemical (Taiwan) 381
- China Synthetic Rubber 204, 205
- China XiangDing Chemical International Co. 424
- Chinopec 72
- chloride process 224
- chlorinate 411
- chlorinated
 - alicyclic chemical additives 365
 - benzene feedstocks 344
 - butadiene 91
 - insecticides 420
 - paraffin (CP) 365, 367, 368, 411, 530
 - PE 92
 - polyethylene rubber (CM) 65, 92, 411
- chlorinating agent 392
- chlorination 440, 493
 - of butadiene 88
 - of polyethylene 493
 - of propylene 97
- chlorine 71, 93, 95, 132, 286, 295, 367, 368, 375, 411, 412, 437, 492, 493, 502, 505, 506, 514, 530
 - donors 368
 - gas 213, 269, 450
 - production 504, 505
 - source 367
- chlorobenzene 307, 412
- chlorobutyl rubber (CIIR) 65, 70, 71, 411, 457
- chlorocumene 415
- chlorodifluoroethane 452
- chlorodifluoromethane 106, 413, 452
- chlorohydrin rubber 65, 97, 407, 413, 414, 437, 442, 517
- chloroprene 89, 90, 406
 - monomer 380, 406, 412
 - rubber 89
- chlorosulfinated polyethylene rubber 65, 94, 95
- chlorosulfonation 493
 - of polyethylene 493
- chlorotrifluoroethylene (CTFE) 104-106
- Chou Chemical Co. 450
- CHR 97
- chromium 35
 - chloride 275
- Cia. Hulera Tornel S. A. de C. V. 4
- Ciech 272, 295
- CIECH 278
- CIIR 65, 70, 71, 375, 457
- CIPEC 28
- circuit board 500
- cis*-BR 54
- cis*-polybutadiene 54
- cis*-polyisoprene 43
- CITGO 415
- Clariant 442
- clarity 101
- classifies petroleum process oils 235
- classifying specialty elastomers by ASTM D2000 66
- clay 32, 121, 208, 217, 227
 - color control 237
- clay-gel analysis 232, 235, 237
- cleaning agent 503
- closed-cell 361
 - sponge 362
- clothing 127

- CM 65, 92, 365, 375, 433
 - elastomer 437
- CMM 260
- CO 65, 97, 375, 412
- coal 33, 134, 226, 414
- Coal Fillers Inc. 227
- coal tar 48, 202, 203, 393
- coated fabrics 95
- coating applications 216
- coatings 95, 145, 179, 184, 187, 189, 195, 197, 205, 212, 214, 222, 223, 228, 238, 263, 366, 368, 378, 399, 402, 403, 435, 463, 467, 469, 487, 501, 521, 525, 527, 531
 - industry 260, 365, 460, 500
- cobalt 34, 54, 143, 152, 153
 - deposits 35
 - naphthenate 34
 - stearate 34, 143, 152
- cobaltite 34
- coconut oil 39, 263
- Cognis 252, 262
- coke 134, 213, 414
- Colbond 129
- cold emulsion polymerization 46
- cold emulsion SBR masterbatches containing carbon black 49
- cold emulsion SBR masterbatches containing oil 49
- Collinda (UK) 471, 472
- color 238
- colorability 82, 163
- colorable 176
- colorants 228, 472
- color control 337
- Color-Fi 129
- Colorite Specialty 491
- colorless 238
- Columbian Chemical 204, 206
- column chromatographic method 235, 237
- combustion 372
- Command Chemical 366
- commercial carbon blacks 203
- commodity plastic polystyrene 513
- commodity plastics 490, 513
- comonomer 437, 442, 451, 526
- comparative cost advantage 492
- compatibility 206, 216
- compatibility of silica with carbon-based elastomer 216
- Complex Quimica SA 489, 503, 516
- compound cost 108
- compound reinforcement 205
- compression and tension set 166
- compression molding 8
- compression set 101, 160, 322
 - resistance 99, 320
- concentration of zinc oxide 260
- concentrations 369
- condensation products 355
- condoms 9
- Condor 478
- conductivity 208
- Connect Chemicals (Germany) 484
- Connect Marketing GmbH 499
- construction 431
 - cleaning 451
 - industries 492, 528
- consumption by the rubber industry 376
- consumption in nonrubber applications 376
- Continental AG 3, 5
- Continental Carbon 204
- Continental Clay Company 217
- Continental Industries 427
- continuous vulcanization unit 9, 155, 166
- controlled oxidation 297
- controlled viscosity 42
- conveyor belt cover stocks 42
- conveyor belts 7, 42, 45, 127, 134, 203, 354, 455
- coolant 441
- Cooper Standard Automotive 5
- Cooper Tire and Rubber Co. 3
- COPE 177, 178
- copolyester 177
- copolymer 58
- copolymerization 493
- copolymer of isobutylene and isoprene 170
- copolymer of isobutylene and *para*-methylstyrene 73
- copper 27, 500, 532
 - brazing 396
 - inhibitor 341
 - ore 27
 - scavenger 343
- cord adhesion 136, 437, 498
 - to rubber 464
- cord for tire reinforcement 441
- cord for tires 116
- corn oil 39
- corrosion inhibitor 294, 421, 423, 425, 462, 471, 474, 503, 506
- CosMar 435, 512
- cosmetic industries 263
- cosmetics 370, 466, 476, 478, 496, 501, 512, 526, 533
- cost 108, 156, 201, 226, 238
- cotton 130
 - cords 136
- cottonseed oil 39
- covellite 27
- cover stock for conveyor belts 203
- covulcanized 72
- Coyne Chemical 385, 396, 439, 459, 470, 523
- CP 367
- CPE 65, 92, 93, 493

- CPS Union 532
 CR 65, 88, 89, 365, 375, 399, 487, 523
 cracker stream 397
 cracking 53, 77, 168, 191, 352, 355, 359, 494
 - process 202, 493
 - units 90, 398
 cracks 243, 343
 Cray Valley 359
 crepe hardening 213
 cresol 372
 critical sterilizing cycles 110
 cross-elasticity of demand 376
 crosslink density 196, 260, 276, 280
 crosslinked gel 90
 crosslinking agent 152, 326, 522
 crosslinks 257
 Cross Oil 235
 crotonaldehyde 196, 377, 414, 415
 Crown Chemical 235
 CR production 398
 crude MBT 410, 504
 crude petroleum oil 14, 191, 232, 316, 352, 353
 crude stearic acid 511
 crust of the earth 29
 crystalline 263
 - polymer 126
 - sulfur 266, 267
 crystallinity tendencies 79
 crystallization 111
 CSM 65, 94, 95, 365, 375, 433, 493, 515
 - elastomer 411
 - rubber 437
 CSPE 95
 CTAB 211
 CTP 311 - 314, 420
 - cure inhibitor 386
 - inhibitor 487
 cumene 379, 393, 415, 416, 453, 495
 - oxidation 416
 cuprite 27
 curable masterbatch 437
 curable PVC/NBR polyblends 65, 82
 curative 179, 180, 197, 198, 257, 375, 415, 446
 - ingredients 257
 - system 163
 cure activator 511
 cure as a polyurethane elastomer 458
 cured
 - at atmospheric pressure 260
 - cellular rubber 361
 - hardness 311, 313, 316
 - meats 507
 - modulus 304
 - physical properties 369
 - rubber product 348
 - rubber properties 263, 265
 - cure package 313
 - cure polyurethane elastomers 406
 - cure profile 273
 - cure rate 274, 277, 280, 285, 300, 304, 306, 311, 314, 316, 445
 - cure system 258, 261
 - curing 257, 446, 477
 - agent 400
 - bladders 208, 258, 326
 - of tires 324
 - polyurethane elastomers 406
 - process 361
 - resins 324, 446
 - rubber 265
 - tires 326
 - Custom Resins 125
 - cutting oils 294
 - CV grades 42
 - CVU 9
 - cyanogen chloride 307, 389
 - cyclohexane 124, 182, 247, 253, 408, 416, 417
 - cyclohexanone 124, 408, 417, 418
 - oxime 408
 - cyclohexylamine 278, 389, 394, 419, 506
 - cyclohexyl mercaptan 419
 - cyclohexyl sulfenyl chloride 420
 - cyclohexyl(thio)phthalimide 311, 312
 - cyclopentadiene 60, 165, 398, 420
 - Cytec 150, 308, 310, 340
 - Cytec Industries (USA) 381, 461
- D**
 Dahua Group 461
 DAK Americas (USA) 129, 130, 518
 Dalian Advance Performance Specialty Chemicals Co. 153
 Dalian Richon Chem. Co., Ltd. 270, 273, 276, 279, 282, 293, 296, 304, 331, 347
 Dalian Yongfeng Rubber Chem. Co., Ltd. 275, 277, 313
 Dampier 395
 Dana Corp. 6
 Davy Process Technology 400
 Dayang Chemicals (China) 447, 470, 501, 503, 506, 519, 524
 DBEEA 253, 254, 383
 DCBS 283, 284
 - accelerator 506
 - rubber accelerator 424
 DCP 321, 322, 375, 393, 453, 516
 DEA Oil 531
 decomposition rate 362
 defoamers 238
 DEG 443
 degrease metals 523

- Degussa 206, 211, 212, 216, 217, 404, 445, 453
 DEHP 240, 241
 dehydrochlorinated 423, 437, 451
 dehydrogenated 158, 388, 493, 512, 521
 dehydrogenation 467
 – of ethylbenzene 157
 Dena Tire and Rubber Mfg. Co. Ltd 4
 Denki Kagaku Kogyo K. K. (Japan) 209
 Denman Tire Corp. 4
 density 117, 133, 155, 490
 – polyethylene 437
 deodorants 476
 destructive distillation 240
 desulfurization 416, 417
 detergents 352, 393, 402, 435, 471, 496, 505, 508, 509
 deterioration 329
 Deutsche Oil Fabrik 269
 Deutsche Shell 531
 dewaxing 467
 di-2-ethylhexyl adipate 246
 di-(2-ethylhexyl) sebacate 248
 di(2-*t*-butyleperoxyisopropyl)benzene (BBPIB) 323
 diacetone alcohol 468
 diacid 125
 dialkyl peroxides 324
 dialkylphenylene diamine class 348
 diamine 179, 185, 189, 197, 440
 – curative 99, 180, 189
 – monomer 125
 diaminodiphenylmethane 187, 421
 diaminotoluene 188, 421, 422, 429
 diaphragms 8
 diarylphenylene diamine class 350
 diaspore 31
 dibutoxyethoxyethyl adipate 253
 dibutylamine 300, 386, 404, 410, 422, 505
 dichlorodimethylsilane 112, 423, 466, 500, 501
 dichlorohydrin 412, 495
 Dickson 127
 dicumyl peroxide (DCP) 321, 415, 453
 dicyclohexylamine 284, 424, 506
 dicyclopentadiene 58, 424
 DIDP 240, 244, 245
 – plasticizers 531
 – synthetic ester plasticizer 471
 die casting 27
 diene 425
 – monomer 425
 diesel fuel 416
 diethylamine 305, 386, 425
 diethylene glycol 443
 diethylhexyl phthalate 241
 diisobutylene 337, 338, 426, 430, 456, 480
 diisobutyl ketone 468
 diisocyanates 176, 179, 184, 185
 di-isodecyl phthalate (DIDP) 240, 244
 di-isononyl phthalate (DINP) 240
 diisopropylbenzene monohydroperoxide 46
 diluent filler 226
 dimensional stability 136
 – characteristics 127
 dimer 330, 456
 dimerization 171, 338, 401
 dimethylamine 271, 298, 302, 303, 386, 410, 426, 427, 464, 504
 dimethyl terephthalate 128, 427, 428, 531
 dinaphthyl-PPD 341
 dinitrobenzene 116, 428
 dinitrotoluene 188, 429
 di-*n*-octyl phthalate 240
 DINP 240, 444
 dioctyl adipate (DOA) 246, 383, 444
 dioctyl phthalate 82, 240, 241
 – plasticizer 85
 dioctyl sebacate 248, 499
 diol 179, 185, 189
 – chain extenders 190
 – curative 180
 diolefin 358
 – feedstocks 358
 diols 176, 458
 di-*ortho*-tolylguanidine 309, 310, 523
 di-*ortho*-tolylthiourea 523
 di-*o*-tolylguanidine 309, 310
 diphenylamine 332, 333, 337, 345, 379, 389, 390, 416, 426, 429, 450, 460
 diphenylamine/acetone reaction product 333
 diphenylamine-ketone condensates 333
 diphenyl guanidine 306, 307
 dips 393
 – for rubber-to-cord adhesion 136
 direct 259
 – chlorination 380
 dirt content 42
 discoloration 341
 disinfectant 506
 dispersing agents 263
 distillation 476
 distributors 376, 450
 disulfide version of the organosilane 217
 dithiocarbamates 300, 304, 306, 411
 dithiodimorpholine (DTDM) 258, 268, 269
 Dixie Clay Company 217, 219
 DMSO 232
 – extraction 232
 DNOP 240
 DNPD 341, 343, 481
 – antioxidant 471, 472
 – antiozonant 428, 474
 DN-PPD 341

- DOA 246, 248, 250, 377, 406, 444
 – plasticizer 417
 dodecene 245
 dodecyl
 – phenol 480
 dodecylbenzene 393
 dodecyl mercaptan 46
 domestic price controls 263
 Domo 489
 Dongguan First Rubber & Plastic Technology Co., Ltd.
 270, 276, 279, 296, 302, 304, 313
 Dongguan Polytec Additives Co., Ltd. 356
 Dongying Bochen Chemical CTP PVI Co., Ltd. 270,
 272, 276, 279, 282, 285, 293, 296, 299, 308, 331,
 347
 Dongying Boying Chemicals 150
 Dongying Jinzheng Petrochemical Co., Ltd. 276, 279,
 293, 296
 Dongying Wantong Rubber Auxiliary Co., Ltd. 276,
 280, 285, 293, 296
 DOP 82, 240, 241, 243, 245, 377, 406, 444, 471, 486,
 487, 531
 DOPD 481
 – antidegradant 389
 – (I88PD) antiozonant 474
 DOP plasticizer 452
 DOS 248, 250, 377, 406, 444, 499
 DOTG 309, 310, 463, 514
 – accelerator 410
 Double Happiness Tyre Industries 4
 dough mixer 213
 Dover Chemical 368
 Dow Chemical 56, 61, 93, 111, 162, 187, 379, 398, 401,
 402, 411, 431, 435, 436, 440–443, 450, 466, 468,
 482, 489, 491, 494–497, 504, 512, 522, 526, 527
 Dow Chemical Dynasol Elastomeros 50
 Dow Corning 112, 466
 downhole 8, 76, 82, 108, 110
 DPDP 444
 DPG 306–309, 389
 DPPD 350
 – antiozonant 389, 390, 497
 driers 153
 drilling fluids 508
 Dry Branch Kaolin 219
 dry cell batteries 532
 drying oils 525
 DSL Chemicals (Shanghai, China) 481
 DSM 61, 166, 408, 409, 418, 461
 DSM Chemicals 125
 DSM Copolymer 77
 DSM (Netherlands) 381
 DTDM 258, 268, 270, 273, 386, 412, 442, 470, 514,
 517
 Dunlop 118
 Dunlop Tyres International Pty. Ltd. 3
 DuPont 91, 95, 103, 115, 117, 118, 125–127, 129, 136, 177,
 225, 338, 378, 389, 482, 526, 528
 DuPont Elastomers 90, 95, 108, 110
 DuPont Fluoroproducts 450
 DuPont (Germany) 447
 DuPont (UK) 447
 DuPont (USA) 381, 447
 Duprene 89
 durability 122, 160
 durometer hardness 205
 Dusloa Sala/Sover 347
 Duslo Sala 313
 Duslo (Slovak Republic) 279
 dust 231
 – control 236, 238
 dusting agent 533
 Dwory 512
 dye industries 435
 dyeing 507
 – operations 509
 – textiles 510
 dye processes 510
 dye production 390, 514
 dyes 352, 387, 390, 393, 402, 422, 423, 430, 454,
 471–474, 476, 477, 480, 487, 497, 516, 517, 531, 534
 dyestuffs 403, 485
 dye synthesis 397
 dynamically vulcanized 465
 dynamic applications 455
 dynamic conditions 348, 352
 dynamic flexing 80, 352
 dynamic, long-term protection from ozone 344
 dynamic mechanical properties 81
 dynamic seals 7
 dynamic shear 163
 dynamic vulcanization 163, 324, 383, 398, 433, 456,
 494, 510
 dynamic vulcanization process 174
 dynamic vulcanized alloys 164
 Dynasol 55, 262
 – elastomers 50, 55
 Dyneon 110
 Dynes 445
 Dynochem 445
- E**
- E 104
 EAB 47
 EAM 375, 380, 433
 earth-moving tires 4
 Eastman Chemical 125, 126, 177, 266–268, 347, 378,
 385, 401, 443, 483
 Eastman Chemical BV (Germany) 434
 Eastman Chemical (USA) 518
 Eastman Hydrocarbon Resins 359

- Eaton Corp. 5
- EB 512
- Ebbitide Polymers 166
- EBR 54, 55
- ECC International 218, 221
- E. C. Morris 235, 238
- ECO 65, 96, 97, 254, 375, 442
 - elastomers 412, 432
- economical alternative 240
- economic diluent 219 - 221, 227
- economic savings 397
- ECO rubber 407, 437, 451
- EDTA 46, 439
- Eferemov Synthetic Rubber Enterprise 56
- efficient cures 412
- efficient cure systems 517
- efficient vulcanization 258, 268
 - cures 442
 - systems 470
- EG 441
- EKO Peroxide 453
- elasticity of demand 376
- elastomeric alloys 164
- elastomers 375, 376
- electrical conductivity 209
- electrodes 205
- electrolysis 516
 - of brine 132
 - of water 452
- electrolytic plating 449
- electromagnetic interference shields 205
- electronic circuit boards 500
- electroplating 532
 - applications 425
- elemental silicon 215, 466
- elemental sulfur 25, 255, 258, 263, 269
- elongation 117, 343
- ErlingKlinger AG 6
- Emerald Performance Materials 338
- Emerald Polymer Additives 331
- EMS-Chemie 125
- emulsion 512
 - BR polymers 54
 - polybutadiene 54
 - -polymerized elastomers 262
- enamels 366, 395, 396
- ENB 58, 161, 165, 375, 398, 399, 420, 445
- end blocks 156, 159
- energy absorption 69
- energy industry 104
- energy oil equivalent 14
- Engelhard Corp. 218
- engineering plastic PBT 401
- engine gaskets 88
- engine seals 101
- english red 228
- Enichem 90, 91
- environmental risk 232
- EO 442, 443
- EPDM 58, 161, 163, 238, 302, 324, 359, 398, 420, 433, 436, 437, 445, 447, 490, 493 - 495, 510
 - compounds 354
 - elastomers 493
 - /PP thermoplastic vulcanizate (TPVs) 62, 164, 437, 519
 - rubber 164, 425
- epichlorohydrin 98, 412, 432, 495, 505
- epichlorohydrin/ethylene oxide copolymer 97
- epichlorohydrin rubber 65, 96, 97, 495
- EPM 58, 60, 436, 494
 - elastomers 493
- epoxy 137
 - curing agents 390
 - dip 142
 - resins 380, 432
 - treatment 142
- EPR 60
- Equipolymers 518
- Equistar Chemical 398, 436
- erasers 255, 256
- Ercros 445
- Ergon 233
- ESBR 47, 52
- essential ingredient 258
- essential oils 460
- ester 241
- esterification 400
- ester plasticizer 246, 406, 499
- ester solvent 402
- etch glass 453
- ethane 21, 48, 60, 105, 158, 161, 164, 375, 397, 433, 436
 - feedstocks 141, 168
- ethanol 185, 434, 435, 452
 - blends 104
- Ethephon 25
- ether linkage 183, 184
- Ethox Chemicals 488
- ethyl acrylate 433
- ethyl alcohol 434
- ethylbenzene (EB) 47, 141, 393, 433, 435, 437, 493, 512, 521
 - production 437
- ethyl chloride 305, 386
- ethylene 47, 58, 60, 77, 89, 99, 100, 102, 104, 105, 141, 157, 158, 161, 164, 165, 202, 375, 376, 393, 397, 401, 403, 407, 433, 434 - 437, 440, 441, 451, 476, 493, 512, 520, 526
- ethylene acrylic elastomer 65, 99, 100
- ethylene-butene copolymer 160
- ethylene carbonate 192, 438, 441, 442, 482, 498

- ethylene chlorohydrin 438, 451, 464, 505
ethylene diamine 289, 386, 387, 439, 440
ethylene dibromide 397
ethylene dichloride 289, 386, 437, 440
ethylene glycol 128, 130, 181, 192, 437, 441 – 443, 451, 482
– polyester 417
– polyester (polyol) 183, 441
ethylene-octene copolymer elastomers 160
ethylene oxide (EO) 96 – 98, 128, 182, 194, 195, 269, 281, 286, 386, 407, 437, 442, 451, 454
ethylene plant 89, 436
ethylene production 89, 141, 168
ethylene propylene copolymer 60
ethylene propylene diene rubber 41, 58
ethylene/propylene production 77, 168
ethylene propylene rubber 58, 60
ethylene tars 414
ethylene thiourea 289
ethylene vinyl acetate 65, 101, 102, 378
– elastomer 526
– rubber 102
ethylhexanol (2EH) 406, 443, 452
ethylidenenorbornene (ENB) 161, 162, 164, 165, 420
ETU 289, 440
– accelerator 386, 387, 410, 439
European ban on aromatic oils 233
European Union (EU) 232, 241, 244
European Union (EU) ban 231
EV 270
EVA 65, 101, 102, 493
– elastomer 378
EV cures 258, 268
EV cure systems 273
EVM 65, 102
Evonik 145, 211, 212, 217
Excalibar Mineral, Inc. 221
Excel Polymers 255
exothermic reaction 208
extender 221
extend scorch safety time 311
exterior automotive applications 162
exterior weatherstripping 61
Extol Technology Limited 260
extraction method 236
extractive distillation 168, 397
– of this C4 cracker stream 141
extruding 159
extrusion 166, 223, 260
extrusion resins 126
exudation 266
exude 323, 352
ExxonMobil 61, 62, 67, 68, 72, 73, 163, 166, 174, 175, 238, 398, 416, 436, 456, 457, 467, 486, 489, 494, 520, 531
ExxonMobil Chemical Company 75, 359
Eythlene process 93
- ## F
- Fabrichem (USA) 404
fabrics 179
fabric-to-rubber adhesion 504, 512
factice 255
factory 356
Falcon Tyres Ltd 4
farm service 4
fascias 160
fast cure rate 276
fast curing 297
– adhesives 139
fast extruding furnace 203
fast furnace 203
FATE S.A. I. C. I. 4
fatigue resistance 126, 166
fatty acid 38, 240, 262
FCC units 494
Federal Corp. 4
Federal-Mogul Corp. 5
feedstock 452, 460, 486
feel 162
FEF 203
feldspar 32
Fellek Chemical (Belgium) 384
Fenner PLC 6
FEPM 65, 105, 107, 108
ferric oxide 228
fertilizer production 266, 514
fertilizers 265, 320, 387, 483, 516, 526
FF 203
FFKM 65, 109
fiberglass 120, 121, 219
– boats 120
fibers 390
Fiber Science 129
filaments 119
filler 201, 217
Filler Products Inc. 221
film 130, 440
Filtex 129
Fine Thermal 207
fire control 519
Firestone Polymers 49, 55
Firma Chemiczna SA 50
First Chemical 389
fixing agent in photography 387
FKM 30, 65, 104, 105, 107, 375, 381, 433, 436, 494
– elastomer 104, 518
– rubber 529
flame front 365
flame retardance 31

- flame retardancy 365–367, 369, 370, 484, 485
 - flame retardant 31, 35, 329, 365, 370, 372, 391, 392, 395–397, 411, 480, 516, 530, 532–534
 - filler 505
 - plasticizer 460, 484
 - systems 367
 - flame retarder 483
 - flame-retarding textile products 396
 - flex fatigue 55, 56, 334
 - resistance 332
 - flexibility 111
 - flexible 243, 431
 - foams 179
 - flexible polyurethane foam 522
 - flexible PVC 487, 492
 - flexing 343, 352
 - flexing action 352
 - Flexsys 266–268, 344, 384
 - patented process 345
 - flocculants 382
 - floor 198
 - tiles 45
 - flotation process 27
 - Flow Polymers A. B. Enterprises 152
 - fluid catalytic cracking 494
 - fluid seals 8
 - fluorescent 30
 - fluorinating agent 453
 - fluorination 109
 - fluorine 30, 107
 - content 109
 - rubber 105
 - fluorite 30
 - fluorocarbon elastomer 65, 105
 - fluoroelastomers 8, 30, 65, 104, 105, 452
 - fluoropolymer elastomer 105
 - fluoro vinyl methyl silicone rubber 108, 112
 - fluorspar 30, 452
 - flux 408
 - fluxed 398, 437
 - NBR/PVC blend 83
 - PVC/NBR masterbatch 528
 - flux in ceramics 372
 - fluxing 495
 - FMC Corp. (USA) 453, 484
 - FMC Foret SA (Spain) 503, 508
 - FMQ 65, 112
 - foams 179, 184, 187, 189, 193, 195, 197, 431
 - folding kayaks 95
 - food 503
 - packaging 512
 - preservation 510
 - foot pads 166
 - footwear 45, 78, 216, 238
 - industry 156
 - knee boots 42
 - formaldehyde 137, 138, 146, 151, 185, 187, 190, 191, 196, 198, 324, 325, 355, 375, 381, 386, 389, 405, 406, 431, 445, 464, 477, 480, 498, 509
 - for adhesion 375
 - formalin 137, 138, 147
 - Formosa Plastics 381, 411, 440, 489, 491, 504, 527
 - Formox 445
 - Foss Manufacturing 129
 - foundry cores 431
 - fracking 53, 57, 77, 90, 142, 169, 398
 - fractionation 338, 340
 - franklinite 27
 - Frasch mining process 25, 263, 513
 - free isocyanates 181
 - free radical generator 46
 - french chalk 222
 - French method 258
 - French process (indirect process) 258, 259, 532
 - Freudenberg Group 5
 - Freudenberg Nonwovens 129
 - FSK Elemir 50
 - FT 207
 - infrared spectroscopy methods 81
 - fuel 266, 399, 463
 - economy 118, 210, 212
 - oil 233
 - source 372
 - fuel cells 464
 - Fukoku Co. 6
 - full reinforcement 203
 - fully fluorinated 109
 - fully reinforcing filler 210, 212
 - fully reinforcing grades 202
 - fumed silica 29, 213, 214, 500, 501, 524
 - fumigants 397, 411, 496
 - fungicide 265, 270, 273, 294, 304, 318, 387, 403, 411, 439, 443, 449, 462, 471, 472, 477, 488, 497, 503, 506, 532
 - fungistat 372
 - furnace carbon blacks 202, 375, 414
 - furnace process 201
 - furniture 522
 - FVMQ 65, 108, 112
- G**
- galvanizing 532
 - steel 27
 - Gantrade Corporation 204
 - Gaoqing Hexie Chemical Co. 276, 280
 - Garuda Chemicals (India) 390
 - gas cells 361
 - gas condensate 202
 - gas generation process 363
 - gaskets 7, 9, 98, 166
 - gas oil 202, 436, 494

- gasoline 232, 416, 435, 456, 474
 – additives 485
 – production 490
 – stabilizers 427
- gas-phase solution polymerization process 59
- Gates Formed Fiber Products 129
- G. Collard et P. Collette SA (Belgium) 519
- GE Advanced Materials 482
- Geismar Vinyls 440, 491, 527
- gel 90
- Gelest Inc. 501, 524
- general chemical feedstock 260
- General Electric Plastics 177
- general-purpose elastomers 297
- general purpose furnace 203
- general-purpose rubbers 72
- General Quimica 278, 292, 295, 308
- General Tyre and Rubber Co. of Pakistan, Ltd. 4
- generates 313
- geopolitics 16
- Georgia Gulf 379, 415, 440, 491, 527
- Georgia Gulf Sulfur Corp. 265
- Georgia Pacific 453
- Georgia Pacific Resins 445
- germicide 506
- GFS Chemicals 429, 492, 510, 522
- GH Chemicals 260
- gibbsite 31
- Girsa 78
- GITI Tire Co. 3
- GJ Chemical (USA) 433, 465
- glass 225, 370, 503, 510
 – appearance 520
 – fiber insulation 395
 – fibers 120, 121, 395, 396
 – manufacture 320, 509
 – manufacturing 408, 507
 – products 395
 – transition temperature 159
- Glassmaster Monofilament 129
- glassy domains 156
- glaucodot 34
- glazing 222
- gloss 163
- gloves 9
- glycerin 38
- glycol ethers 402
- Golden Bear Oil Specialties 235
- golf ball cores 56
- golf club shafts 120
- Goodyear Tire and Rubber Co. 3, 44, 49, 52, 55, 118, 120
- government safety, health, and environmental regulations 372
- GP Chemicals 308
- GPF 203
- GPX International Tire corp. 3
- grades of stearic acid 262
- Graham Chemical 396, 525
- granular rubber 59
- graphene sheets 119
- graphite 33, 208, 209
- Grasim of India 133
- greases 294
- Great Lakes Chemical 269
- Great Recession 53
- Green Fine Chemical Co. (Shanghai, China) 423, 484, 485
- green tire 217
- grind 263
- grommets 8, 166
- ground calcium carbonate 220
- ground coal 33, 226
- ground limestone 35, 220, 221
 – feedstock 220
- ground mica 223
- ground sulfur 264
- ground talc 223
- growth regulator 25
- GRS 46, 47
- G-type: neoprene 90
- GTY Tire Co 4
- Guangzhou Pearl River Rubber Tyre 4
- guanidine accelerators 309
- guanidine class 306
- Guayule 25
- Guilford Fibers 129
- Gujarat State Fertilizers 461
- Gulf Advanced 400
- Gulf Chemical International 418, 432, 438
- Gulf, Invista 400
- Gulf of Mexico 10
- gum erasers 256
- gum rosin 36

H

- HAF 203
- Haihang Industry Co. Ltd. (China) 250, 254, 275
- Hainan Zhongxin Chemical Co. (China) 299, 412, 470, 472, 473, 508, 510, 525, 529
- Hain Zhongxin (China) 478
- Hallochem Pharma Co. (China) 420, 433, 470, 479, 503
- Hallstar 243, 245, 248, 250, 252, 254, 320, 353, 372
- halobutyl-based compounds 288
- halobutyl rubber 65, 69, 72, 288, 319, 320
- halogenate 397
- halogenated
 – anhydrides 487
 – elastomer bases 365
 – elastomer compounds 319

- elastomers 258, 260, 326
- organic chemical 466
- solvent 523
- halogenation 72
- halogen donor 365, 366
- Halterman (Germany) 471
- hand-built hose 7
- Haney 136
- Hangzhou Dayangchem Ltd. 252
- Hangzhou Meite Chemicals (China) 404, 420, 422, 423, 429
- Hangzhou Yuhao Chemical 287
- Hangzhou Zhongce Rubber Co. 3
- Hankook Tire Co. 3
- hard carbon blacks 202
- harden 150
- hardener for epoxy resins 421
- hardener for lead 391
- hardening agent 446
- hardness 150, 164, 192, 193, 201, 205, 207, 255, 311, 314, 386
 - applications 196
- Harwick Standard 243, 245, 248, 250, 252, 254, 255, 262, 264, 353, 359, 360, 371
- Hatco Chemical 245, 250
- hazelnut oil 39
- HBR 54
- HCl 450
- HDPE 92
 - process 92
- heat aging 111
 - resistance 82, 101, 104
- heat and oxidative aging resistance 341
- heat resistance 80, 107, 108, 322, 326, 337, 477
 - properties 160
- heat-resistant glass 396
- heat-resistant rubber 99
- heat setting 137
- heat stabilizer 320
- heat treated 142
- heat treatment 119
- heavy aromatic residue oils 202
- heavy crudes 399
- heavy-duty truck treads 42
- Hebei Jinshi Dacheng Chemical (China) 272
- Hebi Rongxin Additives Co., Ltd. 270, 273, 276, 279, 282, 293, 296, 304, 308, 347
- Hebuihoo Rubber Chemicals Co., Ltd. 270, 273, 276, 283, 293, 296, 299, 302, 304, 308, 310, 313
- Hefei Chemicals 461
- held captive 376
- hematite 28, 228
- hemimorphite 27
- Henan Jujin 299
- Henan Kailun Chemical Co., Ltd. 270, 276, 279, 283, 285, 290, 293, 297, 308, 313, 331, 334, 347
- Henan Zhongyuan 461
- Henry Wickham 23
- HER 192, 194, 376, 393, 412, 438, 441, 442, 482, 498, 504
- herbicides 390, 395
- Hercules Chemical 96
- Hevea brasiliensis rubber tree 23, 43
- Hevea natural rubber 9
- hexa 151
- hexadienes 358, 359, 447
- hexafluoropropylene (HFP) 104–108
- hexamethoxymethylmelamine 143, 148, 210
- hexamethylene diamine 123, 125, 383, 417, 447, 448
- hexamethylenetetramine (HMT) 143, 151, 210, 386, 446, 448
- hexamine 151
- hexane 21
- hexenes 358, 359
- Hexion Specialty Chemicals 445
- HFP 104, 107, 108
- hide tanning 497
- hiding power 225, 226
- high abrasion furnace 203
- high *cis*-polybutadiene rubber 54
- high-density PE 437
- higher temperatures 352
- highly aromatic oil 232
- highly refined paraffinic oils 238
- highly saturated nitrile 80
- high modulus 276
- high molecular weight paraffins 352
- high-octane gasoline 456
- high-performance rayon fibers 132
- high-performance treads 42
- high shear mixing 160
- high-surface-area magnesium oxide 319
- high-temperature properties 189
- high-temperature resistance 172
- high-temperature service 179
- high-tenacity rayon 132
- high wet modulus 132
- HIIR 71
- hindered phenols 339
- HIP Petrohemija 51
- Hissunny Chemical Ltd. (China) 275, 299
- H. L. Blachford 153
- HMDA 399
- HMMMM 143, 148, 150, 386, 446, 461, 464, 526
- HM Royal 221
- HMT 143, 148, 151, 448
- HMTA 151
- HNBR 8, 21, 65, 79, 80, 82, 375, 382, 383, 398, 399, 452, 493, 494
- Hoechst 139, 148
- Hoechst-Celanese 177
- Holly Industries 265

- home furnishings 130
 home textiles 127
 homopolymer 53
 Honeywell 126, 408, 409, 418
 Honeywell Resins and Chemicals 125
 Honeywell Specialty Chemicals (Germany) 408, 484, 500
 Hong Kong Elite Industrial Group 216
 hose 7, 76, 78, 81, 88, 101, 116, 118, 127, 139, 148, 250, 254
 – covers 95
 – products 137
 hot air resistance 80
 hot emulsion polymerization 46
 hot melt adhesives 103, 359
 hot melt pressure-sensitive adhesives 360
 hot oil resistance 88
 Houghton Chemical 396
 housing 166, 528
 – construction 505
 – industry 440
 HQEE 194, 437, 442, 454
 H & R China (Ningbo) Co., Ltd. 233, 235, 238
 HRH 144, 148, 150, 151, 212
 HRH adhesion 376, 515
 HRH adhesion systems 143, 210, 386, 393, 446, 449, 461, 464, 526
 HRH adhesion systems for rubber 386, 446
 HRH components 152
 HRH rubber adhesion compounds 146
 HRH rubber-to-metal adhesion systems 148, 464
 HRH systems 143, 152, 212, 498, 504, 509, 516
 HSN 80
 H & S Whiting 221
 Hualian Group 135
 Huangyan Zhedong Rubber Auxiliary 296, 334
 Huber Engineered Materials 221, 369
 hues 228
 humectant 401, 441
 humidity 354
 Hummel Croton 448, 511, 532
 Hummel Croton Miliou Inc. 533
 Hung Pai Chemical Co. Ltd. 216
 Huntsman Corporation 57, 187, 398, 416, 489, 494, 531
 Huntsman (Germany) 438
 Huntsman (Netherlands) 431
 Hurricanes Rita 57
 Hutchinson 5
 Hwa Fong Rubber Ind. Co. 4
 HWM rayon 132
 hydrated alumina 369
 hydrated aluminum oxide 369
 hydrated magnesium silicate 222
 hydrated precipitated silica 144, 145, 210, 212
 hydrated silica, resorcinol-based resin, and hexamethoxymethylmelamine 143
 hydrating 495
 hydration 227
 hydraulic fluids 402, 484, 491, 496
 hydraulic fracturing 21, 53, 57, 77, 90, 142, 169, 398
 hydrazine 361, 386, 412, 449, 505, 506
 hydrocarbon resin 358
 hydrocarbon tackifiers 359
 hydrochloric acid 344, 366, 450
 hydrocracking process 236
 hydrofluoric acid 453
 hydrogen 21, 81, 284, 416, 417, 450, 451, 464
 hydrogenated 377, 406
 – acrylonitrile butadiene rubber 80
 – NBR 80
 – nitrile rubber (HNBR) 65, 79, 80, 382
 hydrogenation 39, 262, 278, 389, 400, 431, 453, 493
 hydrogen chloride 380, 389
 hydrogen fluoride 30, 106, 381, 452
 hydrogen peroxide 322, 350, 453, 516
 hydrogen sulfide 26, 108, 263
 hydrogen welding 452
 hydrolysis 183, 191, 213, 401
 – attack 183
 – resistance 187
 hydrolyze 217
 hydrolyzed 501, 527
 hydroquinone 194, 350, 389, 390, 442, 454, 497
 hydroquinone bis-(*beta*-hydroxyethyl) ether 194
 hydroquinone di-(2-hydroxyethyl) ether (HQEE) 194
 Hydro Technologies 260
 hydrotreatment 232, 234
 hydrous aluminum silicate 218
 hydroxyl amine neutral sulfate 42
 hydroxylamine sulfate 408
 hydroxyl groups 181, 184
 hygroscopic agent 496
 hypochlorous acid 437, 451
 Hyundai 78
- I**
- i88PD 348, 349, 474
 Iben Shanghai Technical Textiles 117
 ICC Chemical Corp. 499
 ICC Chemical Corp. (USA) 383, 392, 406, 410, 415, 418, 432, 450, 477, 479, 488
 ICI 127, 347
 IFC North America 479
 IG Farbenindustrie 179
 IIR 65, 375, 388, 457, 459, 493–495, 523
 IIR/PP 169
 – thermoplastic vulcanizate 459
 IISRP 54
 ilmenite (mineral) 38, 225
 IM 66
 impact-modified polypropylene 161

- impact modifier in plastics 56
 - impact modifiers 162
 - impingement abrasion resistance 187
 - improve octane rating 521
 - Inchem Chemiehandel (Germany) 447
 - incomplete combustion 202
 - Indian Petrochemicals Corp. Ltd. (India) 55
 - indigo 488
 - indirect 259
 - Indspec 139, 148
 - INDSPEC Chemical 139, 147, 509
 - industrial chemicals 393
 - industrial hose 45
 - industrial solvent 404, 413
 - inelastic demand 265
 - INEOS 145, 211, 379, 381, 442, 489, 494, 512
 - INEOS Koln GmbH (Germany) 388
 - INEOS Olefins and Polymers 398, 489
 - INEOS Oxide 441
 - INEOS Phenol 415, 479
 - inexpensive binders 51
 - inexpensive colorants 228
 - inexpensive filler 220
 - inexpensive plasticizer 250
 - Infine Chemicals Limited (China) 385, 421, 481, 529
 - inhibitors 257, 287, 311, 474
 - injection molding 126
 - inks 212, 236, 444
 - inland lakes 320
 - innerliner 75, 156, 174
 - compound 72
 - Innova (Tian Jin) Chemical Co. 211
 - inorganic chemicals 451
 - inorganic colorants 227
 - Inoue Rubber Co. 4
 - Insa Gpro 78
 - INSA, LLC 77
 - insecticide 273, 299, 403, 405, 415, 423, 425, 439, 517, 531
 - carriers 236, 238
 - synthesis 514
 - insoluble sulfur 266 - 268, 514
 - Institute of Synthetic Rubber Producers 54
 - insulating tape 130
 - insulation 101, 431
 - for cables 95
 - interior 162
 - intermediate 451
 - feedstocks 375, 376
 - intermediate SAF 203
 - International Sulfur 265
 - Interquisa (Canada and Spain) 518
 - Intertex World Resources 49, 260
 - intrinsic tack 354
 - Invista 129, 130
 - Invista (USA) 518
 - iodine value 81
 - IOA 442
 - IR 43, 44, 375, 388, 494
 - iron 227, 365, 455
 - iron bromide 502
 - iron (III) oxide 227
 - iron ore 28, 135, 228
 - iron oxide 227
 - pigments 228
 - iron red 228
 - ISAF 203
 - ISO 1629 100
 - isobutene 275
 - isobutylene 67, 74, 170, 174, 338 - 340, 375, 455, 456
 - isobutylene-isoprene rubber 457
 - isobutylene monomer 456
 - isobutylenepara-methyl styrene rubber 65
 - Isochem 482
 - isocyanate 137, 142, 180, 184, 188, 458, 482
 - isocyanate-terminated prepolymer 179 - 181, 184, 458, 522, 525
 - isodecanol 244
 - isodecyl alcohol 244
 - isooctane 456
 - isoprene 68, 157, 171, 358, 359, 375, 388, 458, 494
 - isoprene monomer 459
 - isopropyl alcohol 459
 - isopropylphenol 460, 480, 484
 - ISP Elastomers 49
 - Ivanhoe Industries 383, 499, 525
- ## J
- Jai Radhe Sales (India) 390
 - Japan Butyl Co 68
 - JH Products 482
 - Jiangsu Guoli Chemical 150
 - JiangSu XingDa Steel Tyre Cord Group 136
 - Jiangxi Blackcat 205
 - Jiangxi Hongrun Chemical Co., Ltd. 95
 - Jiangxi Kaili Chemical Industry Co. 276, 279, 282, 293, 296
 - Jiangyin Bekaert 135
 - Jihua Group (China) 381
 - Jinan Ever Growing Rubber Additive Co. 150, 152, 216, 270
 - Jinan Haohua Industry Co. (China) 250, 252, 254, 391, 404, 406, 407, 424, 459, 479
 - Jinan Ruibo Chemicals Co., Ltd. 342
 - Jincheng Tiancheng Chemical Co. 272, 276, 279, 282, 293, 296
 - Jingzhou Jiangnan Fine Chemical Co. Ltd. 216
 - Jinhija Zinc Oxide Factory (Hanshan County, Anhui Province, China) 260
 - J. K. Industries Ltd 3

- J & L Industrial Supply 421
 JM Huber Corp. 145, 211, 218
 JSC Belshina Belarus Tyre Works 3
 JSC Dneproshina 4
 JSL Chemical 479
 JSR Corp. 45, 50, 55, 68, 72, 78
 JTR Chemical 427
 Junma Chemicals 461
 Junwee Chemical (China) 421
 J. V. Matador-Omskshina 4
- K**
- kaolin 218
 kaolin clay 32, 217, 218
 kaolinite 218
 Karbochem Division of Sentrachem 51
 Kauchuk Co. 44, 51
 Kawaguchi 272, 278, 292, 295, 298, 301, 303, 306, 308
 KD Feddersen (Germany) 476
 Keloth Oleochem Pvt. Ltd. 250
 Kemai Chemical Co. 273, 276, 279, 285, 293, 296, 308, 331
 Kemitura Group (Denmark) 214
 Kemlink (USA) 491
 Kenda Rubber Industrial Co. 3
 Kerman Tire and Rubber Co. 4
 Kessler Chemical (USA) 479
 Kevlar 115
 key monomer 375
 Keyser & Mackay CV (Belgium) 491
 Khorasan Chemical 461
 KIC Chemical 478
 kicker 291, 297, 306, 309, 310
 Kimlink Chemical 432
 Kinbester Co. Ltd. (China) 405, 410, 420, 438, 488, 508, 516
 King Industries 338
 King Tang Chemical (China) 429
 Kinugawa Rubber Co. 6
 Kolbe reaction 507
 Koppers 486
 Korea Fine Chemical 522
 Korfez Petrochemicals 50
 Kowa American (USA) 529
 Kraemer & Martin GmbH (Germany) 425, 454, 472, 478
 Kraft Chemical 408, 511, 532
 kraft paper manufacturing 509
 Krahn Chemie GmbH (Germany) 275, 394, 405, 462
 Kraton D Series 159
 Kraton G Series 159
 Kraton Polymers LLC 49, 159
 Kumho 77, 347
 Kumho Petro Chemical 50, 56
- Kumho (South Korea) 431
 Kumho Tire Co. 3
- L**
- labyrinths 8
 lacquer 380, 463
 L'Air Liquide Belge (Belgium) 456
 laminated automotive safety glass 527
 laminated timber 148
 laminated timber and beams 139
 Landaise 269, 272, 279, 282, 292, 295, 298, 301, 303, 306, 308
 Lansco Colors 223
 Lanxess 55, 57, 59, 61, 62, 67, 68, 72, 77, 79, 81, 82, 90, 91, 103, 272, 275, 279, 282, 292, 296, 299, 301, 304, 308, 313, 336, 338, 340, 347, 448, 449, 457, 462, 484, 488, 516, 522, 525
 Laporte 323
 lard 37, 38
 large belts 7
 larger particle size carbon blacks 202
 latex 25, 78, 137, 139, 399, 488
 - preservative 387
 - products 9
 lauric acid 263
 LCY Corp. 159
 Leap Labchem (China) 472
 leather 365, 366, 497
 - tanning 408, 461
 legal ban 231
 Leuna Tenside (Germany) 368
 Lewis acid 510
 LG Chemical 50, 55, 206
 Lianlian Chemicals Co. (China) 270, 273, 276, 280, 283, 290, 293, 296, 302, 309, 310
 Liaoning Tianyuan Industrial and Trade Co. Ltd. 391
 Liaoning Tyres Group Co. 4
 light belts 7
 light burned grades 319
 light color 238
 lighter crudes 399
 light fastness 228
 light in color 236
 like dissolves like 243
 limestone 35, 121, 135, 220, 221
 linear alcohols 437
 linear density 119
 linear low-density PE 437
 Linkwell Rubber Chemicals Co. (China) 272, 275, 279, 282, 290, 293, 296, 299, 301, 304, 308, 310, 331, 347
 linnaeite 34
 linoleum 219
 linseed oil 39
 Linyi Aosen Chemical Co. 103

Lion Copolymer 49, 62, 362, 364
 liquefied natural gas 21
 liquid isocyanate-terminated prepolymer 189
 liquid petroleum 494
 liquid RF resin 498, 504
 liquid silicone rubber 8, 110
 lithium 54
 Liyang Heng Rui Co. 270, 273, 276, 280, 283, 293,
 296, 308, 332
 LLDPE (linear low-density PE) 437
 LNG 21
 Loadsar Pvt. Ltd./Solideal Co. 4
 Loos & Dilwarth 356
 Lord Corp. 6
 Louisiana Pigment 225
 low-density PE 437
 low molecular weight paraffins 352
 low surface activity 137
 low-temperature 250, 352
 – flexibility 99, 101, 107
 – impact properties 160
 – lubricants 500
 – performance 107
 – properties 79, 98–100, 181, 184, 243, 246, 248,
 250, 383, 444, 487, 492, 499
 – resistance 187
 low-VOC 217
 low-volatility bituminous coal 226
 LSR 8, 110
 lube oil additives 444
 lubricant additives 426
 lubricants 339, 384, 405, 407, 466, 496, 500
 – for textile 439
 lubricating oils 238, 273, 320, 415
 lubricity characteristics 223
 Lukoil 442
 Lukoil Bulgaria 50
 Lukoil Neftochim 50, 512
 Luxco Wax 511
 Luzenac 371, 395
 Luzenac America 223
 Lyondell Chemical 225, 400, 435, 495, 496, 512, 522,
 526

M

Magna Kron 511
 magnesia 319
 magnesium 30, 121
 – chloride 319, 320
 – hydroxide 319
 – oxide 319
 – salts 320
 magnetite 28
 mag oxide 319
 malachite 27

maleic anhydride 400
 Mallinckrodt Chemicals 390
 Malvern Minerals 225
 manganese 35, 135
 manufacture carbon black 202
 manufactured iron oxides 228
 manufacture of gasoline 232
 Marangoni, S. p. A. 4
 Marathon Ashland 232
 Mark IV Industries 5
 mars brown 228
 mars red 228
 Martin Marietta Magnesia Specialties 320
 Marubeni Europe PLC 364
 masterbatches 492
 masterbatches with polyvinyl chloride 382
 Matador AS 3
 mattresses 370, 522
 Mazhar Tanrikulu (Turkey) 260
 MBCA 197, 198
 MBOCA 198
 MBS 280, 281, 375, 376, 410, 442, 462, 463, 504,
 514
 – accelerator 386, 443, 471, 506
 MBSS 285, 286, 287
 – rubber accelerator 471
 MBT 275, 278, 282, 284, 291, 292, 294, 389, 410, 462,
 463, 504, 514
 – feedstock 295
 – rubber accelerator 504
 MBTS 282, 287, 294, 295, 297, 375, 394, 410, 411, 462,
 471, 504, 505
 – accelerator 376, 506
 MDI 185–189, 192, 194, 375, 389, 412, 430, 431, 434,
 446, 458, 475, 482
 – based prepolymer 194
 – capacity 431
 – terminated prepolymers 189, 190, 192, 431
 mechanically blend 160
 medical applications 101, 466
 medical examination gloves 9
 Medium Thermal 207
 MEK 467
 melamine 149, 386, 461, 526
 – formaldehyde resins 446
 – formaldehyde thermoset composites 461
 – production 461
 melt adhesives 156
 melting 159
 – point 194
 mercaptobenzothiazole (MBT) 282, 284, 291, 375,
 389, 462
 mercaptopropyltrimethoxysilane 216
 mercaptosilanes 216
 merchant market 450, 486
 Merck 320

- Merck NV Specialty Chemicals (Belgium) 403
 Merck Schuchardt OHG (Germany) 423, 433, 470
 Meryer Chemical (Shanghai) 287
 MES 233, 234
 mesh 263
 mesityl oxide 379, 416, 460, 462, 468
 metal cleaning 451
 metal composites 455
 metal cutting 381
 metallocene 160
 – catalyzed polyethylene 160
 – ethylene elastomer TPOs 160
 metallurgical grade of coke 134
 metallurgy 396, 452, 500
 metal oxides 258
 metal part cleaning 380
 metal polishes 475
 metals 512
 metal working fluids 368
 methacrylate esters 444
 methane 21, 132, 164, 271, 292, 298, 301, 303, 305, 310, 375, 463, 514
 methanol 21, 102, 138, 191, 271, 298, 303, 325, 380, 386, 439, 464
 methyl acrylate 87, 99, 100, 380, 406, 439, 464, 465, 493
 methyl alcohol 464
 methyl bromide 397
 methyl chloride 466, 500, 501
 methyl chlorosilane 466
 methylene backbone 79
 methylene-bis(3-chloro-4-aminobenzene) 198
 methylene-bis-methylbutyl phenol (*o*-MBp14) 339, 340, 456, 516
 methylene-bis-*o*-chloroaniline (MBCA) 197, 198
 methylene donor 143, 148, 150, 152, 386, 446, 449, 461, 464, 526
 – curing agent 446
 methylethyl ketone 467
 methyl isobutyl ketone (MIBK) 344, 346, 468
 methyl methacrylate (MMA) 380
 methylo-terminated *p*-alkyl-substituted phenol
 formaldehyde curing resin 165, 324, 325
 methylo-terminated phenol-formaldehyde resin
 curative 163
 methylo-terminated *p*-*tert*-octyl-substituted phenol 446, 477
 methyl phenol 456, 469
 methyl silicone rubber or methyl polysiloxane 111
 Metro Tyres Ltd. 4
 Metzeler Automotive Profile Systems 6
 Mexicanos 518
 M. F. Cachat 290, 362, 364
 MgO 319, 320
 MIBK 379, 416, 460, 463, 468
 Michelin 3, 50, 52, 57
 Michelin et Cie 55
 microcrystalline waxes 352
 Micro SA 304, 306
 mid blocks 156
 mild extracted solvates (MES) 234
 military footwear 78
 military tank pads 51
 Miljac Inc. 385, 396, 408, 427
 millable gum 179
 millable polyurethanes 175
 Millennium Chemical 378
 Milliken Chemical Specialty Elastomers 49
 Mineral King 534
 Mineral-Pigment Solutions 223, 369
 mineral rutile 224
 Minerals of California 534
 mining belts 136
 mining conveyor belts 134
 missile fuel 427, 452
 Mississippi Lime 221
 Mitsi 166
 Mitsubishi 400
 Mitsubishi Chemical Corp 50
 Mitsuboshi Belting Ltd 6
 Mitsui Chemicals 522
 Mitsui & Co. Europe (UK) 459
 mixed fatty acids 262
 mixed ketone 468
 mixed olefin 358
 mixtures 352
 mixtures of olefin and diolefin 359
 MLPC International (France) 275
 Mobile Rosin Oil Company 240
 MOCA 197, 198, 458
 modal 132
 modulus 117, 119, 122, 133, 203, 276, 304, 311, 316
 Mohawk Industries 129
 moisture absorption 130
 molded rubber goods 8
 molding 159, 198
 – cycles 155, 166
 – resins 441, 443
 Momentive Performance 112, 217, 466
 Momentum Technologies 49
 monochlorobenzene 412
 monoethylene glycol 443
 monomer 425, 434, 437, 439, 440, 445, 464, 512, 518, 529
 monomeric diisocyanates 184
 mono-octylated diphenylamine 337
 Monsanto 163, 311, 313
 Mooney viscosity 44, 49, 55, 61, 68, 72, 77, 81, 93, 95, 98
 MOR 281
 morpholine 268, 269, 280 – 282, 286, 386, 442, 470, 506, 517

- morpholinobenzothiazylsulfenamide 281
 Morre TEC Industries 492
 Morse Chemical 511
 mothballs 471
 motorcycle 4
 motor mounts 8, 42
 MPTES 216
 MPTMS 216
 MQ (silicone rubber) 65, 111, 423, 466, 500, 501
 MRF Ltd. 3
 MT 207
 Mytex Polymers 162
- N**
- N-1,3-dimethylbutyl-N'-phenyl-*p*-phenylene diamine
 (6PPD) 343–345
 N100 Series 203
 N200 Series 203
 N300 Series 203
 N400 Series 203
 N500 Series 203
 N600 Series 203
 N700 Series 203
 N800 Series 207
 N900 Series 207
 NaDEC 425
 NaDMC 427, 503, 504
 Naftan 531
 NaMBT 274, 282, 506
 Nanjing Datang Chemical Co., Ltd. 340
 Nanjing King-Pharm (China) 429
 Nanjing Longyan Chemical (China) 479
 Nanjing Union Rubber and Chemical Co., Ltd.
 (Nurchem) 290, 306, 334, 347
 Nanjing Youhao Chemical Auxiliary 216, 252
 Nankang Rubber Tire Corp. 3
 Nantex 78
 Nan Ya Plastics 129, 130
 Naphtachimie 494
 naphtha 77, 141, 202, 436, 494
 naphtha (C8) streams 531
 naphtha feedstocks 89, 168, 520
 naphtha gas 397
 – oil 77, 141, 168
 naphthalene 242, 316, 335, 342, 471, 473
 naphthenic crude petroleum 235
 naphthenic crudes 234
 naphthenic extender oil 235
 naphthenic oil 233, 235
 naphthenic process oil 234, 235
 – costs 234
 naphthol 472
 naphthylamine 472, 473, 476
 National Lime & Stone Co. 221
 Natrochem 360
- natural gas 20, 62, 89, 142, 168, 191, 201, 202, 206,
 207, 263, 264, 397, 436, 451, 463
 – equivalent 20
 – reserves 22
 natural iron oxide 228
 natural red oxide 228
 natural rubber 5, 23, 41
 – based compounds 235
 – latex 25, 137, 139, 386
 – production output 24
 natural silica 210, 213, 503
 NBR 21, 75, 76, 80–82, 254, 263, 375, 382, 383, 386,
 399, 411, 437, 440, 487, 492–495
 – elastomer 398
 NBR/PP thermoplastic vulcanizate (TPV) 167, 382,
 386, 399, 495
 NBR production 398
 NBR/PVC blend 83
 NBR/PVC fluxed masterbatch 399
 NBR/PVC masterbatch 83, 398, 492, 495
 – blends 386
n-butane feedstock 467
n-butanol 377, 401
n-butyl acrylate 402, 404
n-butyraldehyde 196, 405
 N-cyclohexyl-2-benzothiazole sulfenamide 277, 278
 N-(cyclohexylthio) phthalimide 312
 Neftekhim 398, 442
 Neftochim 442
 Neochem Corp. 336, 426, 429
 neodymium 54
 neoprene 65, 89, 139, 319, 320, 325, 386, 439, 440
 – grade 319
 – latex 137, 139
 – rubber 412
 Neoprene W 318
 Neuchem Inc. 383
 Neuchem (USA) 525
 Neville Chemical 359
 New Balance Athletic Shoe 5
 New Generation Yarn 129
 new synthesis routes 482
 Nexen Tire Corp. 3
 NICEST Carbon Black 205
 nickel 35, 54
 – catalyst 262
 Nie Process Oils (India) 238
 Niknam Chemicals Pvt. 370
 Ningbo Actmix Polymer Co. Ltd. 306, 313, 364
 Nippon Polyurethane (Japan) 431
 Nippon Zeon 44, 51, 55
 Nishikawa Rubber Co. 6
 Nisseki Chemical Texas 445
 nitration 335, 349
 nitric acid 473
 Nitriflex 77, 142

- Nitriflex SA 50
 nitrile-based TPV 167
 nitrile butadiene rubber 76
 nitrile/PVC polyblends 83
 nitrile rubber (NBR) 21, 75, 76, 167, 168, 437, 492, 528
 nitrile rubber/polyvinyl chloride blend 83
 Nitrilo 77
 nitroaniline 116, 474
 nitrobenzene 185, 307, 346, 375, 389, 393, 431, 475, 521
 nitrocellulose 387, 464
 nitrogen adsorption surface area 203
 nitronaphthalene 471, 473, 476
 Nitron Chemical Corp. 385, 525
 nitrosamine 268, 274, 277, 280, 300, 386, 443
 – fumes 270
 – gases 286, 297
 – generation 287
 – generator 271, 273
 nitrous oxide 408
 Nizhnekamsk Carbon 205
 Nizhnekamskneftekhim 44, 51, 56, 68, 398, 442, 512
 Nizhnekamskneftekhim Scandinavia (Finland) 459
 Nizhnekamskshina 3
 N-N'-bis(1-methylheptyl)-*p*-phenylene diamine (i88PD) 348, 349
 N,N'-di-beta-naphthyl-*p*-phenylene diamine (DNPD) 341
 N,N'-dicyclohexyl-2-benzothiazole sulfenamide 283, 284
 N,N'-di-*ortho*-tolylguanidine 310
 N,N'-diphenylguanidine 307
 N,N'-diphenyl-*p*-phenylene diamine 350
 N,N'-ethylenethiourea 289
 N-nitrosodiphenylamine 344
 "N" numbers 203
 Noah Chemical 392
 NOBS 281
 Nocil Limited (India) 301, 304
n-octanol 476
 NOK Inc 5
 Noklan Tyres PLC 3
 nonene 244, 245
 nonferrous alloys 500
 nonheat-reactive phenolic resins 355
 nonheat-reactive phenolic tackifiers 446
 nonheat-reactive phenyl formaldehyde tackifying resins 477
 nonheat-reactive resins 354
 nonionic surfactants 477, 496
 nonpolar 236
 – elastomers 238
 nonstaining 339
 – antioxidant 456
 nonstaining AO 340, 343, 516
 nonstaining hindered phenols 339
 nonsulfur substitutes 265
 nonsulfur vulcanizing agents 265
 nontire applications 41
 nontire sector 23
 nonwoven products 134
 nonylphenol 480
 NOVA Specialty Chemicals 247, 250, 252, 254, 435, 512
 Novokuibyshevsk Petrochemical 398
 novolac phenol formaldehyde resins 150, 152
 novolac phenolic resins 386, 449
 N-oxydiethylene-2-benzothiazole sulfenamide 281
 N-Phenyl-*alpha*-naphthylamine 335
 NR 139
 NR/BR compound blends 42
 NR/SBR compound blends 42
 NSTU Chemicals Hangzhou (China) 385, 404, 422, 423, 520
 N-*t*-butyl-2-benzothiazole sulfenamide 274
 Nurchem 279, 331
 NXT 217
 nylon 122, 137, 172, 498
 nylon-6 123, 124, 172, 409, 417, 456, 465, 522
 nylon-6,6 122, 123, 417
 – fiber 383, 448
 – production 383
 nylon-6 fiber for tire cord 418
 nylon carbon fiber composites 417
 Nylon Corporation of America 125
 nylon growth 417
 nylon (polyamide) 172
 nylon tire cord 383
 Nynas 235
 Nynas (China) 238
- ## O
- Oakite/Chemetall GmbH 272, 295, 301, 303, 308
 OAO Polief (Russia) 518
 OAPEC 16
 OBSH 362, 364
 OBTS 281
 Occidental Chemical 411, 440, 450, 466, 504
 ocean water 319
 octane rating 521
 octanol 476
 octyl alcohol 476
 octylated diphenylamine (8DPA) 337, 389, 456
 octylated diphenylamine antioxidant 390, 426, 430
 octyl phenol 355, 477, 480
 odor 216, 323
 ODP 337
 ODPA 337
 off-the-road (OTR) tires 126, 137, 145, 212
o-hydroxybenzoic acid 318

- oil demand 19
 - oil dewaxing 467
 - oil drilling applications 76, 108
 - oil drilling operations 110
 - oil exposure 111
 - oil rate 202
 - oil recovery 382, 510
 - operations 508
 - oil resistance 65, 76, 82, 96, 98, 100, 101, 108, 109, 166, 167, 181, 437, 492, 528
 - combination 109
 - oil-resistant elastomers 243
 - oil seals 88
 - oil shale 18
 - oil spills 445
 - oil supply 16
 - oil treatment 266
 - ointments 512, 533
 - oxidation 191
 - Okamoto Industries 6
 - Old Bridge Chemicals 534
 - olefin and diolefin feedstocks 359
 - olefin feedstocks 355, 357
 - olefins 202, 358, 480
 - oleic acid 251, 261–263, 478
 - oleum 408
 - oligomerization 329
 - process 245
 - oligomer resins 355
 - Olin Chlor-Alkali 514
 - olive oil 39
 - Olympic Chemical 509
 - o*-MBp14 339, 340
 - Omnova Solutions, Inc. 49, 142
 - Omsk 51
 - Omsk Kauchuk 50
 - Omsktechuglerod 205
 - OMYA, Inc. 221
 - ONDEO Nalco 145, 211
 - one shot 181
 - on purpose cracking units 142, 398
 - opacifying agent 366
 - opacity 226
 - organic acid 241, 317
 - anhydride 316
 - organic peroxide 321
 - Organization of Arab Petroleum Exporting Countries 16
 - organosilane 217, 306
 - coupling agent 215
 - Orica (Australia) 368
 - O-rings 7
 - Orion engineered carbons 204–206
 - Orlen 442, 531
 - ortho*-chloroaniline 198
 - ortho*-, *meta*-, and *para*-xylenes 531
 - ortho*-toluidine 410
 - ortho*-tolylguanidine (DOTG) 309
 - ortho*-tolyl thiourea 410
 - ortho*-xylene 317, 486, 531
 - o*-toluidine emissions 309
 - o*-toluidine (*ortho*-toluidine) 522
 - OTR (off the road) tires 4
 - Ouchi Shinko 272, 279, 292, 295, 299, 301, 303, 308, 347
 - outdoor applications 529
 - Oxeno, Polimeri Europa 398
 - oxidation 95, 184, 227, 350, 401, 408, 416, 442, 467
 - oxidative aging 88
 - oxidative degradation 329
 - oxidative protection characteristics 349, 352
 - oxidizing agent 505, 507
 - oxo alcohols 495
 - Oxochimie (France) 405
 - Oxy 411
 - oxygen 329
 - o*-xylene 242
 - OxyMar 440, 527
 - OxyVinyls 440, 491, 527
 - ozone 88, 329, 343, 350, 352
 - attack 80, 343, 352, 353
 - protection 348, 349
- P**
- packaging industries 431
 - packers 8
 - PAH 231, 233, 414
 - paint industry 225
 - paints 205, 219, 222, 368, 425, 444, 454, 522
 - p*-alkyl phenol 288, 340, 384, 517
 - Palmetto Synthetics 129
 - palmitic acid 261
 - palm kernel oil 39
 - palm kernels 263
 - PAN 119, 335, 382, 471, 473, 476
 - PANA 335
 - PAN antioxidant 389, 473
 - pants 130
 - paper 212, 353, 378, 505, 506, 508
 - and pulp process 238
 - board 509
 - coatings 370, 461, 466, 513
 - industry 217, 225, 432, 510, 527
 - manufacture 219, 408, 510, 514
 - treatment 471, 530
 - para*-alkylphenol 393
 - para*-aramid 116, 118, 120
 - paracril 76
 - paraffinic-based crude oil 353
 - paraffinic crude petroleum 237
 - paraffinic extender oil 237

- paraffinic oil 164, 236, 237
 - production 232
- paraffinic process oil 237, 238
- paraffin wax 353, 367
 - blend 353
- para*-methyl phenol 339, 340, 456
- para*-methylstyrene 74, 174
- para*-nitroaniline 349
- para*-octyl phenol 325
- paraphenylene diamine 116, 341, 342, 428, 481
- paraphenylene diamine antiozonants 348
- para* position 355
- para*-*t*-butylphenol 405
- para*-*tert*-octyl phenol 355
- para*-*t*-octyl phenol 355, 426
- para*-xylenes 531
- Parchem 247, 336, 474, 484, 488
- Parker Hannifin Corp. 5
- particle board 446
- particle size 202, 206, 207, 369
- passenger tires 4, 137
- passenger tire treads 42
- patent 311
- P. A. T. Products 368
- PBNA 334
- PBT 401
- PC 480
- p*-dodecylphenol 480
- peanut oil 39
- pedals 166
- Pekim 56
- PEN 127, 128
- Pennsylvania 234
- pentadiene 358, 359
- pentaerythritol 377
- pentane 21
- pentapolymer 104
- pentenes 358, 359
- peracetic acid 377
- perfluorinated monomer 109
- perfluorinated polymethylene rubber 109
- perfluoroalkoxy groups 108, 109
- perfluoroalkyl 108, 109
- perfluorocarbon elastomer 65, 109
- perfluoroelastomer 65, 109
- perfluoromethylvinylether (PMVE) 104, 105, 107, 109
- perfluororubber 109
- Performance Fibers 129
- Perl Pigments 260
- permanence 243
- perovskite 38
- peroxide 265, 320, 322
 - crosslinker 163
 - curatives 101, 258, 393, 453, 516
 - cure system 61
- peroxy chemicals 454
- Perstorp 445
- persulfuric acid 516
- pesticide propellants 427
- pesticides 425, 430, 485, 523
- PET 127, 128, 428, 518
 - fibers 130, 428, 441 - 443, 518, 531
- Petkim 51
- Petkim (Turkey) 518
- Petrobras Energia 51
- Petrochemical (China) 381, 420
- Petrochemical Iran 51
- Petrochina 50, 55, 78
- Petroflex 50, 56
- Petrogal (Portugal) 520
- petroleum 316, 393, 480, 492
 - applications 104
 - cracking 355, 357
 - unit 203
 - oil 359
 - products 414
 - refining 514
 - reforming 451
 - wax 353, 530
- pewter 519
- PF 354
- Pfaltz and Bauer 413
- PF curing resin 326
- PFR 109
- PF tackifier resin 355, 405
- PG 495
- pharmaceuticals 390, 430, 435, 438, 507, 509, 512, 526, 531, 533
 - synthesis 529
- Pharmasi Chemicals (China) 390
- phenol 124, 307, 318, 340, 355, 357, 372, 375, 379, 393, 408, 416, 418, 426, 480
 - tackifying resin 406
- phenolate 318
- phenol disulfide accelerator 384
- phenol formaldehyde curing resins 324, 446
- phenol formaldehyde molding resins 446
- phenol formaldehyde (PF) resins 150, 152, 354, 355, 358, 445, 446
- phenol formaldehyde tackifying resins 354 - 356, 480
- phenolic
 - curative 165
 - curing resin 164, 325
 - resins 326, 480
 - resins to harden 449
 - rubber tackifying resins 426
 - tackifiers 240, 446
 - tackifying resin 456, 480
- phenolphthalein 317
- phenyl-*alpha*-naphthylamine (PAN) 334, 335
- phenyl-*beta*-naphthylamine 334

- phenylenediamine 353, 472, 476, 481, 482
- phenylformic acid 315
- phenylmethyl silicone rubber or phenylmethyl polysiloxane 111
- phenylvinylmethyl silicone rubber or phenylvinylmethyl polysiloxane 111
- PHH Monomers 527
- phosgene 192, 412, 422, 431, 441, 482
- phosphate 36
 - plasticizers 35, 36
 - rock 30, 35
- phosphate plasticizers 372, 480, 484
- phosphoric acid 483
- phosphorus 483
 - compounds 483
 - oxychloride 460, 483-485
 - pentoxide 483, 484
 - trichloride 485
- photochemistry 397
- photocopier toner 205
- photocopying process 260
- photographic developer 454
- photographic development 482
- photography 387, 497, 502, 503, 510
- photovoltaic components 500
- phthalate ester plasticizers 486, 492, 531
- phthalate plasticizers 82, 241-243, 246, 317, 486
- phthalic anhydride 241, 242, 244, 312, 315-317, 386, 471, 486, 487, 531
- phthalimide 312, 386, 420, 487
- physical properties 260, 294, 370
- physical property requirements 372
- physical protective barrier 352
- pickle stainless steel 453
- pickling 451
- pigments 487
- pinene 36, 360
- pine tars 36, 239
 - from pine wood 239
- pine trees 36, 360
- Pinova 360
- Pioneer 223
- pipeline 376
- pipng 492
- Pirelli 3
- pitch 119
- PKN 442, 531
- PKN Orlen 520
- plasters 407
- plastic applications 245
- plasticizer 240, 250, 368, 372, 376, 383, 402, 444, 478, 480, 484-486, 492, 499
 - performance 372
- plastics 120, 145, 212, 219, 222, 225, 228, 263, 320, 336, 339, 352, 365, 366, 397, 402, 428, 435, 448, 489, 490, 518
- plastics industry 243, 250, 323, 353, 362, 364, 370, 373, 380, 397, 399, 407, 412, 435, 437, 440, 444, 446, 461, 484, 495, 513, 528
- plastics production 446
- platelet form of hydrated magnesium silicate 222
- platelets 223
- platinum 35
- plywood 431, 446
- PMC Specialties 340, 356
- p*-methylphenol 469
- p*-methylstyrene 469
- PMQ 65, 111
- PMS 74
- PMVE 104, 107
- PNA 335
- p*-nitroaniline 474
- p*-nonylphenol 480
- PO 496
- p*-octylphenol 477
- polar compounds 232, 235, 237
- polar minerals 223
- polar plasticizer 243
- polar specialty elastomers 531
- Policyd 491
- Polimeri 50, 55, 78, 512
- Polimeri Europa 49, 59, 61, 494, 520, 531
- Polimeros de Mexico 491
- polishes 478, 512
- polyacetal resins 446
- polyacrylate-acrylic acid ester 87
- polyacrylate rubber (ACM) 65, 87, 172
- poly (acrylic acid ester rubber) 87
- polyacrylic rubber 87
- polyacrylonitrile (PAN) 119, 382, 489, 494
- polyamide 125
 - block copolymers 177
 - synthetic fibers 500
- polybutadiene rubber 54, 156
- polybutylene terephthalate 401
- polycarbonate 480, 482
 - manufacturers 482
 - resins 380, 482
- Polychemn (China) 256, 288
- Polychim 489
- polychloroprene 65, 82, 88, 91, 258, 260, 289, 326, 380, 406
 - rubber 89
- polycizer DIDP 244
- polycyclic aromatic 232
 - content 232
 - hydrocarbons 231, 233, 414
- polyepichlorohydrin rubber 97
- polyester 127, 137, 179, 181, 442, 498
 - cord 128
 - fiber 127

- molding resins 531
- plasticizers 243
- polyols 182, 189
- textiles 531
- tire cord 428, 442, 518, 531
- type polyols 188
- polyether 179
 - backbone 181
 - polyols 187, 189
- polyether polyols 496
- polyethylene (PE) 95, 411, 437
 - naphthalate 127, 128
 - production 203
 - resins 437
 - terephthalate 127, 128
- polyisobutylene rubber 66
- polyisoprene rubber 41, 156
- polymeric form of sulfur 266
- polymeric plasticizer 383
- polymeric sulfur 267
- polymerization 358, 382, 406, 432, 436, 437, 440, 442, 456, 459, 464, 465, 491, 494, 520
 - inhibitor 343
 - process 54
- polymers 438
- polynosic 132
- polyols 176, 179 - 181, 184, 188, 414, 429, 431, 437, 442, 451, 487, 490, 496, 522
- PolyOne 491
- poly-paraphenylene terephthalamide 116
- polypropylene (PP) 161, 163, 164, 167, 169, 383, 398, 399, 433, 489, 510, 513
 - glycol 414, 490, 496
 - polyol 183
- polystyrene 156, 435, 490, 493, 513
- polyterpene 36
 - resins 359
 - tackifiers 360
- polytetrafluoroethylene (plastic) 518
- polytetramethylene ether glycol 183, 400
- polyurethane 179, 375, 389, 400, 402, 412, 414, 417, 441, 443, 446, 454, 482, 487, 491, 496, 498, 525
 - applications 442, 451
 - chemistry 431
 - curing 482
 - elastomer cures 421
 - elastomers 179, 389, 400, 415, 422, 429, 431, 434, 437, 441, 442, 446, 464, 475, 504, 522
 - elastomer systems 438
 - ether-type backbones 183
 - foam 186, 431
 - rubber 381, 383, 393
 - systems 187
 - technology 521
- polyvinyl
 - acetate (PVA) 527
 - alcohol 527
 - butyral 464, 527
 - chloride (PVC) 82, 156, 243, 398, 490, 491, 495
 - compounds 160
 - plastic 528
 - production 505
 - resin 411, 440
- polyvinyl fluoride film 529
- polyvinylidene chloride 440
- pond linings 95
- poorer fuel economy 216
- porcelain 396
- porosity 261
- potassium bromide 492
- potassium peroxydisulfate 46
- potassium pyrophosphate 46
- pottery 219
- pour-point depressor 405
- powdered soapstone 222
- power steering 101
 - seals 82
- power transmission belts 7, 137
- PP 163, 383, 398, 489, 495
- PPD2 process 344
 - for 4-aminodiphenylamine (4-ADPA) 384
- PPDA 116, 342, 481
- p,p'*-diaminodiphenylmethane 185, 389, 421, 431
- p,p'*-dioctyl diphenylamine 337
- PPG 440, 482, 504
- PPG Industries (USA) 211, 410, 411, 523
- p*-phenylenediamine 472, 474, 476, 481, 482
- p*-phenylenediamine family 341
- PP/IIR 388, 456
- p,p'*-oxybis(benzenesulfonyl) hydrazide (OBSh) 362, 363
- PQ Corp. 145, 211
- Praxair Espana (Spain) 456
- Precambrian deposits 28
- precipitated calcium carbonate filler 407, 408
- precipitated calcium carbonates 220
- precipitated, hydrated, amorphous silica 29
- precipitated hydrated silica 143, 144, 210, 216
- precipitated silica 144, 210, 503, 508
- predip 142
- premature scorch 319
- premature vulcanization 265
- Premiere fibers 129
- premium white colorant 224
- prepolymers 429, 458, 496, 525
- prereact the polyol with a designated diisocyanate 181
- preservation 510
- preservative 386, 507
- Presidential Green Chemistry Challenge Alternative Synthetic Pathways Award 344
- pretreatment under tension 137

prevulcanization inhibitor 420
 price 109, 376
 – ceilings 263
 – of oil 492
 primary accelerator 274, 297
 primary amine 280
 Primester 378
 printing ink applications 467
 printing rolls 196, 254
 process 159, 176
 processability 231, 233
 – improvements 243
 processing 155
 processing aid 516
 – for rubber 530
 processing oil 205, 255
 process oil 201, 231, 234
 Process Oils, Inc. 235
 Prochimie International 272, 278, 279, 292, 295, 299, 310
 Prochimie/Sovereign 282, 295, 301, 306, 308
 Prodexim (UK) 214
 production from acetylene 208
 production of furnace carbon black 202
 productivity 216
 profit margin 243
 propane 21, 48, 60, 106, 158, 159, 161, 164, 165, 170, 376, 381, 436, 493, 494
 propanol 468
 proprietary blend 239
 propylene 58, 84, 89, 104–107, 141, 157, 159, 161, 164, 167, 168, 170, 184, 196, 202, 241, 244, 247, 249, 251, 321, 376, 381, 386, 393, 397, 412, 480, 490, 494, 495, 520
 – glycol (PG) 183, 414, 495, 496
 – oxide 183, 400, 414, 495, 496
 Proquitech Industria de Productos Quimicos S. A. 272, 298, 303
 protective barrier 352
 protective clothing 115
 protective waxes 352, 353, 467
 proved natural gas reserves 22
 proven and unproven reserves 17
 proven reserves of natural gas 22
p-tert-octyl phenol 477, 480
 P. T. Gajah Tunggal 3
 PT Sentra 51
 pulp and paper industry 515
 pulp industry 505
 PUR 179, 375, 376
 – application 189
 Puritan Products 459
 PVA 378, 527
 PVB 378
 PVC 82, 156, 411, 412, 437, 440, 486, 491
 – NBR blends 82

 – NBR masterbatch 528
 – production 450
 – resin 440
 PVI 311
 PVMQ 65, 111
 PVOH 378
p-xylene 117, 128
 pyridines 377
 pyrolysis 206, 208, 520
 pyrolyzed 489, 494
 pyrotechnics additive 507

Q

Qenos 50, 56
 Qingdao Doublestar Industrial Co. 3
 Qingdao E. S. Chemical Co. 351
 Qingdao Huaheng Agent Subsidiary Factory 285
 Qingdao Yellow Sea Rubber Co. Ltd. 4
 Qingdao Yuzhong International Trading Co. 270
 Qingdao Zhongjian Rubber Chemicals Co., Ltd. 267, 273, 276, 283, 293, 308, 313, 331, 347
 Qingzhou Boro Carbon Black Co. Ltd 205
 Qingzhou Honorsun Trade Co. 272
 Qingzhoukunwei 285
 Qingzhou Kunwei Industry and Trade Co., Ltd. 276, 279, 280, 282, 283, 285, 293, 296
 Quad Chemical 525
 Quechem Silicon Chemical Co. 211
 quench cooling 266
 quenching medium 266
 quicklime 220, 408
 Quimica Del Cinca (Spain) 368
 quinoline 475
 quinone 194, 497
 Qujing Zhongyifine Chemical Industry Ltd. 205

R

radial shaft seals 8
 radial tires 45
 raffinate 480
 rafts 95
 Raj Petro Specialties 235, 238
 rapeseed oil 39
 Raschig (Germany) 529
 Raschig/Prochimie International 340
 raw material costs 233
 rayon 119, 130, 132, 136, 137, 376, 411, 498
 – fibers 410, 463, 504, 509, 514–516
 – tire cord 463
 reaction injection molding 179
 reaction of zinc oxide and stearic acid 261
 reactive pendant group 108
 reactive PF resins 150
 reactor-produced TPOs 160, 325

- Rebo Lianyungang Rebo Chemical Co., Ltd. (China) 353
- rebound 187
- R. E. Carroll 233, 235
- recipes 258, 261
- recovered sulfur 263, 264, 515
- recyclability 162
- red 227, 228
- dyes 474
 - oxide of iron 228
- reduce rolling resistance 145
- reduce tire weight 118
- reducing agent 449, 510
- refinery gas 340
- reformers 520
- reforming 451
- refractive index 225
- refractories 219
- refractory furnace 202
- refrigerant 387, 399, 413
- refrigeration 431
- regenerated celluloses 132
- reinforcement 428, 463
- reinforcing agents 201, 214
- reinforcing filler 500
- reinforcing novolac phenol formaldehyde resins 152
- reinforcing resins 445
- release agents 466
- reliability of the adhesion 153
- Reliance Industries 50, 56, 68
- Renkert Oil 233, 235, 238
- Reppe process 190
- reproductive toxins 241, 244
- Repsol 512
- Repsol YPF 398, 489
- reserves of butane 142
- residual acidity 255
- resilience 176
- resiliency 43, 88, 91, 181
- resin curatives 320
- resin cures 258
- resin production 460
- resins 355, 438, 440, 480, 482
- resistance properties 65
- resistance to hydrogen sulfide 108
- resistance to hydrolysis 181
- resistance to ozone attack 95
- resorcinol 137, 139, 143, 146, 148, 150, 152, 192, 375, 376, 393, 438, 498, 504, 509, 515, 516
- based resin 210
 - component 152
 - formaldehyde resin (liquid) 137
 - formaldehyde resin (solid) 146
- resorcinol formaldehyde (RF) resin 138, 143, 146, 147, 393, 446
- retarder 311, 314, 317, 318, 471, 480, 507, 521, 531
- retards 255
- reverts 266
- RFL adhesive dips 435
- RFL dipping procedure 142
- RFL dips 136, 137, 139, 376, 393, 398, 437, 446, 488, 498, 504, 509, 512, 516, 529
- for cord adhesion to rubber 464
 - suspension 137
- RF liquid resin 509, 515, 516
- RF resin 139, 143, 147, 148, 393, 446, 464, 498, 504, 509, 515
- Rhein Chemie Corp. 195, 265, 269, 272, 276, 279, 282, 290, 293, 296, 299, 301, 304, 308, 353, 364, 366
- Rhodia 145, 211, 377, 415, 448, 484
- Rhodiaco (Brazil) 518
- rhombic 263, 264
- rhombic crystalline 266
- form 263
 - sulfur 266, 267
- Rhone-Poulenc 112
- Rianjin Okeyou International (China) 370
- rice bran oil 39
- Richman Chemical 415, 432, 488
- ricinoleic acid 499
- Riedl Pfeleiderer process 322, 453
- rigid 179, 431, 446
- foam 389, 431, 522
- RIM 179
- Rio Tinto Borax 395
- road construction 156
- Robert Thurlow Vanderbilt 217
- Robinson 301, 303
- rocket propellants 443, 449, 507
- Rohm and Haas (now Dow Chemical) 254, 402
- Rokem Group (Shanghai) 269
- Roland (Belgium) 506
- Roland SA (Belgium) 448
- rollers 10, 98, 198
- rolling resistance 46, 53, 55, 56, 145, 212, 216, 217, 306
- rolls 196, 254
- Ronas Chemicals 387
- roofing 8
- room temperature vulcanization 113
- rosin 36, 239
- acids 239
 - from pine wood 239
- rosin oil 239, 240
- blend 239
- rosin products 240
- rotary seals 7
- Royal Group Technologies 491
- RTV 113
- R. T. Vanderbilt 269, 278, 282, 287, 292, 301, 303, 306, 308, 310, 334, 338, 340, 342, 349, 351

- Rubamin (India) 260
 - rubber
 - accelerators 376, 389
 - bands 10
 - bladders 446
 - chemicals 375, 376, 393, 411, 452, 480
 - compounds 213
 - curatives 167
 - grade stearic acid 261, 262
 - industrial products 201
 - latex 137, 139, 142
 - products 9
 - maker's sulfur 263, 264, 266, 267, 515
 - metal components 8
 - recipes 258
 - retarder 315–317
 - rollers 9
 - seals 78
 - substitute 492
 - tiles 10
 - tree 23
 - rubber-to-brass adhesion 285
 - coated steel cord adhesion 146
 - coated steel tire cord adhesion 212
 - plated steel tire cord adhesion 148, 152
 - rubber-to-fabric adhesion 139, 499, 509
 - rubber-to-metal 145, 212
 - adhesion 134, 212, 393, 519, 526, 532
 - bonding 267, 461, 464, 523
 - steel tire cord adhesion 498
 - tire cord adhesion 509
 - rubber-to-rayon bond 136
 - rubber-to-rubber adhesion 266, 267
 - rubber-to-textile adhesion 145, 212, 488, 515
 - rubber-to-textile cord adhesion 139
 - rubbery domains 156
 - Rubicon (USA) 187, 389, 431, 482
 - Ruger Chemical Co. 450, 454
 - rugs 127, 130
 - Ruhr Oel GmbH (Germany) 415
 - rupture 352
 - Russian dandelion 25
 - rutile (mineral) 38, 225
- S**
- Saar Gummi Group 6
 - Sabic 512
 - Sabic Europe 398, 489
 - Sabina Petrochemicals 398
 - Sadepan 445
 - SAF 203
 - safety glass 527
 - safety matches 483
 - safflower oil 39
 - Sainte-Claire Deville 31
 - salicylate esters 318
 - salicylic acid 317, 318, 480, 507
 - Saltex 508
 - salt in the oceans 320
 - salt of ethylenediamine-tetraacetic acid 46
 - salts of the thiurams 300
 - SAN 513
 - sand 121, 144, 210
 - Sanmenxia Xiawei Chemical Co. 270, 273, 313
 - Sanshin 279, 282, 293, 296, 301, 304, 308
 - Santogard PVI 311
 - Santoprene 163
 - Saratovorgsintez (Russia) 381
 - Sartomer Company 49, 55, 359
 - Sasol 401, 442
 - Sasol Chemical Europe (UK) 434
 - Sasol Solvents 468
 - Sattva Chemical (USA) 407
 - saturated 235
 - fatty acid 261
 - saturates 232
 - SBC 156, 157, 159
 - SBR 45, 47, 139, 262, 263, 354, 375, 376, 393, 399, 433, 435, 437, 493, 512
 - from the emulsion polymerization process 47
 - from the solution polymerization process 47
 - production 398
 - resins sometimes containing high styrene 49
 - rubber 437
 - SBR 1000 Series 49
 - SBR 1205 47
 - SBR 1500 Series 49
 - SBR 1600 Series 49
 - SBR 1700 Series 49
 - SBR 1800 Series 49
 - SBR 1900 Series 49
 - SBS (Styrene-Butadiene-Styrene) 156, 157, 159, 376, 393, 399, 433, 435, 513, 521
 - SBS thermoplastic elastomers 398
 - SBVP 393, 399, 512
 - SBVPL 139, 140, 141
 - SBVP latex 398, 435, 437, 488
 - SCI International 448
 - scorch 277, 319
 - delay 294
 - protection 324
 - related problems 313
 - resistance 299
 - safety 274, 276, 277, 283, 290, 306, 309, 313, 319, 325
 - time 270, 273, 297, 311, 314, 319, 320
 - scorchy 265, 270
 - scrap rate 311
 - sealant 78
 - compounding 233
 - compounds 238

- sealants 159, 179, 368
 sealcoating 414
 sealing 108, 508
 – compounds 236
 – pressure 321
 seals 7, 78, 81, 98, 101, 254
 Searles Valley Mineral 395
 sea salt 30
 sebacates 243
 sebacic acid 249, 499
 sebacic acid, bis-(2-ethylhexyl) ester 248
 SEBS (Styrene–Ethylene/Butylene–Styrene) 157, 376, 393, 399, 433, 435, 436, 513, 521
 secondary accelerator 273, 291, 294, 297, 299, 304, 306, 309, 310
 secondary amine 274, 386
 secondary plasticizer 250
 second monomer 437
 sedimentation testing 218
 seed disinfectant 273
 Seeler Industries 450
 Seiko Chemical 347
 selenium 449
 self-cleaning 225
 semiconductor 110, 391, 483
 – industry 500
 semireinforcing 203
 – furnace 203
 – grades 202
 Semperit AG 6
 SEPS block-polymer thermoplastic elastomers 433
 SEPS (Styrene–Ethylene/Propylene–Styrene) 157, 376, 393, 433, 435, 436, 494, 513, 521
 sequester transition metal ions 439
 Series N100 203
 Series N400 203
 service conditions 352
 service life 343
 service-temperature range 166
 sesame oil 39
 set 492
 severe hydrotreatment 232
 Severgaz Prom Ltd. 207
 sewage treatment 408
 S.F. Sulfur Corp. 265
 Shakespeare 125, 129
 shale oil 18
 Shandong Chengshan Tire Co. 3
 Shandong Ekesen Chemical Co. 334, 347
 Shandong Huamao New Material Co. Ltd 56
 Shandong Sunshine Chemical Co. 273, 276, 280, 283, 285, 296, 309, 313, 332, 347
 Shandong Yanggu Huatai Chemical Co., Ltd. (China) 260, 275, 279, 293, 296, 301, 304, 308, 310
 Shandong Zhongce Tyre Co. 4
 Shandong Zoupling Kaiyuan Chemical & Stone Material Co. 279, 283, 285, 293, 308
 Shanghai BASF 522
 Shanghai Chemson Chemicals Co., Ltd. 270, 273, 276, 279, 285, 290, 293, 297, 299, 301, 304, 308, 332, 334, 347
 Shanghai Chinaway Chemical 280, 293
 Shanghai Jinghai Chemical Ltd. 267
 Shanghai Mintchem Development (China) 484, 485, 510, 523
 Shanghai Potomer International 93, 95, 322, 362
 Shanghai Raise Chemical Technology Co., Ltd. 349
 Shanghai Secco Petrochemical (China) 381
 Shanghai Sinofluoro Scientific (China) 528
 Shanghai Sunwise Chemical Co. (China) 250, 412, 438
 Shanghai THC International Co., Ltd. 51, 56, 91, 260, 273
 Shanghai Tyre and Rubber Co. 3
 Shanghai Yaohua Nano-Tech Co. Ltd. 221
 Shanghai Zanray Industrial Co. 117
 Shanxi Fenghe Melamine 461
 Shanxi Lixin Chemical Co. Ltd. 205
 Shan Xi Provincial Institute of Chemical Industry 147, 288, 356
 sheet 354
 sheeting 250
 sheet molding compound 122
 Shell 159, 235, 242, 245, 247, 250, 479, 494, 520, 531
 shellac 464
 Shell Chemical 379, 398, 415, 436, 442, 468
 Shell Oil 238
 Shen Hua Chemical 51
 Shenyang Huachang Antimony Chemical Co. 391
 Shenyang Sunnyjoint Chemical Co. 273, 276, 280, 283, 285, 290, 293, 296, 302, 309, 310, 332, 347
 Shijiazhuang Liao (China) 262
 Shin-Etsu 112
 Shintech 491
 shirts 130, 134
 shoes 78, 512
 – industry 159, 210
 – soles 45
 – soling 51
 Shore A 160
 Shore Chem 508
 Shore D 160
 shortages in hydrated precipitated silica 212
 shortages of butadiene 141, 169
 short-term ozone protection 344, 349
 SI 326, 356
 Si 69 (TESPT) 217
 Sibur 68, 72, 78, 442

- Sibur Khimprom 512
 Sibur-Russkie Shiny 3
 Sichuan 400
 Sichuan Chemical 461
 Sichuan Jinhua 461
 Sichuan Meifeng Chemical 461
 siderite 28
 sidewalls 42, 118
 siding 492
 Sid Richardson 205
 SI Group 356
 silane 216
 - coupling agents 212
 - VP Si 363 217
 silanization 309
 silanol 423
 silica 29, 144, 145, 210, 216, 309, 500, 501, 503, 505, 508, 524
 silicon 215, 466, 500
 - dioxide 121
 - metal 215, 500
 - oxygen backbone 111
 - tetrachloride 213, 376, 466, 500, 501, 524
 silicone 466
 - compounds 213, 214
 - fluids 466
 - gum stock 213
 - production 423
 - rubber 29, 65, 110, 111, 423, 466, 500, 501
 - compounds 524
 - production 112
 siloxy backbone 111
 silver oxide 441
 silver plating 387
 Silverstone Corp. 4
 Simagchem Corp. (China) 250, 275
 single-ply roofing 8, 61, 95
 Sinochem Pingyuan Chemical 461
 Sino-Japan Chemical 252
 Sinopec Corp. 45, 50, 51, 56, 61, 68
 SI (Schenectady International) 326
 SIS (Styrene-Isoprene-Styrene) 156, 157, 159, 376, 388, 393, 433, 435, 494, 513, 521
 sizing of textiles 508
 skating rollers 198
 SKF AB 6
 ski boots 101
 ski goggles 176
 Slack Chemical Co. 385, 450
 Slover 479
 Slovnaft 442
 slow cure rate 285
 slower adhesion chemistry 285
 smaltite 34
 SMC 122
 smithsonite 27

 SN 44
 soap 263, 405, 478, 505, 512
 - emulsions 263
 soapstone 222
 Socabu 68
 Societe Tunisienne des Pneumatiques 4
 sodium aluminate solution 505
 sodium borate hydrate 394
 sodium bromide 71, 412, 502
 sodium carbonate 144, 210, 221, 502
 sodium dibutylthiocarbamate 410, 422, 505
 sodium diethylthiocarbamate 425
 sodium dimethylthiocarbamate (NaDMC) 427, 503, 504
 sodium formaldehyde sulfoxylate 46
 sodium hydrosulfite 515
 sodium hydroxide 131, 132, 144, 210, 282, 318, 412, 425, 502, 504
 sodium hypochlorite (NaOCl) 361, 386, 412, 505
 sodium MBT 286, 376, 389, 403, 410, 411, 424, 462, 471, 506
 sodium mercaptobenzothiazole 274, 506
 sodium nitrate 507
 sodium phenate 318, 480, 507
 sodium phenolate 318, 507
 sodium silicate 144, 210, 503, 505, 508
 sodium sulfate 131, 132, 508
 sodium sulfite 509
 soft carbon blacks 202
 So. F. Ter. S. P. A. 166
 softness ranges 160
 soil sterilizer 496
 Sojitz Corp. (USA) 426, 465
 solar cell encapsulation 101
 solder 391, 519
 soldering fluxes 510
 sole base elastomer 42
 solid resorcinol formaldehyde resin 143
 solid RF resins 446
 solid rocket propellants 430
 solubility 350
 - characteristics 343
 - parameters (i.e., cohesive energy density) 82
 solubilize zinc oxide 262
 Solutia 163, 266-268, 381
 Solutia (Eastman Chemicals) 347, 349
 solution polymerization 262
 solution SBR rubber 512
 Solvay Chemicals 453, 509
 Solvay Engineered Polymers 166
 Solvay process 502
 Solvay Solexis 108, 110
 solvent 401, 402, 438, 460, 463, 464, 467, 476
 - extraction method 237
 - extractions 480
 Sonae 445

- sour 263
 - natural gas 26
 - petroleum 26
- sour natural gas 264
- sour petroleum 264
- South China Tire and Rubber Co. 3
- Southeastern Clay Co. 219
- Southern Ionics 509
- Sovereign Chemical Co. 262, 264, 269, 290, 310, 356, 364
- soybean oil 39
- spandex 401
 - fibers 431
- spark plug boots 95
- specialty elastomers 65, 487
- specialty filaments 129
- specialty minerals 221
- specialty polyurethane elastomers 186
- Specialty Tires of America 4
- specific gravity 226
- Spectrum Chemicals and Lab (USA) 423
- sphalerite 27, 259
- spinning aliphatic polyamides 127
- spiral hose 7
- sponge 361
- sponge rubber 361
 - products 9
- sports cars 120
- sports equipment 120, 166, 238
- sportswear 134
- SRF 203
- Sri Melamin Rejeki 461
- SRM Limited (UK) 476
- SRT 216
- SSBR 47
- SSL International PLC 6
- stabilization of a char 371
- stabilized amorphous sulfur 267
- stabilized insoluble sulfur 266, 267, 514
- stabilized polymeric sulfur 267
- stabilizer 341
- stable crosslinks 326
- staining 339
- stannic chloride 510, 519
- stannous chloride 164, 166, 510, 519
 - activator 164, 166
- state of cure 263, 277
 - of the compound itself 316
- static conditions 353
- Stauffer Chemical 266
- steam cracking 141, 203, 397, 436, 520
- stearates 263
- stearic acid 37, 152, 257, 258, 261–263, 511
- stearin 37
- steel 29, 500
 - belt 118, 135
 - cable 134, 136
 - cord 134
 - manufacture 320
 - production 408
- steel tire cord 5, 122, 134, 136, 455
 - adhesion 152, 498
- Stepan Chemical 486
- stereospecific 58
- Sterling Chemicals 378, 435, 486, 512
- Sterlitamak Kauchuk 50
- stibnite 365
- stick 354
- stiffness 118
- Stockton 525
- stoichiometry 284
- storage batteries 391
- strain-induced crystallization 43
- strategic metals 35
- strength 91, 136, 176
- stress relaxation 321
- structural reinforcement 514
- structure 206, 207
- Struktol 359
- styrene 46, 47, 140, 141, 157, 376, 398, 433, 435, 437, 512, 513, 521
- styrene butadiene latex 399, 513
- styrene butadiene rubber 41, 45, 47
- styrene butadiene vinylpyridine 137
- styrene butadiene vinylpyridine latex (SBVPL) 139, 140, 529
- styrene butadiene vinylpyridine (terpolymer) latex 137
- styrene monomer 493
- styrene production 512
- styrenic block copolymers 156, 157
- styrenic block polymers 435
- styrenic block thermoplastic elastomers 521
- substitutes for aromatic oils 233
- sulfate process 224
- sulfenamide 419
 - accelerator 282–284, 287
- sulfonation 193, 516
- sulfur 25, 132, 143, 255, 257, 258, 263–265, 267, 269, 271, 287, 292, 301, 376, 412, 463, 513, 515
 - bloom 266, 267
 - crosslinks 257, 262
 - cured rubber 258
 - cure systems 61, 258
 - dioxide 95, 133, 437, 514
 - donor 258, 268, 270, 271, 273, 412, 442, 470, 517
 - for vulcanization 257
 - monochloride 255, 268, 269, 412, 470, 514, 516
 - vapor 298, 303, 305, 310
- sulfuric acid 116, 131–133, 265, 408, 452, 514, 515
- sulfuryl chloride 95
- Sumika Bayer (Japan) 431, 489

- Sumitomo 272, 275, 279, 282, 296, 299, 301, 304, 306
 Sumitomo Chemical Co. 50, 51, 166, 347
 Sumitomo Electric 135
 Sumitomo Rubber Industries 3, 6
 Sunchem Pvt. Ltd. (India) 233, 235, 238
 Sun Colour Industries Group Ltd. 364
 sunflower seed oil 39
 sunlight attack 61
 Sun Marketing 238
 Sunoco 233, 379, 415, 444, 479, 489
 Sun Refining 233
 Super Abrasion Furnace 203
 supra 228
 Supreme Resouces 448
 Sure Chem 338
 surface area 203
 surface cleaning 256
 surface coatings 478
 surface cracks 343
 surface of a tire's white sidewall 225
 surface ozone attack 348
 surfactants 426, 427, 443, 466, 476, 477, 485, 496, 525
 surfboards 120
 surgical products 134
 suspension polymerization 491
 swimming pool disinfectant 506
 synergistic effect 365
 synergistic effect in improving flame retardancy 365
 synergistic protection 343
 synergistic protection from oxidative degradation 343
 Syn Tezkauchuk 56
 synthesis of fibers 387
 synthesis routes 482
 synthetic ester plasticizers 377, 444
 synthetic iron oxide 228
 synthetic natural rubber 43, 44, 459
 synthetic plasticizers 240, 375
 synthetic polyisoprene rubber 44
 synthetic rubber 299
 Synthetic Rubber Co. 78
 Synthetic Rubber Manual 54
 Synthomer 55
 Synthos 78
 Synthos Dwory 50
- T**
- Taber, Inc. 221, 265, 353
 tablecloths 134
 tack 354, 356, 358, 359
 tackifier 36, 329, 354, 375, 445, 446
 – resin 456
 tackifying resins 354, 356, 358, 477, 480
 Taekwang Industrial (South Korea) 381
 Taian Hualu Melamine 461
 Taizhou Sinorgchem Technology Co. (China) 267, 293
 talc 222, 227
 talc-containing rock 222
 tall oil 239, 240
 – rosin 36
 tallow 37, 38, 153, 252, 261–263
t-amylene 388
 Tanabe Europe (Belgium) 448
 Tangshan Kerun Chemicals Co., Ltd. 359
 tank lining 8
 tanning 509
 – of leather 415
 tantalum 35
 TAP 372
 Taraxacum kok-saghyz 25
 TBBS 274–277, 375, 376, 389, 394, 410, 462, 463, 504, 514
 – accelerator 403, 462, 506
 – rubber accelerator 456
t-butyl amine 274, 277, 394, 403, 456, 506
t-butyl benzothiazole sulfenamide 275
t-butyl phenol 355, 357, 404, 480
 TCI Europe 488
 TCI Europe (Belgium) 403, 415, 423, 426, 445, 479
 TCI Tokyo Chemical Industry Co., Ltd. 424
 T-DAE 233, 234
 TDEC 305
 TDI 188, 189, 196, 412, 422, 429, 458, 482, 521, 522
 TDI ester prepolymers 196
 TDI-terminated prepolymers 188, 189, 197
 tear 145, 212
 tear gas 415
 tear resistance 79, 176, 179, 182, 201, 203, 205
 tear strength 181
 TeDEC 304–306, 425
 TeDEC accelerator 386
 Tedia Company (USA) 405
 TEEE 177
 TEG 443
 Teijin Ltd. 117
 Teijin Monofilament US 129
 Teknor Apex 162, 166
 tellurium 449
 tellurium diethyldithiocarbamate 304, 305, 425
 tellurium salt 305
 temperature 354
 tenacity 133
 tennis rackets 120
 tenorite 27
 tensile strength 43, 181, 182, 201, 203, 205
 tension 137
 Tereftalatos 518
 terephthalic acid 127, 130, 378, 517, 518

- terephthaloyl chloride 116, 117
- terminated prepolymers for polyurethane elastomer 429
- terpolymer 58, 140
- tertiary butyl amine 275
- tertiary butyl phenol 357, 380
- tertiary deposits of kaolin 218
- tertiary recovery techniques 18
- TESPD 217
- TESPT 215, 216, 217
- tetrachloride 213
- tetrafluoroethylene (TFE) 104–107, 109, 413, 518
- tetrahydrofuran 400, 401
- tetramers 245, 330
- tetramethylthiuram disulfide (TMTD) 270, 271
- tetramethylthiuram monosulfide 297, 298
- Tetra Micronutrients 534
- Tetra Technologies 396
- Texas Petrochemicals 398
- Texmark Chemical 425
- textile 212, 365, 366, 372, 403, 409, 425, 498, 506, 508
 - adhesion 488, 515
 - bleaching 454, 510
 - chemicals 427, 471
 - conditioner 496
 - cord 139
 - fabric 443, 498
 - fiber 401
 - finishes 438, 461, 525
 - glass fibers 395
 - industries 378, 382, 384, 392, 428, 448, 489, 518
 - processing 509
 - processing industry 505
 - reinforcing materials 115
 - specialties 238
- texture 162
- TFE 104, 107, 108
- Thai Synthetic Rubber 56
- Thann & Mulhouse (France) 520
- theoretical carbon 201
- theoretical yield 207
- thermal black 207
- thermal carbon black 206, 207
- thermal conductivity 209
- thermal decomposition 208
- thermal decomposition of natural gas feedstock 206
- thermal transition 159
- thermodynamics 243
- Thermoguard L & S 366
- thermoplastic continuous phase 163
- thermoplastic elastomeric olefins (TEO) 161
- thermoplastic elastomer (TPE) 9, 155, 179, 393, 399, 435, 436, 490, 493, 494, 513
- thermoplastic olefins (TPO) 58, 160, 161
- thermoplastic polyether block copolyamide 177
- thermoplastic polyolefin 161
- thermoplastic polyolefin elastomer 161
- thermoplastic polyurethanes (TPU) 175, 431
- thermoplastic vulcanizates (TPV) 58, 61, 163, 164, 167, 169, 172, 174, 324, 383, 386, 388, 398, 409, 417, 433, 456, 459, 465, 470, 490, 495, 510
- thermoset 120
 - composites 461
 - plastics industry 326, 449, 513
- thermosetting 355
- the sodium salt of mercaptobenzothiazole 274
- THF 400
- thiazole accelerator 292
- thickener 501
- Thiele Kaolin 219
- thiram 271
- third monomer 445, 493
- thiuram 271
 - rubber accelerators 297
- thixotrope 501
- Thomasville Stone & Lime Co. 221
- Tianhua 400
- Tianjin Chemical Industry Co. 331
- Tianjin Kaiwei Chemical 461
- Tianjin No. 1 Chemical Co., Ltd. 273, 276, 279, 283, 285, 293, 296, 331
- Tiarco 301, 303
- tight oil 18
- tight supply 261
- tiles 10
- Tilley Chemical 511
- timing belts 81, 82, 137
- tin 519
- tin chloride 324, 325, 384
 - activator 163, 324
- tin plate 519
- tioxide 225
- tire 127, 139, 148, 198, 258, 348, 354, 382
- tire bead wire 135, 136, 519
- tire belt 118
 - construction 120
- tire construction 382
- tire cord 5, 120, 132, 134, 383, 395, 409, 417, 428, 441, 443, 448, 481, 503, 509, 514–516, 518, 531
 - adhesion 143, 393, 398, 446, 498, 509
 - for reinforcement 504
- tire curing 446
- tire-curing bladders 208
- tire industry 201, 277, 358
- tire innerliners 397
- tire inner tubes 69
- tire production 267
- tire reinforcement 489, 494
- tire rolling resistance 210, 212, 216

- tire sector 41, 156
- tire steel belts 135
- tire tread 53, 145
 - dust 231
 - stocks 212
- tire wear properties 46
- Titania 224
- titanium 35, 38, 54
- titanium dioxide 38, 223, 224
 - filler 520
- titanium ore 38
- titanium tetrachloride 519
- titanium white 225
- TMP 196, 402, 406, 415, 464
- TMQ 329, 330, 332, 337, 379, 389, 415
 - antioxidant 460
 - product 330
 - synthesis 330
- TMTD 271-273, 386, 463, 464, 514
 - accelerator 503, 504, 507
- TMTM 216, 297, 299, 386, 463, 464, 514
 - accelerator 410, 504
- Tobolsk 398
- t*-octylphenol 426
- Togliatti Syntheszkauchuk 44, 51
- Tokai Carbon 205
- Tokai Rubber Industries 5
- toluene 408, 520, 521
- toluene diisocyanate 188, 521
- toluidine 523
- toluidine (*ortho*-toluidine) 522
- Tomkins PL 5
- Tongliao Xinghe Chemical Co. Ltd. (China) 250
- TongSuh Petrochemical (South Korea) 381
- Toray 313
- Tosoh Corp. 90, 95
- Total 494, 512
- Total Petrochemicals 50, 489, 490
- Total Petrochemicals Elastomer 50
- total quality costs. 265
- Total Specialty Chemicals 377
- TOTM 444
- toughness 91, 126
- toxicity 231
- Toyo Tire and Rubber Co. 3, 6
- toys 241, 244
- TPE 177, 179, 513
- TPE-A 177
- TPE-E 177
- TPE-O 161
- TPEs 9, 155, 159, 178, 393, 433, 490
- TPE-U 176
- TPE-V 164
- TPO 160-162
 - manufacture 58
- TPU 175, 176, 431
- TPV 58, 62, 163, 164, 166, 178, 324, 382, 388, 398, 456, 465, 490, 510
 - alloy 167, 170
- traction 212, 233
- Transformadora de Propileno 490
- transistors 500
- transition metals 449
- tread
 - compounds 203
 - dust 231
 - formulations 216
 - grades 202
 - stocks 306
 - wear resistance 212
- treated distillate aromatic extracts 233, 234
- trees 239
- Trelleborg AB 3, 5
- Triangle Group Co. 3
- triaryl phosphate (TAP) 372, 460, 485
 - flame-retardant plasticizer 484, 485
 - plasticizer 480, 483
- trichloroethane 523
- trichlorosilane 215, 500, 524
- trichlorotrifluoroethane 106
- triethylaluminum 476
- triethylene glycol 443
- triglyceride 38, 499
- trimer 245, 330
 - of propylene 244
- trimethylolpropane (TMP) 196, 446, 524
- TR International 432
- trioctyl trimellitate 444
- triol 179, 185, 189, 196
- Tronox 225
- truck and bus tires 4, 126
- truck tires 5, 137
- TSRC Corp 51, 56
- T-type: neoprene 90
- tubes 101
- tubing 254
- turpentine 36
- TVS Srchakra Ltd. 4
- twin-screw extruder (compounder) 163
- two-part liquid system 179
- Type 1 FKM 107
- Type 2 FKM 107
- Type 3 FKM 107
- Type 4 FKM 107
- Type 5 FKM 108
- Type 101 232
- Type 102 232
- Type 103 235
- Type 104A 237
- Type 104B 237
- Type C 121

Type E 121
Type S 121

U

UBE Industries 56
Ufaneftekhim 531
Ugine-Kuhlmann 272, 278, 295, 299, 301, 308
ultimate elongation 122
ultimate hardness 314
ultimate heat and oil resistance combination 109
ultimate particle size 202
ultimate tensile strength 79, 201, 205
ultra-accelerator 300, 427, 505
ultraviolet radiation 329
under the hood 104
underwear 130
Unifi 129
Union Carbide 59
United Rubber Chemical Corp. (Beijing, China) 279, 283, 285, 293, 297, 301, 308, 313, 322, 331, 347
United Synthetics 129
Univar USA 385, 449, 508, 511, 525, 532
Universal Fiber Systems 129
unsaturated fatty acids 262
unsaturated polyesters 487, 496, 513
– thermosets 531
unsaturation 72, 258, 263
UOP 347
uranium 453
urea 150, 386, 387, 525
urea-formaldehyde plastics 387
urea-formaldehyde resins 446
Urumqi Petrochemical 461
US Borax 395
USGS Commodity Specialist 228
US Patent 4,359,452 266
US Petrochemical Industries 392, 479
U. S. Zinc 260

V

vacuum distillation 237
Valero 233, 238
Vaneyck Chemie (Belgium) 491
vapor 292
vaporized sulfur 266
vapor-phase hydrolysis 213
varnishes 380, 425
varnish industry 454
V-belts 51, 137
VCM 527
VDF 107, 108
Veckridge Chemical Co. 383, 508
vegetable oil derivatives 243
vegetable oils 38, 252, 255, 261, 262, 452

venetian red 228
Venezuela 234
ventilation 268
Veritas AG 6
vertically integrated 504
vertical oven under tension 137
very aromatic oil 232
very fast cure rate 300
Veyance Technologies 5
VF 104
VF2 104
VGC 237
VI 238
vibration damping 99, 101
vibration isolators 42
Vi-Chem Corp. 49
Vilax 499
Vilzx 511
vinyl acetate 102, 378, 407, 437, 493, 526, 527
– monomer 378
vinyl BR 55
vinyl chloride 407, 440
– monomer 84, 437, 440, 450, 527
vinyl fluoride (VF) 104, 105, 381, 528
vinylidene chloride 407, 440
vinylidene fluoride (VF2) 104–108, 452
vinylmethyl silicone rubber or vinylmethyl polysiloxane 112
vinyl plastics 531
vinyl plastisols 252
vinyl polymerization 101
vinyl pyridine 140, 398, 488, 529
vinyls 440
viscose 132
viscoseals 8
viscosity 222
viscosity-gravity constant (VGC) 237
viscosity index (VI) 238
vitamins 531
VMQ 65, 112
VOC 217
volatile matter 226
volatile organic compound 217
Voronezh Syntezkauchuk JSC 50, 51
Vredestein NV 4
vulcanization 257, 263, 354
– process 261
vulcanized vegetable oil 39, 255, 514, 516
vulcanizing agent 257, 258, 260, 263, 265, 319, 326
Vulnax 272, 279, 282, 293, 296, 299, 301, 304, 308
vulnerability 376
VVO 39, 255, 514, 516
VWR International (Belgium) 408, 519, 532
VWR International LLC (USA) 424

W

- Wacker Chemie AG (Germany) 214, 423, 501, 524
Wacker Silicones Corp. 112
Warner Graham 459
Warp Technologies 129
Washington Penn Plastics 162
water attack 184
water glass 144, 210, 503, 508
water of hydration 371
waterproofing 233
water pump seals 82
water sedimentation 218
water-soluble adhesive 527
water treatment 320, 412, 454, 506, 510, 515
water vapor release 261
wax 352, 530
wax blends 353
waxes 352, 353, 411, 467
- film 352
wear 55, 205
wear resistance 56, 201, 210, 212
weathering 95
- resistance 61
weatherproof outdoor clothing 176
weatherseals 260
weatherstripping 9
- extrusion 155
Weifang Fine Chemicals 276, 279, 283, 293, 296
Weifang Longda Zinc Industry Co. (China) 260
Weifang Yaxing Chemical Co. 93
weight per unit length 119
welding 381
- flux 396
- hose covers 42
Wellman Fibers 129, 130
Westco Chemicals 387, 511
Western Reserve Chemical 225, 353, 356
Westlake Chemicals 440
Westlake Monomers 527
Westlake PVC 491
West Pharmaceutical Services 6
wet methods 258
wet modulus 132
wet natural gas 23, 53, 142, 398
wet process 259
wet strength 132, 432
wetting agents 444
wet traction 210
wheels 198
white 255
- colorant 520
- filler 212
- glue 527
- oil feedstock 238
- rubber 47
- sidewall tires 224
- VVO 255
whitewash 407
whiting 219, 220, 222, 227
Whiting, H & S Inc. 221
Wilhelm Ostwald process 473
willemite 27
Wintersun Chemicals (USA) 377, 408, 470, 522, 525
wire 101
wire and cable coating applications 444
wire and cable insulation 9
wire coat 143
- stock 146
Witco 216
WOCO Industrietechnik 6
Wolverine World Wide 6
wood binder 431
wood cellulose 131
wood flakes 431
wood pulp 131, 504
- bleaching 454
wood rosin 36
wood treatment compounds 236
world consumption of TPEs 156
woven fabrics 130
W-type: neoprene 90
Wuhan Huayuan Fine Chemicals Co. (China) 421
Wuhan Jinghe Chemical Co., Ltd. 302, 326
Wuxi Huasheng (China) 265
Wuxi Huasheng Rubber Technical Co., Ltd. 139, 147, 150, 269, 272

X

- xanthation process 410
Xianding Chemical (China) 438
Xiao Ganshen Yuan (China) 287
XIIR 71
Xingtai Fucai Chemicals Co. 272
Xinxiang Huarui Fine Chemical 269
Xinyi Sonyuan Chemical Co., Ltd. 360
XNBR 8
Xuzhou Tyre Group 4
xylene 316, 521, 530, 531
xylenols 372, 480

Y

- Yancheng Fengyang Chemical (China) 454
Yangli 420
Yangli Petrochemical 425
Yantal Wanhua (China) 431
Yaroslavl Technichesky Uglerod 205
yellow 227, 228, 255
yellow iron oxide 228
yield 201

- Yixing Dongchang Chemical Co. Ltd. 216, 260, 290, 297
- Yixing Guoli Auxiliary Factory 150, 326, 356
- Yixing Kairun (China) 438, 501
- Yokohama 174
- Yokohama Rubber Co. 6
- YPF 489, 512
- Yuncheng Resun Chemical Co., Ltd. 320
- Z**
- Zakłady Azotowe 461
- ZDM 303
- ZDMC 303
- Zemex Industrial Minerals 223
- Zeon 81, 82, 85, 98
- Zeon Chemical Co. 77, 87, 96, 172, 173, 382
- ZF Boge Elastmetall 6
- Zhedong Rubber Auxiliary 270, 273, 276, 279, 285, 293, 299, 302, 304, 310, 331, 334, 347
- Zhejiang 68
- Zhejiang Cenway New Synthetic 72
- Zhejiang Chemical (China) 247, 364, 425
- Zhejiang Halide New Material Co. 129
- Zhejiang Huangyan Zhedong Rubber Auxiliary 296
- Zhejiang Jiaao Chemical (China) 247
- Zhejiang Jinmao Rubber Additive Co. Ltd. 216
- Zhejiang Sheng Zhou Wanshida Chemical 359
- Zhejian Hualian Sunshine Petrochemical 518
- Zhengzhou Double Vigour Chemical Product Co., Ltd. 270, 272, 276, 279, 282, 293, 296, 299, 302, 308, 313, 331, 347
- Zhengzhoumeikewote Trade Co. 270, 273, 276, 279, 282, 293, 296, 299, 331
- Zhengzhou Polymer Chemical Company 95
- Zhenjiang Wholemark Fine Chemical Co., Ltd. 150, 152, 153, 270, 273, 276, 279, 283, 285, 290, 293, 296, 299, 302, 304, 308, 310, 320, 322, 331, 347
- Zhuzhou Xinglong Chemical Industrial Co. 211
- Zibo Huamei Chemical Co. 276, 280, 283
- Ziegler catalyst 401
- Ziegler-Natta catalysts 58
- zinc 106, 131, 132, 261, 376
- zinc borate hydrate 370 – 372, 395, 396, 516, 532, 534
- zinc carbonate 532
- zinc chloride 259
- zinc concentrate 27
- Zinc Corp. of America 260
- zinc dibutyldithiocarbamate 300
- zinc dimethyldithiocarbamate 302, 303
- zinc direct roasting process 26
- zinc ion 257
- zincite 27
- zinc metal 531
- zinc ore 26
- zinc oxide 69, 143, 257 – 262, 319, 326, 371, 376, 396, 532
- activator 262, 532, 534
- zinc stearate 260, 533
- zinc sulfate 259, 533
- ZMDC 303
- ZnDBC 300 – 302, 463, 514
- ZnDBC accelerator 404
- ZnDBC rubber ultra-accelerator 386, 410, 422, 505
- ZnDMC 302 – 304, 386, 427, 463, 464, 514
- ZnO 259, 260
- Zodiac SA 6