

Contents

- Abbreviations xix

- 1 Introduction to Process Supervision 1**
 - 1.1 Process Supervision 1
 - 1.1.1 Basic Diagnosis Tasks 3
 - 1.1.2 Fault, Failure and Safety 4
 - 1.2 Diagnostic System 7
 - 1.2.1 Specification of Diagnostic Systems 7
 - 1.2.2 Classification of Diagnostic Systems 8
 - 1.3 Organization of the Book 11

- 2 Bond Graph Modeling in Process Engineering 13**
 - 2.1 The Bond Graph Methodology 13
 - 2.1.1 Introduction 13
 - 2.1.2 Concepts and Definitions 13
 - 2.1.3 Why Use Bond Graphs? 18
 - 2.2 Generalized Variables in Bond Graph Models 19
 - 2.2.1 Power Variables 19
 - 2.2.2 Energy Variables 20
 - 2.2.3 Word Bond Graph and Block Diagram 21
 - 2.3 Pseudo Bond Graph 22
 - 2.3.1 Why Pseudo Bond Graph? 22
 - 2.3.2 Pseudo Power Variables 24
 - 2.3.3 Pseudo Energy Variables 25
 - 2.4 Basic Bond Graph Elements 26
 - 2.4.1 One Port Passive Elements 26
 - 2.4.2 Active Elements 37
 - 2.4.3 Junctions 38
 - 2.4.4 Transformers and Gytrators 41
 - 2.4.5 Information Bonds 43
 - 2.5 Causality 43
 - 2.5.1 Introduction 43
 - 2.5.2 Sequential Causality Assignment Procedure (SCAP) 45

2.5.3	Bicausal Bond Graphs	47
2.5.4	State-space Equations	48
2.5.5	Model Structure Knowledge	50
2.6	Single Energy Bond Graph	52
2.6.1	Bond Graphs for Mechanical Systems	52
2.6.2	Bond Graphs for Thermal Processes	52
2.7	Formal Generation of Dynamic Models	59
2.7.1	Bond Graph Software	59
2.7.2	Application	59
2.8	Coupled Energy Bond Graph	62
2.8.1	Representation	62
2.8.2	Thermofluid Sources	63
2.8.3	Thermofluid Multiport R	63
2.8.4	Thermofluid Multiport C	66
2.8.5	Application: Bond Graph Model of a Thermofluid Process	68
3	Model-based Control	81
3.1	Introduction	81
3.2	Classical Model-based Control	84
3.2.1	Conversion of Bond Graph Models to Signal Flow Graph Models	84
3.2.2	Transfer Function from State-space Models	91
3.2.3	Conversion of Bond Graph Models to Block Diagram Models	93
3.2.4	Example I: Physical Model-based Control	93
3.2.5	Example II: Physical Model-based System Design	95
3.3	Causal Paths	100
3.3.1	Transfer Functions from Bond Graph Models	101
3.3.2	Delay and Attenuation Dynamics	103
3.4	Augmented Controller and Observer Design	104
3.4.1	Pole Placement	104
3.4.2	Example: Active Flow-induced Vibration Isolation	107
3.4.3	Pole Placement Architecture in Bond Graph Models	109
3.4.4	Discrete-time Augmented Controller and Observer	111
3.4.5	Current Estimator	112
3.5	Structural Analysis of Control Properties	113
3.5.1	Structural Rank	113
3.5.2	Structural Controllability	114
3.5.3	Structural Observability	116
3.5.4	Example I: Two Spools in a Cylinder	118
3.5.5	Example II: A Hybrid Two-tank System	121
3.5.6	Example III: A Biomechanics Problem	124
3.5.7	Infinite Zeroes and Relative Degree	128
3.5.8	Zero Dynamics	133

4	Bond Graph Model-based Qualitative FDI	141
4.1	Model Order Reduction	141
4.2	FDI Using Bond Graphs and Qualitative Reasoning	154
4.2.1	Determination of Initial Fault Set	155
4.2.2	Fault Disambiguation	158
4.3	Qualitative Analysis Using Tree Graphs	159
4.4	Qualitative FDI Using Temporal Causal Graphs	163
4.4.1	Fault Hypothesis Generation	164
4.4.2	Fault Hypothesis Validation	166
4.5	Hybrid Diagnosis with Temporal Causal Graphs	169
4.6	Remarks on Model Linearization	170
5	Bond Graph Model-based Quantitative FDI	177
5.1	Introduction	177
5.2	Classical Quantitative FDI and Residual Generation	180
5.2.1	Observer-based Methods	181
5.2.2	Observer-based Residuals	183
5.2.3	Unknown Input Observers	185
5.2.4	Parity Space Residuals	191
5.3	Analytical Redundancy Relations and Fault Signature	195
5.3.1	Residual and Decision Procedure	195
5.3.2	The Fault Signature Matrix	196
5.4	Structured Approach to ARR Derivation	198
5.4.1	Behavior Model	198
5.4.2	Constraints and Variables	201
5.4.3	Derivation of ARRs	202
5.5	ARR Generation from Bond Graph Models	204
5.5.1	Constraints and Variables	204
5.5.2	Algorithm for Generation of ARRs	207
5.5.3	Example	209
5.6	Causality Inversion Approach for ARR Derivation	214
5.6.1	Example I: A Mechanical System	215
5.6.2	Example II: A Two-tank System	217
5.7	An FDI Application	218
5.7.1	Residual Evaluation and Fault Signature Matrix	218
5.7.2	Single Fault Hypothesis and Fault Isolation	220
5.7.3	Simulation Results	221
6	Application to a Steam Generator Process	229
6.1	Introduction	229
6.1.1	Process Description	229
6.1.2	Nomenclature	231
6.1.3	Word Bond Graph Model of the Process	233
6.2	Bond Graph Models of Steam Generator's Components	234
6.2.1	Bond Graph Model of the Storage Tank	234

6.2.2	Bond Graph Model of the Supply System	235
6.2.3	Bond Graph Model of the Boiler	236
6.2.4	Bond Graph Model of the Steam Expansion System	238
6.2.5	Bond Graph Model of the Condenser	239
6.2.6	Bond Graph Model of the Condensate Discharge Valves	243
6.3	Model Validation	244
6.4	Design of the Supervision System	248
6.4.1	Determination of Hardware Redundancies	249
6.4.2	Derivation of ARR	250
6.4.3	Practical Fault Signature Matrix and Residual Sensitivity	253
6.4.4	Effect of Hybrid Components	254
6.4.5	Selection of Decision Procedure	256
6.5	Online Implementation	257
6.5.1	Data Acquisition and Toolbox Integration	257
6.5.2	Native Interface	261
6.6	Experimental Validation of Fault Scenarios	262
6.6.1	Process Faults	262
6.6.2	Sensor Faults	265
6.6.3	Actuator Faults	266
6.6.4	Controller Faults	267
6.7	Reconfiguration	268
7	Diagnostic and Bicausal Bond Graphs for FDI	271
7.1	Diagnostic Bond Graph	271
7.1.1	Derivation of ARR	274
7.1.2	Example of a Non-resolvable System	276
7.1.3	Fault Signature Matrix from Causal Paths	280
7.2	Simulation and Real Time Implementation of the Residuals	281
7.2.1	Integrated System Simulation: Coupling the Models	282
7.2.2	Simulation Results	285
7.3	The Initial Conditions Problem	289
7.3.1	Order of Extra Derivatives	292
7.3.2	Fault Scenario Simulation	294
7.4	Matching Problems in Classical Bond Graph Modeling	294
7.4.1	Notion of Bicausality	298
7.4.2	Algorithm for ARR Generation and Construction of FSM	300
7.5	Example I: A Two-tank Process	300
7.5.1	Sensor Placement by Using Bicausal Bond Graphs	300
7.5.2	Residual Generation: Symbolic Method	304
7.5.3	Residual Evaluation and Fault Scenario Simulation	305
7.6	Example II: A Servo-valve Controlled Motor Transmission System	306
7.6.1	System Description and Bond Graph Model	306
7.6.2	ARRs and FSM	308
7.6.3	Validation Through Simulation	310
7.7	The Fault Isolation Problem	311

8	Actuator and Sensor Placement for Reconfiguration	315
8.1	Introduction	315
8.1.1	Minimal Sensor and Actuator Placement	315
8.1.2	Sensor Placement for FDI and FTC	316
8.2	External Model	316
8.2.1	External Model in a Bond Graph Sense	317
8.2.2	Services	317
8.2.3	User Selected Operating Mode (USOM)	318
8.2.4	Operating Mode Management	319
8.3	Application to a Smart Pneumatic Valve	320
8.3.1	Description of the System	321
8.3.2	Bond Graph Model of the Smart Actuator	322
8.3.3	Missions and Versions	325
8.3.4	Operating Mode Management of the Smart Actuator	325
8.3.5	Monitoring of the Smart Actuator	328
8.4	Reconfiguration of a Thermo-fluid System	329
8.4.1	Minimal Sensor and Actuator Placement	329
8.4.2	Determination of Direct and Deduced Redundancies	332
8.4.3	Analytical Redundancy Relations and FSM	333
8.4.4	Sensor and Actuator Loss	335
8.4.5	Automaton Representation of Equipment Availability	336
8.4.6	Operating Modes of the Thermo-fluid System	338
8.5	Application to a Steam Generator Process	339
8.5.1	Operating Modes of the Steam Generator Process	340
8.5.2	Experimental Results	342
9	Isolation of Structurally Non-isolatable Faults	347
9.1	Introduction	347
9.2	Residuals and Robustness	348
9.3	Localization of Fault Subspace	350
9.4	Methodology for Single Fault Isolation	352
9.4.1	Parameter Estimation	352
9.4.2	Parallel Simulation of Bank of Fault Models	353
9.5	Application to a Controlled Two-tank System	355
9.5.1	ARRs and FSM	356
9.5.2	Parameter Estimation	359
9.5.3	Improvement of Isolability Using Bank of Fault Models	361
9.5.4	Validation Through Simulation	363
9.5.5	Qualitative Trend Analysis	365
10	Multiple Fault Isolation Through Parameter Estimation	373
10.1	Introduction	373
10.1.1	Adaptive Thresholds for Robust Diagnosis	374
10.1.2	Localization of Fault Subspace	379
10.2	Fault Isolation by Parameter Estimation	380

10.3	Example I: A Linear Two-tank System	383
10.3.1	Output Error Minimization	384
10.3.2	Optimization of Least Squares of ARRs	387
10.3.3	Optimization by Using Diagnostic Bond Graph	391
10.4	Example II: A Refrigerator Subsystem	393
10.4.1	Bond Graph Model and the ARRs	395
10.4.2	Fault Isolation Through Parameter Estimation	397
10.5	Example III: A Non-linear Two-tank System	402
10.5.1	The System and Its Bond Graph Model	402
10.5.2	Residual Generation and Fault Detection	404
10.5.3	Fault Isolation Through Parameter Estimation	405
10.6	Optimization by Using Residual Sensitivity	409
10.6.1	Gauss-Newton Optimization	411
10.6.2	Example	411
10.7	Sensitivity Bond Graphs	414
10.7.1	Diagnostic Sensitivity Bond Graphs	415
10.7.2	Example of the Use of Sensitivity Bond Graphs for FDI	417
11	Fault Tolerant Control	423
11.1	Introduction	423
11.2	Classical System Inversion Algorithms	425
11.2.1	Linear Time-Invariant (LTI) System Inversion	426
11.2.2	Implicit Inversion of Strictly Proper Systems	427
11.2.3	Examples of System Inversion	428
11.2.4	Example of Input Reconstruction	429
11.2.5	Example of Bond Graph Model Based Implicit System Inversion	431
11.2.6	Bond Graph Model Based Explicit System Inversion	432
11.2.7	Example of Bond Graph Model Based Explicit System Inversion	434
11.3	Parameter Estimation	435
11.4	Benchmark Problem: Active FTC of a Two-tank System	437
11.4.1	Fault Quantification with Single Fault Hypothesis	437
11.4.2	Fault Quantification with Multiple Fault Hypotheses	440
11.4.3	Fault Accommodation Through Fault Tolerant Control	442
11.4.4	System Inversion	443
11.4.5	Actuator Sizing	443
11.5	Passive FTC: Robust Overwhelming Control	447
11.5.1	Overwhelming Controller Design	447
11.5.2	Example: A Robust Level Controller	450
	References	453
	Index	467