
Contents

| | |
|--|-----|
| Preface | vii |
| List of Figures | xv |
| 1 Introduction | 1 |
| 1.1 The Wider Context: Enterprise Modelling Methods | 1 |
| 1.2 The Focus: Business System Development Method (BSDM) ... | 3 |
| 1.3 The Aim: A Different Type of Modelling Support | 4 |
| 1.4 Modelling Context and the Support Framework | 4 |
| 1.5 Formal Approach and <i>KBST-BM</i> | 6 |
| 1.6 The Use of <i>KBST-BM</i> | 7 |
| 1.7 Organisation of the Book | 8 |
| 2 Background Knowledge | 9 |
| 2.1 Why Enterprise Modelling? | 9 |
| 2.2 Enterprise Modelling Methods | 10 |
| 2.3 Introducing the Business System Development Method (BSDM) | 13 |
| 2.3.1 Business Modelling | 13 |
| 2.3.2 BSDM Compared with SE | 14 |
| 2.4 Introducing Business Process Models | 15 |
| 2.5 Review of Existing Enterprise Modelling Tools | 19 |
| 2.6 Exercises | 21 |
| 3 Problems and Overview of Approach | 23 |
| 3.1 Introduction | 23 |
| 3.2 Business Model and Software Engineering | 23 |
| 3.2.1 Software Systems Development Cycle | 23 |
| 3.2.2 Software System Seeks Real Goal | 25 |
| 3.3 Support for Enterprise Modelling Methods | 26 |
| 3.3.1 Problems with Enterprise Modelling Methods | 26 |
| 3.3.2 BSDM's Business Modelling | 29 |

| | | |
|----------|---|-----------|
| 3.3.3 | Providing a Quality Assurance Life Cycle | 29 |
| 3.3.4 | A Logic-Based Formal Method | 32 |
| 3.3.5 | Lightweight Logical Method | 32 |
| 3.3.6 | A Layered Framework | 33 |
| 3.3.7 | Modelling Support Overview of KBST-BM | 34 |
| 3.4 | Exercises | 36 |
| 4 | Logic | 37 |
| 4.1 | Introduction | 37 |
| 4.2 | Propositional Logic | 38 |
| 4.2.1 | The Notation: Well-Formed Formulae | 38 |
| 4.2.2 | Analysing the Structure of Formulae in Propositional Logic | 39 |
| 4.2.3 | Representing Real World Problems in PL | 40 |
| 4.2.4 | Determining the Truth of Formulae by Analysis of their Structure | 43 |
| 4.3 | First Order Predicate Logic | 46 |
| 4.3.1 | The Notation: Well-Formed Formulae | 47 |
| 4.3.2 | Representing Real World Problems in FOPL | 49 |
| 4.3.3 | Unification | 51 |
| 4.4 | Natural Deduction Proofs | 52 |
| 4.5 | Resolution: A Simplified Proof Mechanism | 57 |
| 4.5.1 | Normal Forms | 58 |
| 4.5.2 | Resolution | 62 |
| 4.6 | Prolog | 65 |
| 4.7 | Problems | 67 |
| 4.7.1 | Ambiguity | 68 |
| 4.7.2 | Search Problems | 68 |
| 4.7.3 | Representational limitations | 70 |
| 4.8 | Exercises | 72 |
| 5 | Formal Support for Data Modelling | 75 |
| 5.1 | Defining a Formal Language: <i>DefBM</i> | 77 |
| 5.2 | Entity Model | 81 |
| 5.3 | Representing the Entity Model | 82 |
| 5.4 | Representing the Life Cycle Diagram | 84 |
| 5.5 | Representing Domain Knowledge | 86 |
| 5.6 | Inference | 88 |
| 5.6.1 | Model Verification Consultation Example | 90 |
| 5.7 | Conclusion | 93 |
| 5.8 | Exercises | 93 |
| 5.9 | Advanced Exercises | 94 |

| | | |
|----------|--|-----|
| 6 | Formal Support for Process Modelling | 95 |
| 6.1 | Process Model and Process-Entity Matrix | 95 |
| 6.2 | Representing the Process Model | 98 |
| 6.3 | Representing the Life Status of a Process | 99 |
| 6.4 | Representing User-Defined Attribute Rules | 100 |
| 6.4.1 | Predicate for User-Defined Attribute Rules | 101 |
| 6.4.2 | Grammar for User-Defined Attribute Rules | 101 |
| 6.5 | Representing Domain Knowledge | 108 |
| 6.6 | Inference | 112 |
| 6.6.1 | Process Model Consultation Example | 113 |
| 6.7 | Conclusion | 115 |
| 6.8 | Exercises | 115 |
| 6.9 | Advanced Exercises | 116 |
| 7 | Reasoning on and Executing Processes | 117 |
| 7.1 | Introducing the Procedural Model | 117 |
| 7.2 | Representing Dynamic Business Models | 120 |
| 7.3 | Representing the Procedural Model | 121 |
| 7.3.1 | Example Procedural Model and Representation | 123 |
| 7.4 | Representing Domain Knowledge | 125 |
| 7.4.1 | Actions, Effects and Temporal Relations | 125 |
| 7.4.2 | Process Dependencies and Partial Execution Order | 127 |
| 7.4.3 | Simulation Algorithm | 130 |
| 7.5 | Inference | 132 |
| 7.5.1 | Process Execution Sequence Constructor | 132 |
| 7.5.2 | Process Conflict Detector | 137 |
| 7.5.3 | Business Model Simulator | 137 |
| 7.5.4 | Example Inference and State Transition Diagram | 138 |
| 7.6 | Conclusion | 140 |
| 7.7 | Exercises | 141 |
| 7.8 | Advanced Exercises | 142 |
| 8 | Knowledge Sharing and Reuse of Models | 143 |
| 8.1 | Introduction | 143 |
| 8.2 | Intelligent Assistance for the Business Modeller | 143 |
| 8.3 | Case-Based Reasoning (CBR) | 145 |
| 8.4 | <i>GMA</i> System Architecture | 146 |
| 8.5 | Indexing and Domain Knowledge Representation | 148 |
| 8.6 | Generic Model Library (GML) | 150 |
| 8.6.1 | Presentation and Representation Issues | 152 |
| 8.7 | Entity Conceptual Hierarchy (ECH) | 153 |
| 8.8 | Algorithm for Case Retrieving | 156 |
| 8.9 | Similarity Assessment | 158 |
| 8.9.1 | Matching Models | 158 |
| 8.9.2 | Discriminating Criteria | 160 |
| 8.9.3 | Heuristic Similarity Assessment | 160 |

| | | |
|-----------|---|-----|
| 8.9.4 | User-Definable Similarity Assessment | 162 |
| 8.10 | Report Generation and Retaining New Cases | 163 |
| 8.11 | Example Use of <i>GMA</i> | 164 |
| 8.12 | Conclusion | 167 |
| 8.13 | Exercises | 169 |
| 8.14 | Advanced Exercises | 169 |
| 9 | Use of <i>KBST-BM</i> | 171 |
| 9.1 | Description of DAI Case | 172 |
| 9.2 | Developing a Business Model | 172 |
| 9.2.1 | Overview of using <i>KBST-BM</i> | 172 |
| 9.2.2 | Workflow for Developing a Business Model | 174 |
| 9.2.3 | Reuse, Verification and Validation Life Cycle | 176 |
| 9.3 | Developing an Entity Model | 176 |
| 9.4 | Developing a Process Model | 179 |
| 9.5 | Developing a Procedural Model | 181 |
| 9.6 | Conclusion | 187 |
| 9.7 | Exercises | 187 |
| 9.8 | Advanced Exercises | 187 |
| 10 | Evaluation of System | 189 |
| 10.1 | Introduction | 189 |
| 10.2 | Evaluation of Support for Method | 190 |
| 10.2.1 | Completeness Assessment | 190 |
| 10.2.2 | Model Verification Support Assessment | 194 |
| 10.2.3 | BSDM Development Process Support Assessment | 199 |
| 10.2.4 | Knowledge Integration and Sharing: An Evaluation of <i>GMA</i> | 204 |
| 10.3 | Comparison with Other Support Tools | 212 |
| 10.3.1 | <i>Rose Business Process Link</i> and <i>Rose Planner Link</i> | 213 |
| 10.3.2 | AI0 WIN | 214 |
| 10.4 | Conclusion | 216 |
| 10.5 | Exercises | 216 |
| 10.6 | Advanced Exercises | 216 |
| 11 | Conclusion | 219 |
| 11.1 | A Formal Approach | 221 |
| 11.2 | The System: <i>KBST-BM</i> | 222 |
| 11.3 | Evaluation of <i>KBST-BM</i> | 224 |
| 11.4 | Exercises | 227 |
| A | Generic Business Models | 229 |
| B | Example Business Models | 233 |
| C | An Industrial Model | 235 |

| | | |
|----------|---|-----|
| D | A Model for Family Restaurants | 241 |
| E | A Model for Academic Environments | 249 |
| F | The Formal Operators in <i>DefBM</i> | 253 |
| | F.1 Notation and Language Conventions | 253 |
| G | Entity Model Rules and Guidelines | 255 |
| | G.1 Entity Model Rules | 255 |
| | G.2 Entity Model Guidelines | 261 |
| H | Process Model Rules and Guidelines | 265 |
| | H.1 Process Model Rules | 265 |
| | H.2 Process Model Guidelines | 270 |
| I | An Interpreter for User-Defined Rules | 279 |
| J | Model Rules and Guidelines by Category | 285 |
| | J.1 Entity Model Rules | 286 |
| | J.2 Entity Model Guidelines | 286 |
| | J.3 Process Model Rules | 287 |
| | J.4 Process Model Guidelines | 288 |
| K | Test Results of Model Rules and Guidelines | 289 |
| | K.1 Test Results of Entity Model Rules | 289 |
| | K.2 Test Results of Entity Model Guidelines | 290 |
| | K.3 Test Results of Process Model Rules | 291 |
| | K.4 Test Results of Process Model Guidelines | 292 |
| L | Example Use of GMA | 293 |
| | L.1 Input User Model | 293 |
| | L.2 Representation of the User Model | 294 |
| | L.3 Dialogue using GMA | 295 |
| | L.4 Statistical Summary of All Explored Matches | 302 |
| M | Example Use of Simulator | 305 |
| | References | 313 |
| | Index | 321 |