

HANSER

Table of Contents

Myer Ezrin

Plastics Failure Guide

Cause and Prevention

ISBN (Buch): 978-3-446-41684-0

ISBN (E-Book): 978-3-446-42882-9

For further information and order see

<http://www.hanser-fachbuch.de/978-3-446-41684-0>

or contact your bookseller.

Contents

Preface to Second Edition V

Acknowledgements VII
First Edition VII
Second Edition IX

1 A Preliminary Look at the Nature, Causes, and Consequences of Plastics

Failure 1

1.1 Introduction 1

1.2 Plastics 2

1.3 Polymers 3

1.4 Rubbers and Elastomers 4

1.5 Natural Polymers 4

1.6 Plastics in the Family of Materials 5

1.7 Common Features and Differences in Performance or Failure of all
Materials 5

1.8 Unintentional Factors Affecting Failure 8

1.9 Types and Causes of Failure 8

1.9.1 When Failure is Not Really a Failure 11

1.10 The People Factor 13

1.11 The Consequences of Plastics Failure 14

1.12 Legal and Financial Aspects of Plastics Failure 15

1.12.1 Lessons 17

1.13 References 17

1.14 Papers by Myer Ezrin and Coauthors on Plastics Failure Analysis,
Plastics Analysis, and Related Subjects 19

1.14.1 Plastics Failure Analysis 19

1.14.2 Plastics Analysis 21

1.14.3 Electrical Insulation 22

1.14.4 Solar Panel Encapsulant Discoloration 22

1.14.5 Plastics Recycling 23

| | | |
|-------------|--|-----------|
| 2 | Fundamental Materials Variables Affecting Processing and Product Performance or Failure | 25 |
| 2.1 | The Overall Picture | 25 |
| 2.2 | Polymer Composition | 29 |
| 2.2.1 | Major Categories of Plastics Composition | 29 |
| 2.2.1.1 | Thermoplastic and Thermosetting Plastics | 29 |
| 2.2.1.2 | Thermoplastic Elastomers | 31 |
| 2.2.2 | Types of Polymers | 31 |
| 2.2.2.1 | Addition Polymers Based on Vinyl Monomers | 31 |
| 2.2.2.2 | Thermal and Photolytic Stability of Vinyl Addition Polymers | 33 |
| 2.2.2.3 | Thermal Analysis in the Study of Polymer Degradation | 36 |
| 2.2.2.4 | Controlling Thermal Effects in Performance or Failure of Plastics | 37 |
| 2.2.2.5 | Elastomeric Addition Polymers Based on Diene Monomers | 37 |
| 2.2.2.6 | Condensation Polymers | 37 |
| 2.2.2.7 | Other Polymer Types | 39 |
| 2.2.2.8 | Homopolymers, Copolymers, Terpolymers, and Blends | 40 |
| 2.3 | Composition—Intentional Additives | 41 |
| 2.3.1 | Types of Additives | 41 |
| 2.3.2 | Failure Effects of Intentional Additives | 41 |
| 2.3.2.1 | Plasticizers | 42 |
| 2.3.2.1.1 | Adhesion Failure of Vinyl Floor Tiles | 42 |
| 2.3.2.1.2 | Other Plasticizer-Related Failures | 42 |
| 2.3.2.2 | Colorants | 43 |
| 2.3.2.2.1 | Staining of Clothes by Plastic Hangers | 43 |
| 2.3.2.2.2 | Effect of Colorants on Notch Sensitivity | 44 |
| 2.3.2.2.3 | Poor Mixing of Colorant in Water Filter Canister | 44 |
| 2.3.2.3 | Flame Retardants | 48 |
| 2.3.2.3.1 | Omission of Flame Retardants | 48 |
| 2.3.2.3.2 | Effect on Mold and Part Dimensions | 49 |
| 2.3.2.3.3 | Effect on a Secondary Part of the Product | 50 |
| 2.3.2.3.4 | Effect of Frozen-In Stress on Molded Parts Causing Early Failure in Service | 50 |
| 2.3.2.4 | Unanticipated Effect of Additive | 50 |
| 2.3.2.4.1 | Enhanced Crystallization Due to a Pigment | 50 |
| 2.3.2.4.1.1 | Shampoo Tube Screw Caps | 50 |
| 2.3.2.4.1.2 | The Case of the Shrinking Polyethylene Milk Case | 51 |
| 2.3.2.5 | Poor Dispersion of Additives—Antioxidant | 52 |
| 2.3.2.6 | Volatility of Additives—Antioxidant | 53 |

| | | |
|-----------|--|-----------|
| 2.4 | Composition—Unintentional Additives | 54 |
| 2.4.1 | Types of Unintentional Additives | 54 |
| 2.4.2 | Failure Effects of Unintentional Additives | 54 |
| 2.4.2.1 | Extraneous Dirt, Lint, and Other Contaminant Materials | 54 |
| 2.4.2.1.1 | Contaminant from Previous Run in Extruder | 55 |
| 2.4.2.2 | Residual Monomer, Solvent, or Other Low Level Chemicals | 59 |
| 2.4.2.3 | Water | 60 |
| 2.4.2.3.1 | Beneficial Effects of Water Absorbed from the Air | 60 |
| 2.4.2.3.2 | Hydrolysis of Condensation Type Plastics in Melt Processing | 60 |
| 2.4.2.3.3 | Appearance Problem Due to Water in Melt Processing | 60 |
| 2.4.2.3.4 | Voids Formed by Water in Melt Processing | 61 |
| 2.4.2.3.5 | Water Treeing of Extruded Polyolefin Electrical Power Cables | 61 |
| 2.4.2.3.6 | Shrinkage and Expansion of Moldings | 62 |
| 2.4.2.4 | Compounding Process Aids in Additives Concentrates | 62 |
| 2.4.2.5 | Additives in Formulation Ingredients to Improve their Performance | 63 |
| 2.4.2.6 | Ionic Impurities from Water in Service | 63 |
| 2.4.2.7 | Ionic Impurities in Carbon Black | 64 |
| 2.4.2.8 | Trace Metal from Extruder Barrel and Screw Coating | 64 |
| 2.4.2.9 | Impurities in Intentional Additives or Processing Materials | 64 |
| 2.5 | Molecular Weight (MW) | 64 |
| 2.6 | Intermolecular Order | 69 |
| 2.6.1 | Crystallinity | 69 |
| 2.6.2 | Crosslinking | 72 |
| 2.6.3 | Orientation Due to Processing | 74 |
| 2.6.4 | Degree of Fusion | 76 |
| 2.6.5 | Physical Aging | 76 |
| 2.7 | Combined Effect of Molecular Weight and Crystallinity | 77 |
| 2.8 | Lessons | 78 |
| 2.9 | References | 81 |
| 3 | Failures Related to Design and Material Selection | 83 |
| 3.1 | Introduction | 83 |
| 3.2 | Basic and Practical Considerations in Design-Related Failures | 83 |
| 3.2.1 | The People Factor | 83 |
| 3.2.2 | Declaring War on Failure | 85 |
| 3.2.3 | To Test or Not to Test—or How Much is Enough? | 86 |

| | | |
|------------|---|-----|
| 3.2.4 | The Perfect Design and Product—Does It Exist? | 88 |
| 3.2.5 | The Prototype | 88 |
| 3.2.6 | Effect of Design on Processing | 88 |
| 3.2.7 | Design Checklist | 89 |
| 3.2.8 | The Most Common Mistakes in Design of Plastics | 90 |
| 3.2.8.1 | Creep | 90 |
| 3.2.8.2 | Stress | 92 |
| 3.2.8.3 | Hostile Environment | 92 |
| 3.2.8.4 | Shrinkage | 92 |
| 3.2.8.5 | Color Variance | 92 |
| 3.2.8.6 | Gate Marks | 92 |
| 3.2.8.7 | Inadequate Draft | 93 |
| 3.2.8.8 | Sink Marks | 93 |
| 3.2.8.9 | Unanticipated Use | 94 |
| 3.2.8.10 | Time | 94 |
| 3.2.9 | Product Specifications | 94 |
| 3.2.9.1 | Materials | 94 |
| 3.2.9.2 | Design Specifications | 95 |
| 3.2.9.3 | Performance Specifications | 95 |
| 3.2.10 | Design for Service Life and Service Conditions | 96 |
| 3.2.11 | The Hazards of Simultaneous Service Factors | 97 |
| 3.2.12 | Brittle Fracture—A Balancing Act of Design and Material . | 97 |
| 3.2.12.1 | The Ductile to Brittle Transition | 98 |
| 3.2.12.2 | Molecular Weight (MW) and Brittle Fracture | 100 |
| 3.2.13 | Comparison of Plastics and Metals | 100 |
| 3.2.14 | Crack Phenomena in Fracture | 101 |
| 3.2.15 | Failure by Fatigue | 104 |
| 3.2.15.1 | Fatigue Failure by Crack Propagation | 104 |
| 3.2.15.2 | Failure by Softening Due to Hysteretic Heating | 106 |
| 3.2.15.3 | Effect of Environment | 108 |
| 3.2.16 | Failure by Creep | 110 |
| 3.2.16.1 | Fundamentals of Creep Behavior | 110 |
| 3.2.16.2 | Tests to Predict Creep Behavior | 111 |
| 3.2.16.3 | A Case Study of Creep Failure | 112 |
| 3.2.16.4 | Creep Failure of a Thermoset Polymer | 116 |
| 3.2.17 | Failure by Impact | 117 |
| 3.2.17.1 | Design Effects | 117 |
| 3.2.17.1.1 | Case Study of a Design Failure | 119 |
| 3.2.17.2 | Material Effects | 120 |
| 3.2.17.3 | Molding Effects | 121 |
| 3.2.17.4 | Molecular Weight (MW) Effects | 121 |

| | | |
|------------|--|------------|
| 3.2.17.5 | Polymer Composition and Crystallinity Effects..... | 122 |
| 3.2.18 | Electrical Stress | 122 |
| 3.2.19 | Surface Effects in Failures Related to Design..... | 122 |
| 3.2.20 | Weld Lines | 123 |
| 3.2.20.1 | Examples of Weld Line Failures and Effects..... | 126 |
| 3.2.20.1.1 | Case Studies of Weld Line Failures..... | 128 |
| 3.2.21 | Warpage | 132 |
| 3.3 | Lessons..... | 135 |
| 3.4 | References..... | 137 |
| 4 | Examples of Failure Due to Design and Material Selection..... | 141 |
| 4.1 | Introduction | 141 |
| 4.2 | Part or Product Design | 144 |
| 4.2.1 | Examples of Failure Due to Design and/or Material | 144 |
| 4.2.1.1 | Mold Design Problems | 144 |
| 4.2.1.1.1 | The Replacement New Mold that Failed | 144 |
| 4.2.1.1.2 | Fracture of Ultrasonically Welded ABS Part Due to Mold Design Problem | 145 |
| 4.2.1.1.3 | Fracture of Plastic Parts in Water Service Due to a Mold Problem | 146 |
| 4.2.1.2 | Water Service Failures Not Related to a Mold Problem... | 149 |
| 4.2.1.2.1 | Fracture of a Toilet Connector Nut at an Abrupt Wall Thickness Change | 149 |
| 4.2.1.2.2 | How to Turn a Threaded Part Inside Out | 152 |
| 4.2.1.2.3 | Toilet Valve Design | 153 |
| 4.2.1.2.4 | Water Filter Design | 155 |
| 4.2.1.2.5 | Elbow Coupling Design | 158 |
| 4.2.1.2.6 | Plastic Failure Because of a Metal Failure | 159 |
| 4.2.1.3 | Processing-Related Failure Due to Design..... | 162 |
| 4.2.1.3.1 | Spin Welding of a Water Filter | 162 |
| 4.2.1.3.2 | A War-Material Process Problem | 163 |
| 4.2.1.4 | Failure Due to a Metal Component of a Part..... | 163 |
| 4.2.1.4.1 | Plastic Over Metal—The Fractured Kitchen Blender | 163 |
| 4.2.1.4.2 | Metal Inserts | 164 |
| 4.2.1.5 | Design Based on Metal Design—Bad News | 166 |
| 4.2.1.6 | Attachment Stresses—Fracture of Bosses Attaching Motor Housing to Lawnmower | 167 |
| 4.2.1.7 | Failure Due to Static Load Imposed by Screws and Rivets..... | 167 |
| 4.2.1.7.1 | Cracks at Molded-In Holes..... | 168 |
| 4.2.1.7.2 | Cracks at Screw Holes Drilled into Plastic Sheet | 169 |

| | | |
|-------------|---|-----|
| 4.2.1.8 | Stress Concentration at a Weak Point | 170 |
| 4.2.1.8.1 | Weld Lines | 170 |
| 4.2.1.8.1.1 | Fracture of ABS Syringe Needle Holder with Flats Close to Weld Lines | 171 |
| 4.2.1.8.2 | Externally Applied Stress | 172 |
| 4.2.1.8.2.1 | Failure to Consider Occasional Impact in Design of Umbrella | 172 |
| 4.2.1.8.2.2 | Fracture at Gate of PP Antiperspirant Bottle Cap Located at High Stress Location Where Cap is Tightened | 172 |
| 4.2.1.8.2.3 | Microwave Oven Door Handle Screw Located at Point of High Stress When Door is Opened | 173 |
| 4.2.1.8.3 | Internal Stress Due to Design | 173 |
| 4.2.1.8.3.1 | Poor Design and Stress Concentrations in Automobile Coolant Reservoir Tank | 173 |
| 4.2.1.8.3.2 | Stresses in Interference Fit—Fracture of Nylon Head Harness Inside Hard Hat | 174 |
| 4.2.1.9 | Poor Design | 175 |
| 4.2.1.9.1 | Multiple Modes of Failure of a Poorly Designed PS Pitcher | 175 |
| 4.2.1.9.2 | Flexible Hinges Require Special Design—Polyethylene Soap Dish | 176 |
| 4.2.1.9.3 | Fracture of Pultruded E-Glass Rod Due to Retention of Atmospheric Liquid in Cuplike Design of Metal End Fitting | 177 |
| 4.2.1.10 | Problems of Design Diagrams | 177 |
| 4.2.1.10.1 | Misleading or Unwise Instructions in Design Diagrams | 177 |
| 4.2.1.10.2 | Make Dimensional Specifications Realistic—The Overspecified Part | 177 |
| 4.2.1.11 | Warpage | 177 |
| 4.2.1.12 | Failure to Allow for Contraction of PBT Part Due to Thermal Aging | 179 |
| 4.3 | Failures of Various Types of Plastics | 180 |
| 4.3.1 | Flexible Polyvinyl Chloride (PVC) | 180 |
| 4.3.1.1 | Fracture or Tearing Due to Flexural Fatigue | 180 |
| 4.3.1.2 | Failure in the Flexible Sheet Itself | 180 |
| 4.3.1.3 | Failure in Products with Attached Parts | 181 |
| 4.3.2 | Rigid PVC | 183 |
| 4.3.2.1 | Pipes and Fittings | 183 |
| 4.3.2.2 | Failure Due to Excessive Heating in Service | 183 |
| 4.3.2.3 | Failure of PVC Container | 183 |
| 4.3.3 | Styrenics—PS, Impact PS (HIPS), ABS, SAN | 185 |

| | | |
|-----------|--|-----|
| 4.3.3.1 | PS Homopolymer | 185 |
| 4.3.3.2 | HIPS | 187 |
| 4.3.3.2.1 | How Not to Design a Plastic Parking Permit | 189 |
| 4.3.3.3 | ABS—Acrylonitrile Butadiene Styrene Terpolymer | 191 |
| 4.3.3.4 | SAN—Styrene Acrylonitrile Copolymer | 192 |
| 4.3.4 | Polyolefins | 193 |
| 4.3.5 | Polyethylene PE | 195 |
| 4.3.5.1 | Two Stresses Applied Simultaneously | 195 |
| 4.3.5.2 | Environmental Stress-Cracking | 195 |
| 4.3.5.2.1 | Stress-Cracking of Water Pail | 195 |
| 4.3.5.2.2 | Aerators in Sewage Treatment Lagoon | 195 |
| 4.3.5.2.3 | Drop Impact Bottle Fracture | 196 |
| 4.3.5.2.4 | Fracture of Hair Cream Screw Cap | 196 |
| 4.3.5.2.5 | Fracture of Lawnmower Belt Cover Hold-Down Tab | 197 |
| 4.3.5.2.6 | Extensive Cracking of a Medium Density Polyethylene Cover | 197 |
| 4.3.5.3 | Electrical Water Treeing | 198 |
| 4.3.5.4 | Service Beyond Design Limits | 198 |
| 4.3.5.5 | Design and/or Material Selection | 198 |
| 4.3.5.6 | Oxidative Degradation | 200 |
| 4.3.5.6.1 | Cracked Barrel Cover | 201 |
| 4.3.5.6.2 | Flashlight On-Off Switch | 201 |
| 4.3.5.6.3 | Falling Houseplant Leaves | 201 |
| 4.3.6 | Polypropylene | 205 |
| 4.3.6.1 | Shrinkage Out of Control Due to Colorant | 205 |
| 4.3.6.2 | The Tilted Pancake Syrup Bottle | 205 |
| 4.3.6.3 | Broken Hair Curlers | 206 |
| 4.3.6.4 | Fracture of PP Fibers in Artificial Stadium Grass | 206 |
| 4.3.6.5 | Failure of TV Cabinets During Transport | 206 |
| 4.3.6.6 | Polypropylene Parts Made Brittle by Too Much Colorant | 206 |
| 4.3.7 | Ethylene Copolymers | 209 |
| 4.3.8 | Thermoplastic Engineering Resins that Failed Because T_g Was Too Low for the Service Requirements or Due to Creep—PBT (Polybutylene Terephthalate), PPO (Polyphenylene Oxide), PPS (Polyphenylene Sulfide), and Other Thermoplastics | 210 |
| 4.3.8.1 | Examples of Thermoplastics Failures | 211 |
| 4.3.9 | Cellulosics | 212 |
| 4.3.9.1 | The Showerhead Made with Cellulose Acetate Scrap Resin | 212 |
| 4.3.10 | Acrylics (PMMA) | 213 |

| | | |
|----------|--|------------|
| 4.3.11 | Nylon | 213 |
| 4.3.11.1 | Nylon in Automobile Flipper Covers..... | 213 |
| 4.3.11.2 | Nylon Floor Polisher Gear | 213 |
| 4.3.11.3 | Nylon Hinge Cams | 214 |
| 4.3.12 | Rubber..... | 216 |
| 4.3.12.1 | Examples of Rubber Failure | 216 |
| 4.4 | Unexpected and Unauthorized Problems of Material Selection | 219 |
| 4.4.1 | Unintentional Errors in Formulation or Processing..... | 220 |
| 4.4.2 | Unintentional Variability of Lot to Lot Polymer Coating Acceptability | 220 |
| 4.4.3 | Unexpected Low Adhesion of Coextruded Film | 221 |
| 4.4.4 | Change of Plasticizer Without Authorization | 221 |
| 4.5 | Environmental, Recycling, and Health Aspects of Plastics Failure .. | 221 |
| 4.6 | Lessons..... | 222 |
| 4.6.1 | Failures Due Mainly to Design..... | 222 |
| 4.6.2 | Failures Due to Part Design and/or Material Selection... | 224 |
| 4.7 | References..... | 229 |
| 5 | Processing-Related Factors in Failure | 233 |
| 5.1 | Introduction | 233 |
| 5.2 | Test Methods to Evaluate a Polymer's Heat Stability as a Precursor to a Polymer's Selection for a Product | 234 |
| 5.2.1 | Thermogravimetric Analysis (TGA) | 235 |
| 5.2.2 | Differential Scanning Calorimetry (DSC) | 235 |
| 5.2.3 | Melt Index (Melt Flow Rate) ASTM D1238..... | 236 |
| 5.3 | Factors and Variables Common to Processing Methods in General.. | 236 |
| 5.3.1 | Intentional and Unintentional Steps in Processing | 236 |
| 5.3.2 | Other Causes of Failure Due to Processing..... | 238 |
| 5.4 | Compounding and Mixing | 242 |
| 5.5 | Fusion..... | 245 |
| 5.6 | Processing Methods | 245 |
| 5.6.1 | Injection Molding..... | 245 |
| 5.6.2 | Extrusion | 251 |
| 5.6.3 | Thermoforming Plastic Film and Sheet..... | 253 |
| 5.6.4 | Blow Molding..... | 256 |
| 5.6.5 | Rotational Molding..... | 257 |
| 5.7 | Improvements in Processing Methods | 257 |
| 5.8 | Process Control Methods, Troubleshooting, Failure Analysis, and Test Methods | 258 |
| 5.8.1 | Process Control Methods | 258 |
| 5.8.2 | Troubleshooting and Failure Analysis | 258 |

| | | |
|----------|---|------------|
| 5.8.3 | Test Methods | 262 |
| 5.9 | Secondary Operations | 264 |
| 5.9.1 | Welding Methods | 264 |
| 5.9.2 | Punching..... | 268 |
| 5.9.3 | Painting and Decorating..... | 268 |
| 5.9.4 | Surface Smoothing by Buffing | 269 |
| 5.10 | Failure Problems Related to Transportation and Installation | 269 |
| 5.11 | Lessons..... | 273 |
| 5.11.1 | General | 273 |
| 5.11.2 | Compounding, Fusion, and Dispersion | 274 |
| 5.11.3 | Primary Processing | 274 |
| 5.11.4 | Secondary Operations..... | 275 |
| 5.11.5 | Testing, Quality Control, and Failure Analysis | 275 |
| 5.11.6 | Transportation, Storage, and Installation | 275 |
| 5.12 | References..... | 276 |
| 6 | Failure Related to Service Conditions | 279 |
| 6.1 | Introduction | 279 |
| 6.2 | General Nature and Principles of Service Condition-Related Failure | 280 |
| 6.3 | Specific Effects and Examples of Service Conditions..... | 283 |
| 6.3.1 | Chemical and Solvent Resistance | 283 |
| 6.3.1.1 | Chemical Reactions | 286 |
| 6.3.1.2 | Failures Due to Physical Effects in Chemical and Solvent Resistance in the Absence of Stress | 292 |
| 6.3.1.3 | Chemical Resistance in the Presence of Stress—Environmental Stress-Cracking (ESC) and Stress Corrosion Cracking (SCC) | 294 |
| 6.3.1.4 | Application Areas with Major Effects on Chemical-Related Failure..... | 295 |
| 6.3.1.5 | Air Pollution..... | 297 |
| 6.3.2 | Weathering Effects (Outdoor Aging)..... | 298 |
| 6.3.3 | Physical Effects of Thermal Conditions in Service..... | 300 |
| 6.3.4 | Plastics in Building Materials..... | 302 |
| 6.3.5 | Failure Due to Dimensionally Unstable Nature of the Environment of Plastic Products | 306 |
| 6.3.6 | Mechanical Effects—Wear and Impact | 306 |
| 6.3.7 | Biological and Medical | 308 |
| 6.3.8 | Electrical | 308 |
| 6.3.9 | Failures Due to Unintentional and Unanticipated Service Conditions..... | 309 |

| | | |
|-----------|---|------------|
| 6.4 | Lessons..... | 314 |
| 6.4.1 | General Considerations | 314 |
| 6.4.2 | Thermal Effects Including Expansion and Contraction .. | 315 |
| 6.4.3 | Degradation by Chemical Reaction..... | 316 |
| 6.4.4 | Chemical and Solvent Effects other than Chemical Reaction..... | 317 |
| 6.4.5 | Mechanical Effects..... | 317 |
| 6.4.6 | Electrical Effects..... | 318 |
| 6.4.7 | Unintentional and Unexpected Service Conditions | 318 |
| 6.5 | References..... | 319 |
| 7 | Failure Analysis and Test Procedures..... | 321 |
| 7.1 | Basic Considerations | 321 |
| 7.2 | Failure Analysis General Procedures | 323 |
| 7.2.1 | Types of Information Needed | 323 |
| 7.2.1.1 | Visual Examination and Noninvasive X-Ray Imaging.... | 323 |
| 7.2.1.2 | History and Circumstances of Failure | 323 |
| 7.2.1.3 | Identification of the Product Source and Plastic Type, Grade, and Source | 324 |
| 7.2.1.4 | Did Failed Product Meet All Specifications as Produced? | 324 |
| 7.2.1.5 | Fractography | 324 |
| 7.2.1.6 | Stress Evaluation or Analysis..... | 324 |
| 7.2.2 | Failure Analysis Report | 324 |
| 7.3 | Flowcharts and Checklists | 325 |
| 7.3.1 | United States Air Force Plan for Composites | 325 |
| 7.3.1.1 | Examples of Application of the US Air Force Plan for Composites..... | 330 |
| 7.3.2 | General Electric Plastics Company Plan for Thermoplastics | 330 |
| 7.3.2.1 | Examples of Application of the GE Plan for Thermoplastics | 334 |
| 7.3.2.1.1 | Part Cracking after Ultrasonic Welding | 334 |
| 7.3.2.1.2 | Part Cracking In-Use, Around a Boss | 336 |
| 7.3.2.1.3 | Fracture of ABS Syringe Needle Holder..... | 337 |
| 7.4 | Analytical and Test Procedures in Support of Failure | 342 |
| 7.4.1 | Basic Considerations..... | 342 |
| 7.4.2 | Categories of Analytical and Test Methods..... | 343 |
| 7.4.3 | Materials Characterization | 344 |
| 7.4.3.1 | Qualitative Identification of Formulation Components... | 344 |
| 7.4.3.1.1 | Chemical Methods (Noninstrumental) of Polymer Identification | 344 |

| | | |
|-----------|--|------------|
| 7.4.3.1.2 | Instrumental Methods of Polymer Identification | 344 |
| 7.4.3.1.3 | Qualitative and Quantitative Identification of Formulation Ingredients | 345 |
| 7.4.3.2 | Physical and Chemical Characterization of Polymers | 346 |
| 7.4.3.2.1 | MW and MWD | 346 |
| 7.4.3.2.2 | Degree of Crystallinity, Orientation, Fusion, and Crosslinking or Cure | 347 |
| 7.4.3.3 | Identification of Contaminants and Other Contributors to Failure | 350 |
| 7.4.3.3.1 | Thermal Desorption/Gas Chromatography/Mass Spectroscopy (TD/GC/MS) | 353 |
| 7.4.3.4 | Surface Analysis | 356 |
| 7.5 | Mechanical Test Methods and Material Characteristics of Mechanical Failure | 359 |
| 7.5.1 | Introduction | 359 |
| 7.5.2 | Tensile, Flexural, and Compressive Properties | 360 |
| 7.5.3 | Fatigue Failure and Tests | 361 |
| 7.5.4 | Microscopic Examination of Fatigue and Other Fracture Types | 365 |
| 7.5.5 | Impact Failure | 370 |
| 7.5.6 | Wear and Abrasion | 372 |
| 7.6 | Chemical Resistance and Environmental Stress-Cracking | 373 |
| 7.7 | Stress Analysis | 376 |
| 7.8 | Nondestructive Testing and Evaluation Methods (NDT or NDE) | 381 |
| 7.8.1 | Introduction | 381 |
| 7.8.2 | Ultrasonic Testing | 382 |
| 7.8.3 | Acoustic Emission | 383 |
| 7.8.4 | Acoustic Wave Guide | 387 |
| 7.8.5 | Tomographical Analysis | 387 |
| 7.9 | Confirming Failure Analysis Conclusions by Demonstrating Response to Service Conditions in Controlled Experiments | 387 |
| 7.10 | Lessons | 388 |
| 7.10.1 | Lessons for Failure Analysis | 388 |
| 7.10.2 | Lessons for Analysis and Testing in Connection with Failure Analysis | 388 |
| 7.11 | References | 390 |
| 8 | Quality Control—Preventive Failure Analysis | 395 |
| 8.1 | Basic Considerations | 395 |
| 8.1.1 | Terminology and Concepts of QC, QA, SPC, SQC, TQC, and TQM | 395 |

| | | |
|-----------|---|-----|
| 8.1.2 | Where QA Fits in Corporate Management | 398 |
| 8.1.3 | QC Past and Present | 398 |
| 8.1.4 | Preventive Failure Analysis. | 400 |
| 8.1.5 | The Role of People | 401 |
| 8.1.6 | QC Test Methods and Statistical Methods. | 402 |
| 8.1.7 | Why Materials, Processes, and Products Vary— Random and Nonrandom Variables | 403 |
| 8.1.7.1 | Random Variables | 403 |
| 8.1.7.2 | Nonrandom Material Variables | 403 |
| 8.1.7.3 | Statistical Control. | 404 |
| 8.1.7.4 | Nonrandom Process Variables | 404 |
| 8.1.7.5 | Graphical Representation of Random (Common Cause) and Nonrandom (Special Cause) Variations | 405 |
| 8.1.7.6 | Product Quality Control | 406 |
| 8.2 | QC/QA Systems | 408 |
| 8.3 | QC Test Methods—General Considerations and Sampling Plans. | 411 |
| 8.4 | QC of Materials to Be Processed | 414 |
| 8.4.1 | Categories of Materials. | 414 |
| 8.4.2 | Test Methods for Materials in QC Relative to Failure Analysis. | 414 |
| 8.4.3 | Calibration and Reference Standards. | 414 |
| 8.4.4 | Analytical Methods | 415 |
| 8.4.4.1 | Chemical Composition—To Analyze or Not to Analyze | 415 |
| 8.4.4.1.1 | The Choice of Methods for QC | 416 |
| 8.4.4.1.2 | Sampling Considerations. | 419 |
| 8.4.4.1.3 | Thermal Methods of Analysis for Composition. | 419 |
| 8.4.4.1.4 | ASTM Methods | 421 |
| 8.4.4.2 | Contaminants | 421 |
| 8.4.5 | Molecular Weight Methods | 421 |
| 8.4.6 | Crystallinity and Crosslinkability | 422 |
| 8.4.7 | Rheological Methods | 423 |
| 8.4.8 | Visual Methods. | 424 |
| 8.4.9 | Mechanical Properties | 424 |
| 8.4.10 | Beware of Changes During Transportation and Storage. | 424 |
| 8.5 | QC of Materials in Process—Statistical Process Control. | 425 |
| 8.5.1 | Process Control in Injection Molding | 426 |
| 8.5.2 | Process Control in Extrusion | 430 |
| 8.5.3 | Process Control in Compounding | 430 |
| 8.5.4 | Process Control in Blow Molding | 433 |
| 8.5.5 | Process Control in SMC (Sheet Molding Compound) | 433 |

| | | |
|----------|--|------------|
| 8.5.6 | Process Control in Composites..... | 434 |
| 8.5.7 | Process Control in Reaction Injection Molding (RIM).... | 437 |
| 8.5.8 | Online Methods of Process Control..... | 438 |
| 8.5.8.1 | Infrared Spectroscopy | 438 |
| 8.5.8.2 | Rheology..... | 439 |
| 8.5.8.3 | Other Online Methods..... | 440 |
| 8.5.9 | Process Control Methods Other than Online Methods ... | 440 |
| 8.5.10 | Process Control in Pipe Processing | 440 |
| 8.6 | Quality Control of Products | 441 |
| 8.7 | In-Service QC Testing | 443 |
| 8.8 | Lessons for QC/QA of Materials, Processes, and Products..... | 444 |
| 8.9 | References..... | 445 |
| 9 | Legal Aspects of Plastics Product Liability and Failure | 451 |
| 9.1 | Introduction | 451 |
| 9.2 | The Harsh Realities of Product Liability..... | 453 |
| 9.3 | Basic Legal Aspects of Product Liability | 455 |
| 9.4 | Common Causes of Failure that Could Result in Litigation | 458 |
| 9.4.1 | Design-Related Causes | 460 |
| 9.4.2 | Material-Related Causes..... | 461 |
| 9.4.3 | Engineering-Related Causes | 463 |
| 9.4.4 | Production-Related Causes | 463 |
| 9.4.5 | Testing-Related Causes..... | 464 |
| 9.4.6 | Sales and Customer Service-Related Causes | 464 |
| 9.5 | Prevention of Legal Problems | 464 |
| 9.5.1 | Product Liability Control Program— General Considerations | 464 |
| 9.5.2 | Design and Product Development | 466 |
| 9.5.2.1 | Hazards Analysis | 467 |
| 9.5.2.2 | Failure Modes and Effects Analysis (FMEA) and Fault Tree Analysis (FTA) | 467 |
| 9.5.3 | Testing and Product Evaluation | 468 |
| 9.5.4 | Record Keeping and Documentation | 468 |
| 9.5.5 | Engineering and Production | 469 |
| 9.5.6 | Quality Control | 470 |
| 9.5.7 | Warranties, Instructions, Warnings, and Claims | 470 |
| 9.5.8 | Response to Field Failures and Problems | 471 |
| 9.6 | Product Liability Insurance | 471 |
| 9.7 | How to Respond to Claims and to Litigation | 472 |
| 9.8 | The Expert Witness | 474 |
| 9.9 | Case Studies of Plastics Failure Litigation..... | 475 |

| | | |
|-----------|--|------------|
| 9.9.1 | Case Studies Involving Personal Injury or Health Problems | 477 |
| 9.9.1.1 | Recreational Products | 477 |
| 9.9.1.1.1 | Fracture of a Plastic Boat Seat | 477 |
| 9.9.1.1.2 | Fracture of a Plastic-Handled Slingshot | 478 |
| 9.9.1.2 | Packaging Product Failure | 479 |
| 9.9.1.2.1 | Fracture of Baby Bottle Liner | 479 |
| 9.9.1.2.2 | Failure to Provide a Childproof Cap | 479 |
| 9.9.1.2.3 | Loss of Contents During Opening of Cap | 480 |
| 9.9.1.2.4 | Fracture of Bottle Cap on Drop-Impact | 480 |
| 9.9.1.2.5 | Food, Odor, and Taste Problems | 482 |
| 9.9.1.3 | Home Construction and Other Unreacted Monomer Problems | 483 |
| 9.9.1.4 | Medical Devices | 484 |
| 9.9.1.4.1 | Incorrect Size of an Implant | 484 |
| 9.9.1.4.2 | Silicone and Saline Breast Implants | 484 |
| 9.9.1.4.3 | The Fentanyl Transdermal Pain Patch | 485 |
| 9.9.1.5 | Electrical Equipment | 485 |
| 9.9.1.6 | Transportation Products | 486 |
| 9.9.1.6.1 | Motorcycle Brake Lever | 486 |
| 9.9.1.6.2 | Blowout of an Automobile Tire | 486 |
| 9.9.1.6.3 | Detachment of Automobile Radiator Hose Connection | 487 |
| 9.9.1.6.4 | Leaking of Hot Hydraulic Fluid from Cracked Valve | 487 |
| 9.9.1.7 | Infant Products—Detachment of a Snap-Fit Baby Seat | 488 |
| 9.9.1.8 | Leakage of Polybutylene Pipe for Water Distribution | 489 |
| 9.9.1.8.1 | Zylon Antiballistic Service | 489 |
| 9.9.1.9 | Boston’s Big Dig Fatal Epoxy Adhesive Failure | 490 |
| 9.9.2 | Product Quality Litigation | 491 |
| 9.10 | Lessons from Case Studies | 492 |
| 9.11 | References | 494 |
| 10 | Composites | 497 |
| 10.1 | The Nature and Purpose of Fiber-Reinforced Plastics | 497 |
| 10.2 | Defects and Flaws and Other Compositional and Design Factors that Affect Failure | 499 |
| 10.3 | Causes, Modes, and Mechanisms of Failure | 501 |
| 10.3.1 | Introduction | 501 |
| 10.3.2 | Short Fiber Reinforced Plastics | 502 |
| 10.3.3 | Long Fiber Reinforced Plastics | 504 |
| 10.3.3.1 | Basic Modes of Fracture of Long Fiber Laminated Composites | 504 |

| | | |
|------------|--|-----|
| 10.3.3.2 | Materials Factors in Failure | 507 |
| 10.3.3.3 | Design Factors in Failure | 507 |
| 10.3.3.4 | Manufacturing Defects and Problems Contributing to Failure | 508 |
| 10.3.3.5 | Service-Related Causes of Failure | 510 |
| 10.4 | Failure Analysis Procedures for Composites | 511 |
| 10.4.1 | Materials Characterization | 511 |
| 10.4.1.1 | Confirmation of Adherence to Specifications | 511 |
| 10.4.1.2 | Identification of Contaminants | 513 |
| 10.4.2 | Nondestructive Evaluation (NDE) | 515 |
| 10.4.3 | Fractography | 516 |
| 10.4.4 | Stress Analysis | 518 |
| 10.5 | Examples of Failure of Fiber-Reinforced Plastics | 520 |
| 10.5.1 | Pultruded Rods | 520 |
| 10.5.1.1 | Long Composite Suspension Insulator Rods for Electric Transmission Lines | 520 |
| 10.5.1.2 | Long Guy Strain Insulator Rods for Electric Transmission Systems | 521 |
| 10.5.2 | Pipe, Tanks, and Vessels | 522 |
| 10.5.2.1 | Sand-Filled Sewer Lining Materials | 523 |
| 10.5.2.2 | Large Scale Chemical Process and Storage Equipment .. | 524 |
| 10.5.2.2.1 | Overall Experience of Chemical Process Equipment ... | 524 |
| 10.5.2.2.2 | Acid Attack on an Elution Column | 524 |
| 10.5.2.2.3 | Case Histories of Failure of Cylindrical Tanks for Storage Vessels | 524 |
| 10.5.2.2.4 | Failure of Thermoplastic Lined GRP Tanks | 525 |
| 10.5.2.2.5 | GRP Tank Failure at a Branch or Opening (Manway) ... | 526 |
| 10.5.2.2.6 | Potential Failure Resulting from Cleaning of Tanks with Water Following Exposure to Acid | 527 |
| 10.5.2.2.7 | Rectangular Tanks With Flat Sides | 527 |
| 10.5.3 | Effect of Variability of E-Glass Fiber on Failure | 528 |
| 10.6 | Examples of Failure of Advanced Composites in Air Defense, Aerospace Service, and Antiballistic Service | 528 |
| 10.6.1 | Delamination of a Glass Fabric/Polyimide Component in Service | 529 |
| 10.6.2 | Graphite/Polybenzimidazole | 529 |
| 10.6.3 | Elevator Test Box | 530 |
| 10.6.4 | Wing Test Box | 531 |
| 10.6.5 | Wing Section | 532 |
| 10.6.6 | Carbon Fiber Reinforced Novolac-Epoxy Resin I-Beam ... | 532 |
| 10.6.7 | Carbon Fiber/PEEK Peel and Shear Failures | 532 |

| | | |
|------------|---|------------|
| 10.6.8 | Antiballistic Service | 533 |
| 10.6.9 | Zylon Antiballistic Service..... | 534 |
| 10.7 | Problems of GRP Automotive Bodies..... | 535 |
| 10.8 | Lessons..... | 535 |
| 10.8.1 | Lessons for Long Pultruded Rods | 535 |
| 10.8.2 | Lessons for Glass Fiber Reinforced Composites in Large Volume Applications | 535 |
| 10.8.3 | Lessons for Aerospace Applications..... | 536 |
| 10.8.4 | Lessons for Antiballistic Service | 536 |
| 10.9 | References..... | 536 |
| 11 | Pipes and Fittings | 541 |
| 11.1 | Introduction | 541 |
| 11.1.1 | Legal and Public Relations Aspects of Pipe and Fittings Failures | 541 |
| 11.1.2 | The Nature of Pipe and Fittings Materials and Service .. | 542 |
| 11.1.3 | Factors Affecting Failure or Service Life..... | 544 |
| 11.1.3.1 | Mechano-Chemical Degradation of PE Pipe..... | 545 |
| 11.2 | Pipe Failures—Cause and Prevention | 545 |
| 11.2.1 | The Nature of Failure of HDPE Potable Water Pipe | 545 |
| 11.2.1.1 | Other Aspects of Failure of HDPE Pipe in Gas and Water Service..... | 548 |
| 11.2.2 | Design | 549 |
| 11.2.3 | Composition..... | 551 |
| 11.2.3.1 | Fundamental Materials Aspects | 551 |
| 11.2.3.1.1 | The Battle Between Antioxidants and Free Radicals | 552 |
| 11.2.3.2 | Solid Small Particle Contaminants | 554 |
| 11.3 | Processing, Joining, and Installation..... | 555 |
| 11.3.1 | Processing | 555 |
| 11.3.2 | Joining..... | 558 |
| 11.3.3 | Installation..... | 559 |
| 11.4 | Service Conditions | 560 |
| 11.4.1 | Overall Service Failure Experience and Causes | 561 |
| 11.4.2 | Case Histories of Field Failures | 565 |
| 11.4.2.1 | Polyethylene Gas Distribution Systems..... | 565 |
| 11.4.2.2 | Failure of Large Diameter PE Pipes..... | 568 |
| 11.4.2.2.1 | Polyethylene Sewer Pipe | 568 |
| 11.4.2.2.2 | Failure of Other Large Diameter PE Pipes..... | 569 |
| 11.4.2.3 | PE Water Distribution Systems | 569 |
| 11.4.2.4 | PB Water Distribution Systems | 570 |
| 11.4.2.4.1 | Installation Factors in Failure..... | 570 |

| | | |
|------------|--|------------|
| 11.4.2.4.2 | Service Condition Factors in Failure | 570 |
| 11.4.2.4.3 | The Disputed Claim of Oxidative Degradation as the Main or Core Cause of PB Water Pipe Failure | 572 |
| 11.4.2.5 | PB Large Diameter Water Pipe | 574 |
| 11.4.2.6 | PVC Water Pipe Fracture for Long Distances | 575 |
| 11.4.2.7 | PVDF (Polyvinylidene Fluoride)–Failure at Socket Joints | 575 |
| 11.4.3 | Case Histories of Small Diameter PE and PB Water System Failures Due to Fittings and Connections | 575 |
| 11.4.3.1 | Acetal Fittings | 575 |
| 11.4.3.2 | Pipe Failures Due to Metal Stiffeners Used with Compression Fittings | 576 |
| 11.4.3.3 | Failures Due to Pullout of Pipe from Compression Fittings | 577 |
| 11.4.4 | Failures of Improperly Formulated ABS Fittings and Joints Used in DWV Service (Drain, Waste, and Vent) | 577 |
| 11.5 | Failure Analysis | 577 |
| 11.5.1 | Tests to Simulate Surface Embrittlement of PE Pipe Grade Resin | 582 |
| 11.5.2 | Short-Term Tests for Resin and Pipe Quality | 583 |
| 11.5.2.1 | Resin Tests | 583 |
| 11.5.2.1.1 | Polyolefins | 583 |
| 11.5.2.1.2 | PVC | 584 |
| 11.5.2.1.3 | CPVC, Chlorinated PVC | 584 |
| 11.5.2.2 | Pipe Quality Tests | 585 |
| 11.5.2.2.1 | Processing and Quality Control Tests to Monitor Pipe after Extrusion | 585 |
| 11.5.2.2.2 | Tests to Detect Surface Oxidation of Inner Walls of Thick Wall HDPE Pipe | 589 |
| 11.5.2.2.3 | Nondestructive Detection of Flaws and Voids in Pipes | 590 |
| 11.5.2.2.4 | Testing for Toxicological Safety | 590 |
| 11.5.2.2.5 | Tests for Long-Term Performance of Pipe | 590 |
| 11.5.3 | Tests for Joints and Seals | 593 |
| 11.6 | Lessons for Pipes and Fittings | 594 |
| 11.7 | References | 596 |
| 12 | Medical Applications | 603 |
| 12.1 | Introduction | 603 |
| 12.2 | Special Requirements and Basic Aspects of Medical Devices | 605 |
| 12.2.1 | Materials Aspects and Sterilization | 606 |
| 12.2.2 | Design-Related Problems | 610 |
| 12.2.3 | Processing-Related Problems | 611 |

| | | |
|------------|--|------------|
| 12.2.4 | Packaging-Related Problems..... | 612 |
| 12.2.4.1 | The Fentanyl Transdermal Pain Patch..... | 614 |
| 12.2.5 | Failures Related to Service Conditions | 614 |
| 12.2.5.1 | Environmental Stress-Cracking (ESC) of Medical Devices | 615 |
| 12.3 | Examples of Failures and Limitations of Medical Products | 616 |
| 12.3.1 | Pacemaker Insulation Leads..... | 616 |
| 12.3.1.1 | Failure of a Heart Defibrillator Due to Electrical Malfunction | 618 |
| 12.3.2 | Our Bodies' Moving Joints—Knee, Hip, Shoulder, Elbow, and Hand | 619 |
| 12.3.2.1 | A Look at Hip and Knee Joints and Their Replacements . | 620 |
| 12.3.2.2 | Cartilage—Nature's Protector of Joints | 623 |
| 12.3.2.3 | Ultrahigh Molecular Weight Polyethylene (UHMWPE)— Chemistry's Substitute for Cartilage | 624 |
| 12.3.2.4 | So What Can Go Wrong? | 626 |
| 12.3.2.5 | Metal-on-Metal Hip Replacements—A Disastrous “Good Idea” | 627 |
| 12.3.3 | Silicone and Saline Breast Implants..... | 628 |
| 12.3.4 | Other Unfortunate Surgical Implant Devices | 630 |
| 12.3.5 | Cardiovascular Disease of Heart and Blood Vessels..... | 630 |
| 12.3.5.1 | So What Can Be Done to Prevent Heart Attack or Stroke? | 632 |
| 12.3.5.2 | Cardiovascular Stents..... | 632 |
| 12.3.5.2.1 | A New Method of Removing Plaque or Blood Clots from Blood Vessels | 633 |
| 12.3.5.3 | Urethral Stents for Urine Flow..... | 634 |
| 12.3.5.4 | Total Artificial Heart Implant | 634 |
| 12.4 | Lessons from Medical Plastics Experience | 635 |
| 12.5 | References..... | 637 |
| 13 | Electrical and Electronic Applications | 641 |
| 13.1 | Introduction | 641 |
| 13.2 | Basic Aspects of Plastics in Electrical and Electronic Applications that Contribute to Failure..... | 642 |
| 13.2.1 | Important Properties of Insulating Materials | 642 |
| 13.2.2 | Important Properties other than Electrical..... | 644 |
| 13.2.3 | Color and Appearance..... | 646 |
| 13.3 | Low Voltage Electrical and Electronic Applications | 648 |
| 13.3.1 | Materials-Related Problems..... | 650 |
| 13.3.1.1 | Flame-Retardant Formulations Based on Halogen- Containing Polymers and Compounds..... | 650 |

| | | |
|------------|--|-----|
| 13.3.1.2 | Hydrogen Evolution in a Two-Part Silicone Adhesive | 651 |
| 13.3.1.3 | Change of Plasticizer without Authorization | 651 |
| 13.3.1.4 | Unexpected Transfer of Plasticizer from Jacket to Insulation | 652 |
| 13.3.2 | Design-Related Problems | 652 |
| 13.3.3 | Processing-Related Problems | 653 |
| 13.3.4 | Service Condition-Related Problems. | 653 |
| 13.3.4.1 | Predictable Failures | 654 |
| 13.3.4.2 | Unpredictable Failures | 655 |
| 13.3.4.2.1 | Failures and Fires of Major Home Appliances | 656 |
| 13.3.4.3 | Failures Due to Improper Installation | 658 |
| 13.3.5 | Corrosion and High Electrical Resistance Effects of Plastics on Metal Contacts and Other Parts. | 658 |
| 13.3.6 | Encapsulated Applications | 659 |
| 13.3.6.1 | Semiconductors and Integrated Circuit Devices. | 659 |
| 13.3.6.1.1 | Corrosion Effects Due to Ionic Impurities | 659 |
| 13.3.6.1.2 | Failure Due to Electrical Overstress | 660 |
| 13.3.6.1.3 | Failure Due to Fatigue Cracks Resulting from Differences in Coefficient of Thermal Expansion | 660 |
| 13.3.6.1.4 | Other Causes of Failure and Reduced Performance. | 661 |
| 13.3.6.1.5 | Summary of Failure Mechanisms | 661 |
| 13.3.6.2 | Photovoltaic Solar Cell | 662 |
| 13.3.7 | Telecommunications | 663 |
| 13.3.8 | Piezoelectric Film and Printed Circuit Boards | 664 |
| 13.3.9 | Ignition Systems for Small Gasoline Engines | 664 |
| 13.3.10 | Lithium-Ion Batteries | 665 |
| 13.3.11 | Fuel Cells | 665 |
| 13.4 | Fire, Smoke, and Toxicity Effects | 666 |
| 13.5 | Medium and High Voltage Applications. | 667 |
| 13.5.1 | Introduction | 667 |
| 13.5.2 | Failure Modes and Experience. | 669 |
| 13.5.2.1 | Materials-Related Failures | 671 |
| 13.5.2.2 | Design-Related Failures | 673 |
| 13.5.2.2.1 | Unusual Failure of a Power Distribution Cable | 675 |
| 13.5.2.3 | Processing-Related Failures | 677 |
| 13.5.2.4 | Service Condition-Related Failures | 678 |
| 13.5.2.5 | Water Treeing | 678 |
| 13.5.2.6 | Unforeseen Effects Experienced in Thermal Overload Testing. | 681 |
| 13.5.2.7 | Failures of Cable Jackets | 685 |
| 13.6 | Lessons. | 687 |

| | | |
|------------|--|------------|
| 13.6.1 | General for Electrical/Electronic and Low Voltage Applications | 687 |
| 13.6.2 | Medium and High Voltage Applications | 689 |
| 13.6.3 | Appliance Failures and Fires | 690 |
| 13.7 | References | 690 |
| 14 | Adhesion Failure of Plastics | 695 |
| 14.1 | Introduction | 695 |
| 14.2 | Types and Causes of Adhesion Failure | 696 |
| 14.3 | Analytical and Test Methods for Adhesion Failure Analysis | 697 |
| 14.4 | Material and Design Aspects of Adhesion Failure | 698 |
| 14.4.1 | Formulations and Design | 698 |
| 14.4.1.1 | Design | 699 |
| 14.4.1.1.1 | Boston's Big Dig Fatal Epoxy Adhesive Failure | 700 |
| 14.4.1.2 | Silicones: A Two Part Adhesive | 703 |
| 14.4.1.3 | Hydrogen Evolution by Silicones | 704 |
| 14.4.1.4 | Curing with Ultraviolet Light | 704 |
| 14.4.1.5 | Failure Due to Improper Mixing | 704 |
| 14.4.1.6 | Examples of Adhesion without Using an Adhesive | 707 |
| 14.4.1.7 | Failure of Light-Curing Acrylics and Cyanoacrylates to Cure | 707 |
| 14.4.1.8 | Coupling Agents for Composites Bonding | 707 |
| 14.4.1.9 | Print Adhesion Problem of Recycled Silicone-Coated Paper | 707 |
| 14.4.2 | Intentional Additives | 708 |
| 14.4.3 | Unintentional Additives | 709 |
| 14.4.3.1 | Compounding Process Aids | 709 |
| 14.4.3.2 | Silicone Oil on Titanium Dioxide Powder | 709 |
| 14.4.3.3 | Identification of Contaminants Causing Adhesion Failure | 709 |
| 14.4.3.4 | Identification of Contaminants by GC/MS | 711 |
| 14.4.4 | Foreign Contaminants | 712 |
| 14.4.4.1 | Further Cases of Identification of Contaminants | 713 |
| 14.4.4.2 | An Unusual Case of Failure Due to Plasticizer | 714 |
| 14.4.4.3 | Failure Due to Polymeric Contaminant as Processed | 714 |
| 14.5 | Processing Aspects of Adhesion Failure | 714 |
| 14.5.1 | Surface Condition | 714 |
| 14.5.1.1 | Bonding of Conductor to Electrical Insulation | 715 |
| 14.5.1.2 | Surface Roughening to Achieve Bonding | 715 |
| 14.5.1.3 | Effect on Adhesion of Surface Contamination in Storage | 716 |
| 14.5.1.4 | Contamination Carried by Spraying | 717 |

| | | |
|------------|--|------------|
| 14.5.2 | Other Considerations | 717 |
| 14.6 | Service Conditions | 718 |
| 14.6.1 | Expansion and Contraction Effects on Adhesion | 718 |
| 14.6.2 | Moisture Effects on Bond Strength | 719 |
| 14.7 | Failures Due to Mechanical Effects of Materials Being Bonded | 720 |
| 14.7.1 | Surface Film Thickness Effect on Adhesion | 720 |
| 14.7.2 | Warping of Bonded Systems | 720 |
| 14.8 | Metal-to-Polymer Adhesion Problems | 721 |
| 14.8.1 | Separation of Insulation from Conductor Due to Shrinkage | 721 |
| 14.8.2 | Adhesive Failure of Impact PS to Metal | 721 |
| 14.8.3 | Adhesion of PC to Lead with Epoxy Resin | 722 |
| 14.8.4 | Bonding of Metal to Ethylene Vinylthioacetate Side Groups | 722 |
| 14.9 | Unwanted Adhesion | 724 |
| 14.9.1 | Prevention of Bonding of Stacked Parts with Antiblocking Agent | 724 |
| 14.9.2 | PVC Plasticizer Became an Adhesive | 724 |
| 14.9.3 | Unwanted Adhesion Due to Poor Control of Lubricant Level | 724 |
| 14.9.4 | Binding of Servo Motor Due to Plastic Shrinkage | 725 |
| 14.9.5 | Servo Motor Failure Due to Degradation of Grease | 725 |
| 14.10 | Lessons for Adhesion Failure | 727 |
| 14.11 | References | 729 |
| 15 | Failure of Human Biopolymers | 731 |
| 15.1 | Introduction | 731 |
| 15.2 | Materials | 734 |
| 15.2.1 | Chemical Composition and Structure | 734 |
| 15.2.1.1 | Polysaccharides | 734 |
| 15.2.1.2 | Polypeptides (Proteins) | 736 |
| 15.2.1.2.1 | Collagen | 737 |
| 15.2.1.3 | Polynucleotides | 739 |
| 15.2.1.4 | Lipids | 741 |
| 15.3 | Design | 743 |
| 15.4 | Processing | 744 |
| 15.4.1 | Free Radicals and Antioxidants | 745 |
| 15.4.2 | Pollutants | 746 |
| 15.5 | Service Conditions | 748 |
| 15.6 | Examples of Illnesses Involving Human Biopolymers | 750 |
| 15.6.1 | Hereditary Illnesses | 750 |

| | | |
|------------|--|-----|
| 15.6.1.1 | Tay-Sachs Disease | 750 |
| 15.6.1.2 | Sickle Cell Anemia..... | 750 |
| 15.6.1.3 | Hemophilia..... | 750 |
| 15.6.1.4 | Muscular Dystrophy | 752 |
| 15.6.2 | Nonhereditary Illnesses..... | 752 |
| 15.6.2.1 | Examples..... | 752 |
| 15.6.2.2 | HIV/AIDS | 752 |
| 15.6.2.3 | Multiple Sclerosis..... | 752 |
| 15.6.2.4 | Diabetes..... | 752 |
| 15.6.3 | Illnesses Involving Free Radical Damage | 753 |
| 15.6.3.1 | Free Radicals | 753 |
| 15.6.3.2 | Antioxidants..... | 753 |
| 15.6.3.3 | Free Radicals Produced in Metabolism | 755 |
| 15.6.3.4 | Free Radicals From Radiation..... | 755 |
| 15.6.3.5 | Molecular Changes Due to Free Radicals | 755 |
| 15.6.3.6 | Antioxidants in Human Biopolymers..... | 755 |
| 15.6.4 | Glycation—The Process | 756 |
| 15.6.4.1 | Illnesses Due to Reaction of Sugars with Proteins (Glycation) | 757 |
| 15.6.5 | Aging, Cancer, and Cardiovascular Illnesses..... | 758 |
| 15.6.5.1 | Aging | 758 |
| 15.6.5.1.1 | Skin | 759 |
| 15.6.5.1.2 | Knee and Hip Joint Replacement and Bone Fracture | 760 |
| 15.6.5.1.3 | Heart Attack and Stroke..... | 760 |
| 15.6.5.1.4 | Alzheimer’s Disease | 760 |
| 15.6.5.1.5 | Gray Hair | 761 |
| 15.6.5.1.6 | Benign Prostatic Hyperplasia (BPH)..... | 761 |
| 15.6.5.1.7 | Frequency of Urination (Bladder Elasticity)..... | 762 |
| 15.6.5.1.8 | Dry Eyes (Keratoconjunctivitis Sicca) | 762 |
| 15.6.5.2 | Cancer | 762 |
| 15.6.5.3 | Heart, Stroke, and Cardiovascular System | 764 |
| 15.7 | Lifestyle Choices | 766 |
| 15.7.1 | “Eating Right” | 766 |
| 15.7.2 | Exercising..... | 766 |
| 15.8 | Synthetic Polymers Designed to Help Cure Illnesses Involving Human Biopolymers..... | 767 |
| 15.8.1 | Dendrimers and Hyperbranched Polymers | 768 |
| 15.8.2 | Conducting Polymers | 769 |
| 15.8.3 | Polymers that Imitate Biology | 770 |
| 15.8.4 | Polymers for Tissue Engineering | 771 |
| 15.8.5 | Synthetic Genetics—Artificial Genes..... | 772 |

| | | |
|-----------|--|------------|
| 15.8.6 | Nanopolymers..... | 772 |
| 15.9 | Lessons for Failure of Human Biopolymers..... | 772 |
| 15.10 | References..... | 775 |
| 16 | Environmental, Recycling, and Health Aspects of Plastics Failure..... | 779 |
| 16.1 | Introduction..... | 779 |
| 16.2 | Recent Trends Contributing to the Problem..... | 780 |
| 16.2.1 | Are Plastics “The Next Lead”?..... | 782 |
| 16.3 | Historical Background of Recycling, Environmental, and Health Concerns..... | 782 |
| 16.3.1 | Monomers and Solvents..... | 782 |
| 16.3.2 | Food and Drug Administration and the Delaney Clause . | 783 |
| 16.3.3 | Heavy Metal Compounds..... | 783 |
| 16.3.4 | Asbestos..... | 783 |
| 16.3.5 | Polyvinyl Chloride (PVC)..... | 784 |
| 16.3.5.1 | Dioxin Aromatic Chlorine Compounds Formed on Burning PVC..... | 784 |
| 16.3.5.2 | Hydrogen Chloride and Mercury..... | 785 |
| 16.3.5.3 | Phthalate Plasticizers for PVC..... | 785 |
| 16.3.6 | Toxicity of Monomers and Additives Relative to That of Polymers..... | 785 |
| 16.3.7 | Recycling..... | 786 |
| 16.3.8 | The McDonald’s Experience..... | 786 |
| 16.4 | Legal Actions and Regulatory Requirements of Plastics..... | 786 |
| 16.4.1 | Bisphenol A and Phthalate Plasticizers..... | 787 |
| 16.4.1.1 | Legal and Regulatory Action Regarding Bisphenol A (BPA)..... | 787 |
| 16.4.1.2 | Legal and Regulatory Action Regarding Phthalates..... | 789 |
| 16.4.2 | Flame Retardants..... | 790 |
| 16.4.3 | RoHS and WEEE in Europe—Hazardous Waste Disposal of Electronic and Electrical Equipment..... | 790 |
| 16.4.4 | RCRA and HSWA Federal Regulations in the USA and Individual State Regulations..... | 792 |
| 16.4.5 | Recycling of PE and PET..... | 793 |
| 16.4.6 | Recycling of Multimaterial Products..... | 793 |
| 16.5 | Monomer Problems in Polymerization..... | 794 |
| 16.5.1 | ABS (Acrylonitrile/Butadiene/Styrene)..... | 794 |
| 16.5.2 | Formaldehyde Condensation Polymers..... | 795 |
| 16.6 | Plasticized PVC Baby Toys and Medical Products..... | 795 |
| 16.7 | Chinese Toys..... | 796 |
| 16.8 | Monomer, Additive, and Degradation Aspects of Food Packaging... | 796 |

| | | |
|---------------------------------------|---|------------|
| 16.8.1 | Unpolymerized Monomer | 797 |
| 16.8.2 | Polystyrene..... | 797 |
| 16.8.2.1 | Differing Opinions of Environmental and PS Industry Groups on Health Hazards | 797 |
| 16.8.2.2 | Foam Polystyrene..... | 798 |
| 16.8.3 | The FDA Position on Microwave Food Applications of Plastics | 798 |
| 16.8.4 | The FDA Position on DEHA Plasticizer (Diethylhexyl Adipate) and Dioxins..... | 799 |
| 16.8.4.1 | The Position of Consumer Groups on DEHA in PVC Cling Wraps | 799 |
| 16.8.5 | British Studies of Styrene, Benzene, and Other Materials in Plastics Packaging and Foods | 800 |
| 16.8.6 | Teflon—Polytetrafluoroethylene | 800 |
| 16.9 | Pollution of Oceans and Waterways by Discarded Plastic Waste | 800 |
| 16.10 | Lessons for Environmental, Recycling, and Health Aspects of Plastics Failure..... | 803 |
| 16.11 | References..... | 805 |
| Subject Index by Chapter | | 811 |
| Subject Index | | 831 |