

Contents

| | | | | |
|-----------------------------------|---|-------|--|----|
| Part I | | 1.2.3 | Dark Skin | 8 |
| Types of Chemical Peels: | | 1.2.4 | Melasma | 8 |
| Advantages/Disadvantages – | | 1.2.5 | Photoaging | 9 |
| an Illustrated Algorithm | | 1.2.6 | Post-inflammatory Hyperpigmentation | 9 |
| 1 | Types of Chemical Peels | 3 | | |
| | Antonella Tosti, Maria Pia De Padova, Matilde Iorizzo | | | |
| 1.1 | Advantages/Disadvantages | 4 | | |
| 1.1.1 | Glycolic Acid | 4 | | |
| 1.1.1.1 | Advantages | 4 | | |
| 1.1.1.2 | Disadvantages | 4 | | |
| 1.1.2 | Jessner's Solution | 4 | | |
| 1.1.2.1 | Advantages | 4 | | |
| 1.1.2.2 | Disadvantages | 4 | | |
| 1.1.3 | Pyruvic Acid | 5 | | |
| 1.1.3.1 | Advantages | 5 | | |
| 1.1.3.2 | Disadvantages | 5 | | |
| 1.1.4 | Resorcinol | 5 | | |
| 1.1.4.1 | Advantages | 5 | | |
| 1.1.4.2 | Disadvantages | 5 | | |
| 1.1.5 | Salicylic Acid | 5 | | |
| 1.1.5.1 | Advantages | 5 | | |
| 1.1.5.2 | Disadvantages | 5 | | |
| 1.1.6 | Trichloroacetic Acid | 5 | | |
| 1.1.6.1 | Advantages | 5 | | |
| 1.1.6.2 | Disadvantages | 6 | | |
| 1.1.7 | Deep Chemical Peels | 6 | | |
| 1.1.7.1 | Advantages | 6 | | |
| 1.1.7.2 | Disadvantages | 6 | | |
| 1.1.8 | Combination Peels: Salicylic Acid + TCA | 6 | | |
| 1.1.8.1 | Advantages | 6 | | |
| 1.1.8.2 | Disadvantages | 6 | | |
| 1.2 | How to Choose the Best Peeling for the Patient | 6 | | |
| 1.2.1 | Acne | 6 | | |
| 1.2.2 | Actinic Keratosis | 7 | | |
| | | 1.2.7 | Rosacea | 9 |
| | | 1.2.8 | Solar Lentigo | 10 |
| Part II | | | | |
| Modalities of Application | | | | |
| 2 | Glycolic Acid | 13 | | |
| | Gabriella Fabbrocini, Maria Pia De Padova, Antonella Tosti | | | |
| 2.1 | History | 13 | | |
| 2.2 | Chemical Background | 13 | | |
| 2.3 | Properties | 13 | | |
| 2.4 | Formulations | 13 | | |
| 2.5 | Indications | 14 | | |
| 2.6 | Contraindications | 14 | | |
| 2.7 | Peeling Preparation | 14 | | |
| 2.8 | Peeling Technique | 16 | | |
| 2.9 | Post-peeling Care and Complications | 19 | | |
| 2.10 | Disadvantages | 19 | | |
| 2.11 | Side Effects | 19 | | |
| 2.12 | Results | 20 | | |
| 2.13 | Informed Consent | 20 | | |
| | References | 21 | | |

| | | | | | |
|----------|---|----|----------|---|----|
| 3 | Jessner's Solution | 23 | 5 | Resorcinol | 41 |
| | Pearl E. Grimes | | | Ilaria Ghersetich, Benedetta Brazzini, Torello Lotti, Maria Pia De Padova, Antonella Tosti | |
| 3.1 | History | 23 | 5.1 | History | 41 |
| 3.2 | Chemical Background | 23 | 5.2 | Chemical Background and Properties | 41 |
| 3.3 | Formulations | 24 | 5.3 | Formulations | 41 |
| 3.4 | Indications | 25 | 5.4 | Indications | 42 |
| 3.5 | Contraindications | 25 | 5.5 | Contraindications | 42 |
| 3.6 | Skin Preparation | 26 | 5.6 | Peeling Preparation | 44 |
| 3.7 | Peeling Technique | 27 | 5.7 | Peeling Technique | 44 |
| 3.8 | Post-peel Care | 27 | 5.8 | After Peel Care | 45 |
| 3.9 | Advantages of Jessner's Peeling | 27 | 5.9 | Side Effects | 45 |
| 3.10 | Disadvantages of Jessner's Peeling | 27 | 5.10 | Advantages | 46 |
| 3.11 | Side Effects | 28 | 5.11 | Disadvantages | 46 |
| 3.12 | Patient's Informed Consent . . | 28 | 5.12 | Patient's Informed Consent . . | 46 |
| | References | 29 | | References | 47 |
| 4 | Pyruvic Acid | 31 | 6 | Salicylic Acid | |
| | Ilaria Ghersetich, Benedetta Brazzini, Torello Lotti, Maria Pia De Padova, Antonella Tosti | | | Pearl E. Grimes | |
| 4.1 | History | 31 | 6.1 | History | 49 |
| 4.2 | Properties | 31 | 6.2 | Chemical Background/Properties | 49 |
| 4.3 | Indications | 31 | 6.3 | Formulations | 50 |
| 4.4 | Formulations | 32 | 6.4 | Indications | 50 |
| 4.5 | Contraindications | 32 | 6.5 | Contraindications | 50 |
| 4.6 | Peeling Preparation (Home Treatment) | 32 | 6.6 | Patient Preparation | 51 |
| 4.7 | Peeling Technique | 32 | 6.7 | Peeling Technique | 51 |
| 4.8 | Post-peeling Care | 35 | 6.8 | Post-peeling Care and Complications | 55 |
| 4.9 | Side Effects | 35 | 6.9 | Advantages | 55 |
| 4.10 | Advantages | 35 | 6.10 | Disadvantages | 56 |
| 4.11 | Disadvantages | 35 | 6.11 | Side Effects | 56 |
| 4.12 | Results | 35 | 6.12 | Patient's Informed Consent . . | 56 |
| 4.13 | Patient's Informed Consent . . | 38 | | References | 57 |
| | References | 39 | | | |

| | | | | | |
|----------|--|----|--------------|---|-----|
| 7 | Trichloroacetic Acid | 59 | 8.12.3 | Scarring | 86 |
| | Christopher B. Harmon, Michael Hadley, Payam Tristani | | 8.12.4 | Infection | 86 |
| 7.1 | History | 59 | 8.12.5 | Milia | 86 |
| 7.2 | Chemical Background | 59 | 8.12.6 | Acneiform Dermatitis | 86 |
| 7.3 | Chemical Formulations | 59 | 8.12.7 | Skin atrophy | 87 |
| 7.4 | Classification of Peel Depths | 60 | 8.13 | Advantages | 87 |
| 7.5 | Indications | 61 | 8.14 | Disadvantages | 87 |
| 7.6 | Facial Versus Non-facial Skin | 63 | 8.15 | Patient's Informed Consent | 87 |
| 7.7 | Peeling Preparation | 63 | | References | 88 |
| 7.8 | Peeling Technique | 64 | 9 | Deep Chemical Peels for Post-acne Scarring | 91 |
| 7.9 | Post-peeling Care | 65 | | Marina Landau | |
| 7.10 | Complications | 66 | 9.1 | History and Classification | 91 |
| 7.11 | Advantages/Disadvantages of TCA Peels | 66 | 9.2 | Indications | 93 |
| 7.12 | Conclusion | 66 | 9.3 | Contraindications | 93 |
| | References | 67 | 9.4 | Pre-peeling Preparation | 93 |
| 8 | Deep Chemical Peels for Photoaging | 69 | 9.5 | Peeling Technique | 94 |
| | Marina Landau | | 9.6 | Aftercare | 96 |
| 8.1 | History | 69 | 9.7 | Advantages | 96 |
| 8.2 | Chemical Background | 70 | 9.8 | Disadvantages | 96 |
| 8.3 | Formulations | 70 | | References | 100 |
| 8.4 | Histology | 71 | 10 | Combination Salicylic Acid/ TCA Chemical Peeling | 103 |
| 8.5 | Indications and Patient Selection | 72 | | Pearl E. Grimes | |
| 8.6 | Contraindications | 72 | 10.1 | History | 103 |
| 8.7 | Pre-peeling Preparation | 73 | 10.2 | Chemical Background/Properties | 103 |
| 8.8 | Preparation of the Skin | 73 | 10.3 | Formulations | 104 |
| 8.9 | Peeling Preparation | 74 | 10.4 | Indications | 104 |
| 8.10 | Peeling Technique | 75 | 10.5 | Contraindications | 105 |
| 8.11 | Aftercare | 79 | 10.6 | Peeling Preparations | 107 |
| 8.12 | Complications | 85 | 10.7 | Peeling Technique | 108 |
| 8.12.1 | Cardiac Arrhythmias | 85 | 10.8 | Post-peeling Care and Complications | 109 |
| 8.12.2 | Pigmentary Changes | 85 | 10.9 | Advantages | 109 |
| | | | 10.10 | Disadvantages | 109 |
| | | | 10.11 | Side Effects | 109 |
| | | | 10.12 | Patient's Informed Consent | 109 |
| | | | | References | 110 |

| | | | |
|---|--|-----|--|
| Part III | | | |
| How to Choose the Best Peeling for the Patient | | | |
| 11 | Acne | 113 | |
| | Vincenzo Bettoli, Alessandro Borghi, Maria Pia De Padova, Antonella Tosti | | |
| 11.1 | Definition | 113 | |
| 11.2 | Epidemiology | 113 | |
| 11.3 | Pathophysiology | 113 | |
| 11.4 | Clinical Patterns | 114 | |
| 11.5 | Clinical Types | 119 | |
| 11.6 | Differential Diagnosis | 121 | |
| 11.7 | Therapy | 122 | |
| | References | 131 | |
| 12 | Actinic Keratosis | 133 | |
| | Ilaria Ghersetich, Benedetta Brazzini, Maria Pia De Padova, Antonella Tosti | | |
| 12.1 | Definition | 133 | |
| 12.2 | Etiology | 135 | |
| 12.3 | Clinical Types | 135 | |
| 12.4 | Histopathology | 136 | |
| 12.5 | Diagnostic Criteria | 136 | |
| 12.6 | Differential Diagnosis | 136 | |
| 12.7 | Therapy | 136 | |
| 12.8 | Management of the Patient | 138 | |
| | References | 138 | |
| 13 | Chemical Peels in Dark Skin | 139 | |
| | Pearl E. Grimes | | |
| 13.1 | Definition | 139 | |
| 13.2 | Epidemiology | 139 | |
| 13.3 | Morphologic and Physiologic Skin Differences in Dark Skin | 139 | |
| 13.4 | Peeling Indications in Dark Skin | 140 | |
| 13.5 | Peel Selection | 140 | |
| 13.6 | Peeling Preparation | 141 | |
| 13.7 | Peeling Techniques | 143 | |
| 13.8 | Superficial Peeling Agents | 143 | |
| 13.8.1 | Glycolic Acid | 143 | |
| 13.8.2 | Salicylic Acid | 144 | |
| 13.8.3 | Jessner's Solution | 144 | |
| 13.8.4 | Tretinoin Peeling | 144 | |
| 13.8.5 | Trichloroacetic Acid | 146 | |
| 13.8.6 | Medium and Deep Peels | 147 | |
| 13.9 | Summary | 147 | |
| | References | 148 | |
| 14 | Melasma | 149 | |
| | Matilde Iorizzo, Antonella Tosti, Maria Pia De Padova | | |
| 14.1 | Definition | 149 | |
| 14.2 | Epidemiology | 149 | |
| 14.3 | Etiology | 150 | |
| 14.4 | Clinical Features | 150 | |
| 14.5 | Diagnostic Criteria | 151 | |
| 14.6 | Therapy | 152 | |
| 14.6.1 | Sunscreens | 152 | |
| 14.6.2 | Hydroquinone | 152 | |
| 14.6.3 | Azelaic Acid | 153 | |
| 14.6.4 | Kojic Acid | 153 | |
| 14.6.5 | Retinoic Acid (Tretinoin) | 153 | |
| 14.6.6 | Chemical Peels | 153 | |
| 14.7 | Why Is a Combined Chemical Peel Useful for Treating Melasma? | 158 | |
| 14.7.1 | Laser | 158 | |
| 14.7.2 | Cryotherapy | 158 | |
| | References | 159 | |
| 15 | Photoaging | 161 | |
| | Pearl E. Grimes | | |
| 15.1 | Definition | 161 | |
| 15.2 | Etiology | 161 | |

| | | | | | |
|--------|--|-----|-------|--|-----|
| 15.3 | Epidemiology | 162 | 17 | Rosacea | 185 |
| 15.4 | Clinical Types | 164 | | Maria Pia De Padova, Matilde Iorizzo, Antonella Tosti | |
| 15.5 | Therapeutic Intervention . . . | 164 | 17.1 | Definition | 185 |
| 15.5.1 | Photoprotection | 164 | 17.2 | Epidemiology | 185 |
| 15.5.2 | Retinoids | 165 | 17.3 | Pathology | 185 |
| 15.5.3 | Tretinoin | 166 | 17.4 | Clinical Types (Clinical Stages) | 185 |
| 15.5.4 | Tazarotene | 167 | 17.5 | Diagnostic Criteria | 191 |
| 15.5.5 | Retinol | 167 | 17.6 | Differential Diagnosis | 191 |
| 15.5.6 | Vitamin C | 167 | 17.7 | Therapy | 191 |
| 15.5.7 | Alpha Hydroxy Acids | 168 | 17.8 | Erythrosis | 191 |
| 15.5.8 | Polyhydroxy Acids | 168 | 17.9 | Papulo-Pustular Rosacea | 192 |
| 15.6 | Bleaching Agents | 168 | 17.10 | Rhinophyma | 192 |
| 15.6.1 | Hydroquinone | 168 | 17.11 | How to Perform the Best Peeling for the Treatment of Rosacea . . | 193 |
| 15.6.2 | Azelaic Acid | 169 | 17.12 | Peeling Technique | 196 |
| 15.6.3 | Kojic Acid | 169 | | References | 198 |
| 15.6.4 | Miscellaneous | 169 | | | |
| 15.7 | Chemical Peels for Photoaging . | 169 | | | |
| 15.8 | Superficial Peeling Agents . . . | 169 | | | |
| 15.9 | Medium-Depth Peeling | 170 | | | |
| 15.10 | Summary | 173 | | | |
| | References | 173 | | | |
| 16 | Post-inflammatory Hyperpigmentation | 177 | 18 | Solar Lentigo | 199 |
| | Teresa Soriano, Pearl E. Grimes | | | Ilaria Ghersetich, Benedetta Brazzini, Maria Pia De Padova, Antonella Tosti | |
| 16.1 | Definition | 177 | 18.1 | Definition | 199 |
| 16.2 | Epidemiology | 177 | 18.2 | Epidemiology | 199 |
| 16.3 | Etiology | 177 | 18.3 | Etiology | 199 |
| 16.4 | Clinical Types | 178 | 18.4 | Clinical Features | 199 |
| 16.5 | Diagnostic Criteria | 178 | 18.5 | Pathology | 200 |
| 16.6 | Differential Diagnosis | 178 | 18.6 | Diagnostic Criteria | 200 |
| 16.7 | Therapy | 178 | 18.7 | Therapy | 200 |
| 16.8 | Topical Agents | 178 | | References | 205 |
| 16.9 | Chemical Peels | 180 | | | |
| 16.10 | Summary | 182 | | | |
| | References | 182 | | | |

Part IV
Management of the Patient

| | | |
|-------------|---|-----|
| 19 | Management of the Patient . . . | 209 |
| | Maria Pia De Padova, Antonella Tosti | |
| 19.1 | Patient Selection | 209 |
| 19.2 | Patient Evaluation | 209 |
| 19.3 | Instructions | 209 |
| 19.3.1 | Pre-operative Phase | 209 |
| 19.3.2 | Post-operative Phase | 210 |
| 19.4 | Photographs | 210 |
| | Subject Index | 213 |