
Contents

| | |
|--|-----------|
| Introduction | 1 |
| References | 7 |
| 1 Sea-Floor Topography and Morphology of the Superswell Region | 9 |
| 1.1 Introduction | 9 |
| 1.2 Data Sources and Methods | 12 |
| 1.3 Sea-floor Morphology in French Polynesia | 15 |
| 1.3.1 Bathymetric Expression of the Superswell | 15 |
| 1.3.2 Midplate Swells | 17 |
| 1.3.3 Plate Boundary Features | 18 |
| 1.3.4 Off-Ridge Features | 20 |
| 1.4 Conclusions | 25 |
| Acknowledgements | 26 |
| References | 26 |
| 2 Seismicity of the Society and Austral Hotspots in the South Pacific: Seismic Detection, Monitoring and Interpretation of Underwater Volcanism | 29 |
| 2.1 Introduction | 29 |
| 2.2 Seismic Waves Used | 30 |
| 2.2.1 Seismic Tremors | 32 |
| 2.2.2 <i>T</i> Waves | 34 |
| 2.3 Volcano-Seismic Activities on the Society Hotspot | 35 |
| 2.3.1 Generalities and Chronological Events | 35 |
| 2.3.2 The Over-All Seismicity of the Society Hotspot | 37 |
| 2.3.3 Seismic Detection, Magnitude and Seismic Moment | 38 |
| 2.3.4 Overview of the Swarms | 39 |
| 2.3.5 Evolution of the Swarms and Nature of the Recorded Events | 45 |
| 2.3.6 Frequency-Magnitude Relationship | 52 |
| 2.3.7 Seismic and Magmatic Activity in the Society Hotspot Volcanoes | 55 |
| 2.4 Volcano-Seismic Activity of the Austral Hotspot: Macdonald Seamount | 59 |
| 2.4.1 Seismic Swarms | 60 |
| 2.4.2 Bathymetric Surveys of the Macdonald Seamount | 63 |
| 2.5 Summary and Conclusions | 65 |
| 2.5.1 Society Hotspot | 67 |
| 2.5.2 Austral Hotspot | 68 |
| 2.5.3 General Conclusions | 69 |
| Acknowledgements | 70 |
| References | 70 |

| | | |
|----------|--|-----|
| 3 | A Global Isostatic Load Model and its Application to Determine the Lithospheric Density Structure of Hotspot Swells | 73 |
| 3.1 | Introduction | 73 |
| 3.2 | Isostasy of the Lithospheric Plate | 74 |
| 3.2.1 | Lithostatic Load | 74 |
| 3.2.2 | The Generalized Equation of Isostatic Load | 76 |
| 3.3 | Reference Model | 80 |
| 3.3.1 | Compensation Depth | 80 |
| 3.3.2 | Lithospheric Density | 82 |
| 3.3.3 | Location of the Reference Column | 84 |
| 3.4 | Lithospheric Density Structure of Hotspot Swells | 95 |
| 3.4.1 | Introduction | 95 |
| 3.4.2 | French Polynesia, South Pacific Super Swell | 96 |
| 3.4.3 | Hawaiian-Emperor Island Chain | 102 |
| 3.4.4 | Mascarene-Réunion Hotspot Track | 109 |
| 3.4.5 | Ascension Island | 112 |
| 3.4.6 | The Great Meteor and Josephine Seamounts | 116 |
| 3.4.7 | Iceland | 120 |
| 3.5 | Subsidence of Hotspot Structures | 133 |
| 3.6 | Conclusions | 136 |
| | Acknowledgements | 136 |
| | References | 137 |
| 4 | Origin of the 43 Ma Bend Along the Hawaiian-Emperor Seamount Chain | 143 |
| 4.1 | Introduction | 143 |
| 4.2 | The Emperor Seamount Chain Paradox | 145 |
| 4.2.1 | Paleomagnetic Interpretations | 145 |
| 4.2.2 | A Simple Test | 146 |
| 4.2.3 | The E-SMC Paradox and Solution | 148 |
| 4.3 | The Origin of the 43 Ma Bend | 148 |
| 4.3.1 | Reasoning Towards a Preferred Model | 148 |
| 4.3.2 | “Trench Jam” at 43 Ma Caused by the Arrival of Hawaiian Plume Head/Oceanic Plateau | 149 |
| 4.3.3 | Evidence Versus Coincidence | 151 |
| 4.4 | Summary and Conclusion | 152 |
| | Acknowledgements | 153 |
| | References | 153 |
| 5 | South Pacific Intraplate Volcanism: Structure, Morphology and Style of Eruption | 157 |
| 5.1 | Introduction | 157 |
| 5.2 | Society Hotspot | 158 |
| 5.2.1 | Abyssal Hill Region and Limits of Hotspot Volcanism | 161 |
| 5.2.2 | The Sea Floor (“Bulge”) Around the Hotspot Edifices | 163 |
| 5.2.3 | The Volcanic Edifices of the Society Hotspot | 165 |
| 5.3 | Austral Hotspot | 175 |
| 5.3.1 | The Submarine Edifices of the Austral Hotspot | 175 |

| | | |
|----------|--|------------|
| 5.4 | Pitcairn Hotspot | 178 |
| 5.4.1 | Volcanic Edifices of the Pitcairn Hotspot | 180 |
| 5.4.2 | The Distribution and Extent of Hotspot Volcanism | 187 |
| 5.5 | Hotspot Versus Non-Hotspot Volcanoes | 190 |
| 5.5.1 | Sea-Floor Lineation and Seamount Distribution | 191 |
| 5.5.2 | Morphological Classification of Intraplate Volcanoes | 194 |
| 5.6 | Style of Eruption and Formation of Hotspot Edifices | 197 |
| 5.6.1 | Types of Eruption | 197 |
| 5.6.2 | The Formation of a Volcanic Edifice | 198 |
| 5.6.3 | Relationship Between Hotspot Volcanic Edifices | 200 |
| 5.7 | Summary and Conclusions | 201 |
| | Acknowledgements | 203 |
| | References | 203 |
| 6 | Submarine Landslides in French Polynesia | 209 |
| 6.1 | Introduction | 209 |
| 6.2 | Geological Setting | 210 |
| 6.2.1 | Data | 212 |
| 6.2.2 | Landslide Characterization | 213 |
| 6.3 | Landslides of the Society Islands | 214 |
| 6.3.1 | Mehetia | 214 |
| 6.3.2 | Moua Pihaa Seamount | 214 |
| 6.3.3 | Tahiti | 215 |
| 6.3.4 | Moorea | 217 |
| 6.3.5 | Huahine | 217 |
| 6.3.6 | Raiatea-Tahaa | 217 |
| 6.3.7 | Bora Bora | 219 |
| 6.3.8 | Tupai | 220 |
| 6.4 | Austral Island Landslides | 222 |
| 6.4.1 | Macdonald | 222 |
| 6.4.2 | Rapa | 222 |
| 6.4.3 | Raivavae | 224 |
| 6.4.4 | Tubuai | 224 |
| 6.4.5 | Arago | 227 |
| 6.4.6 | Rurutu | 229 |
| 6.4.7 | Rimatara | 231 |
| 6.5 | Classification of the Society and Austral Landslides | 233 |
| 6.5.1 | Geometric Characteristics | 233 |
| 6.5.2 | Seismic Velocity | 235 |
| 6.6 | Evolution of the Mass Wasting with the Age of the Edifices | 235 |
| 6.6.1 | Landslide Related to Submarine Active Volcanoes | 235 |
| 6.6.2 | Landslide Related to Young Oceanic Islands (<4 Ma) | 236 |
| 6.6.3 | Landslide Related to Older Oceanic Islands (>4 Ma) | 236 |
| 6.6.4 | Landslide Related to Tectonic Events | 236 |
| 6.7 | Conclusion | 236 |
| | Acknowledgements | 237 |
| | References | 237 |

| | | |
|----------|--|-----|
| 7 | Mantle Plumes are NOT From Ancient Oceanic Crust | 239 |
| 7.1 | Introduction | 239 |
| 7.2 | Petrological Arguments | 240 |
| 7.2.1 | Melting of Oceanic Crust Cannot Produce the High Magnesian Melts Parental to Many OIB Suites | 240 |
| 7.3 | Geochemical Arguments | 240 |
| 7.3.1 | Melting of Subduction-Zone Dehydrated Residual Oceanic Crusts Cannot Yield the Trace Element Systematics in OIB | 240 |
| 7.3.2 | OIB Sr-Nd-Hf Isotopes Record no Subduction-Zone Dehydration Signatures | 242 |
| 7.4 | Mineral Physics Arguments | 246 |
| 7.4.1 | Subducted Oceanic Crusts are too Dense to Rise to the Upper Mantle | 247 |
| 7.4.2 | Basaltic Melts in the Lower Mantle Conditions are Denser than Ambient Solid Peridotites | 248 |
| 7.5 | Summary | 249 |
| | Acknowledgements | 250 |
| | References | 250 |
| 8 | The Sources for Hotspot Volcanism in the South Pacific Ocean | 253 |
| 8.1 | Introduction | 253 |
| 8.2 | The Hotspot Chains of the South East Pacific | 254 |
| 8.2.1 | Cook-Australis | 256 |
| 8.2.2 | Society Islands | 260 |
| 8.2.3 | Pitcairn-Gambier Chain | 264 |
| 8.2.4 | Marquesas Islands | 265 |
| 8.2.5 | Juan Fernandez Chain | 268 |
| 8.2.6 | Foundation Seamounts | 272 |
| 8.2.7 | Easter/Sala y Gomez-Nazca Chain | 273 |
| 8.3 | Discussion: Petrogenesis of South East Pacific Hotspots | 274 |
| 8.3.1 | Location of Magma Sources: Plume, Asthenosphere or Lithosphere? | 274 |
| 8.3.2 | Superswell – How Geochemically Different is It? | 275 |
| | Acknowledgements | 280 |
| | References | 280 |
| 9 | Plume-Ridge Interactions: New Perspectives | 285 |
| 9.1 | Introduction | 285 |
| 9.2 | Concepts | 286 |
| 9.2.1 | Mantle Plumes: Deep-Rooted Hot Materials or Wet Shallow Mantle Melting Anomalies? | 286 |
| 9.2.2 | Nature of Plume Materials | 286 |
| 9.2.3 | Ocean Ridges: Ridge Suction – The Active Driving Force for Plume-Ridge Interactions | 288 |
| 9.2.4 | Ridge Suction Increase with Increasing Spreading Rate | 290 |
| 9.2.5 | The Effect of Plume-Ridge Distance | 292 |
| 9.3 | Examples | 292 |
| 9.3.1 | “Proximal” Versus “Distal” Plume-Ridge Interactions | 292 |
| 9.3.2 | Spreading Rate Directs Plume Flows | 294 |

| | | |
|-----------|--|------------|
| 9.4 | Summary and Conclusion | 301 |
| | Acknowledgements | 304 |
| | References | 304 |
| 10 | Intraplate Gabbroic Rock Debris Ejected from the Magma Chamber of the Macdonald Seamount (Austral Hotspot): Comparison with Other Provinces | 309 |
| 10.1 | Introduction | 309 |
| 10.2 | The Macdonald Seamount | 312 |
| | 10.2.1 Eruptive Activity | 312 |
| | 10.2.2 Morphology and Structure | 313 |
| | 10.2.3 Sampling and Observations | 314 |
| | 10.2.4 Volcanic Terrains | 314 |
| 10.3 | Petrology | 315 |
| | 10.3.1 Analytical Techniques | 315 |
| | 10.3.2 Rock Descriptions | 320 |
| 10.4 | Geochemistry | 331 |
| 10.5 | Discussion | 336 |
| | 10.5.1 Comparison with Gabbros Recovered from Mid-Ocean Ridges | 336 |
| | 10.5.2 Comparison with Gabbroic Ejecta from Other Intraplate Regions | 338 |
| | 10.5.3 Origin of the Macdonald Seamount Gabbroic Clasts | 341 |
| 10.6 | Summary and Conclusions | 343 |
| | Acknowledgements | 344 |
| | References | 344 |
| 11 | The Foundation Chain: Inferring Hotspot-Plate Interaction from a Weak Seamount Trail | 349 |
| 11.1 | Introduction | 349 |
| 11.2 | Sample Preparation and Analytical Procedure | 351 |
| | 11.2.1 Sample Selection and Preparation | 351 |
| | 11.2.2 Dating Technique | 351 |
| | 11.2.3 Irradiation and Analysis | 353 |
| | 11.2.4 Data Reduction | 355 |
| 11.3 | Results | 363 |
| | 11.3.1 Migration of Volcanism Along the Foundation Chain | 363 |
| | 11.3.2 Hotspot-Spreading Center / Microplate Interaction | 363 |
| | 11.3.3 Volcanic Elongated Ridges (VERs) | 364 |
| 11.4 | Discussion | 367 |
| | 11.4.1 VERs and the Pacific-Antarctic Spreading Axis | 367 |
| | 11.4.2 Foundation VERs and the Selkirk Microplate | 368 |
| | 11.4.3 Pacific Plate Motion | 369 |
| | 11.4.4 Implications for Plume-Hotspot Theory | 370 |
| 11.5 | Conclusions | 371 |
| | Acknowledgements | 372 |
| | References | 372 |

| | |
|---|-----|
| 12 Hydrothermal Iron and Manganese Crusts from the Pitcairn Hotspot Region | 375 |
| 12.1 Introduction | 375 |
| 12.2 Geological Setting | 376 |
| 12.3 Sample Description | 378 |
| 12.3.1 Mineralogy | 379 |
| 12.3.2 Age Dating | 381 |
| 12.3.3 Biomineralization | 382 |
| 12.4 Chemical Composition | 385 |
| 12.4.1 Fe Crusts | 388 |
| 12.4.2 Mn Crusts | 390 |
| 12.4.3 Rare Earth Elements (REE) | 393 |
| 12.5 Formation of Fe and Mn Crusts | 395 |
| 12.6 Conclusions | 398 |
| Acknowledgements | 399 |
| References | 399 |
| Appendix | 401 |
| | |
| 13 Methane Venting into the Water Column Above the Pitcairn and the Society-Austral Seamounts, South Pacific | 407 |
| 13.1 Introduction | 407 |
| 13.2 Geological Setting | 409 |
| 13.3 Methods | 410 |
| 13.4 Results and Discussion | 411 |
| 13.4.1 Water Column Characteristics and Methane Distribution | 411 |
| 13.4.2 Origin of Hydrothermal Methane | 423 |
| 13.5 Conclusions | 425 |
| Acknowledgements | 426 |
| References | 426 |
| | |
| 14 Petrology of Young Submarine Hotspot Lava: Composition and Classification | 431 |
| 14.1 Introduction | 431 |
| 14.2 Composition and Description of Oceanic Rocks | 432 |
| 14.2.1 Common Mineral Constituents | 432 |
| 14.2.2 Rock Types | 436 |
| 14.3 Relationship Between Intraplate-Hotspot and Spreading-Ridge Magmatism .. | 449 |
| 14.4 Compositional Differences Among Hotspots | 450 |
| 14.4.1 Relationship between Large and Small Hotspot Edifices | 451 |
| 14.4.2 Volcanic Stratigraphy | 454 |
| 14.5 Summary and Conclusions | 455 |
| Acknowledgements | 457 |
| References | 457 |
| | |
| Index | 461 |