Contents

Prologue 1

1 Introduction and Aim 3

2 Effect-Load-Sensitivity Analyses – Basic Concepts 13

3 Coastal Classifications and Key Abiotic Variables Regulating Target Bioindicators 19
3.1 Coastal Classifications 19
3.2 Coastal Morphometry 22
3.2.1 Topographical Openness or Exposure 25
3.2.2 Size Parameters 32
3.2.3 Form Parameters 33
3.2.4 Depth Conditions and Coastal Sensitivity 35
3.2.5 A Sensitivity Index (SI) Based on Morphometric Papameters 40
3.3 Water Exchange 42
3.3.1 Surface and Deep-Water Exchange 42
3.3.2 Tides 45
3.3.3 Coastal Currents 45
3.4 Salinity 50
3.5 Water Temperature 54
3.6 Summary 58

4 Nutrients and Representativity of Data 59
4.1 Nutrient Sources and Remedial Actions 59
4.2 Limiting Nutrient – Phosphorus or Nitrogen or Both? 63
4.3 Nitrogen and Phosphorus – Hot Spots 69
4.4 Data Variability and Uncertainty – A Review of Key Concepts 70
4.4.1 Basic Statistical Questions 72
4.4.2 The Sampling Formula 75
4.4.3 Patterns in Variations for Different Water Variables 76

4.4.4 Empirically Based Highest r^2, r_e^2 82
4.4.5 Highest Reference r^2, r_r^2 84
4.4.6 Regressions and Confidence Intervals 85
4.4.7 Frequency Distributions and Transformations 88
4.4.8 Multiple Regressions 91
4.4.9 Stability Tests 96
4.4.10 The Optimal Size of Practically Useful Predictive Models .. 98
4.4.11 Variations and Spurious Correlations Related to DIN, DIP, TN, TN, DIN/DIP and TN/TP 102
4.5 Should Nitrogen or Phosphorus be Removed to Combat Coastal Eutrophication? 111
4.5.1 Key Questions 111
4.5.2 Arguments, Data and Results Pro and Con N and P 112
4.6 Example of Mass-Balance and Foodweb Modeling in a Target Ecosystem at the Local Scale 119
4.7 Summary and Conclusions 121

5 Operational Bioindicators for Coastal Management 125
5.1 Secchi Depth and Suspended Particulate Matter (SPM) 125
5.2 Oxygen Saturation in the Deep-Water Zone (O_2Sat in %) 131
5.3 Chlorophyll-a 135
5.4 Cyanobacteria 140
5.5 Macrophytes 148
5.6 Index of Biological Value (IBV) 153
5.7 Summary and Conclusions 157

6 Case-Studies 159
6.1 Introduction and Aim 159
6.2 How Important are Local Nutrient Emissions to Eutrophication in Coastal Areas Compared to Fluxes from the Outside Sea? 161
6.2.1 Aim of the Case-Study 161
6.2.2 Information on the Himmerfjärden Bay 163
6.2.3 The Dynamic CoastMab-Model Used in the Case-Study 167
6.2.4 Results 174
6.2.5 Predicting the Dynamic Response of the System to Changes in Nutrient Loading 178
6.2.6 Concluding Remarks 182
6.3 An Approach to Estimate Relevant Reference Values for Key Bioindicators 183
6.3.1 Aim of the Case-Study 183
6.3.2 Basic Data from the Gulf of Riga 185
6.3.3 Results 190
6.3.4 Comments 198
6.4 Reconstruction of Eutrophication History 199
6.4.1 Aim of the Case-Study 199

6.4.2 Data from the Gulf of Finland and Information on the Model Structure . . . 201
6.4.3 Dynamic Modeling . . . 204
6.4.4 Concluding Remarks . . . 221
6.5 Summary . . . 222

Epilogue . . . 223

References . . . 229

Appendix . . . 245
A.1 The Process-Based Mass-Balance Model, CoastMab . . . 245
A.1.1 Introduction and Aim . . . 245
A.1.2 Data and Methods . . . 246
A.1.3 The CoastMab-Model for TP . . . 253
A.1.4 Results . . . 270
A.1.5 Comments . . . 281
A.2 Nutrient Input from Land Uplift . . . 282

Index . . . 285