
Contents

1	Introduction	1
1.1	Challenges	5
1.2	Sensor Network Architectures	6
1.3	Sensor Node Deployment	7
1.4	Energy-Efficient Information Processing	11
1.5	Data Dissemination Algorithms	12
1.6	Self-Configuration Methods	15
1.7	Book Outline	18
2	Sensor Node Deployment	19
2.1	Sensor Node Detection Models	19
2.2	Virtual Force Algorithm	21
2.2.1	Virtual Forces	23
2.2.2	Overlapped Sensor Detection Areas	25
2.2.3	Energy Constraint on the VFA Algorithm	28
2.2.4	Procedural Description	29
2.3	VFA Simulation Results	31
2.3.1	Case Study 1	31
2.3.2	Case Study 2	32
2.3.3	Case Study 3	33
2.4	Uncertainty Modeling	36
2.4.1	Modeling of Non-Deterministic Placement	38
2.4.2	Uncertainty-Aware Placement Algorithms	40
2.4.3	Procedural Description	44
2.5	Simulation Results	45
2.5.1	Case Study 1	46
2.5.2	Case Study 2	46
2.5.3	Case Study 3	52
2.6	Discussion	53

3	Energy-Aware Target Localization	57
3.1	Detection Probability Table	58
3.2	Score-Based Ranking	59
3.3	Selection of Sensors to Query	62
3.4	Energy Evaluation Model	63
3.4.1	Primitive Energy Evaluation Model	63
3.4.2	Refined Energy Evaluation Model	65
3.5	Procedural Description	67
3.6	Simulation Results	68
3.6.1	Case Study 1	69
3.6.2	Case Study 2	71
3.6.3	Case Study 3	74
3.7	Discussion	75
4	Energy-Efficient Self-Organization	79
4.1	Introduction	79
4.2	Relevant Prior Work	80
4.3	Outline of SCARE	82
4.3.1	Basic Scheme	82
4.3.2	Network Partitioning Problem	84
4.4	Details of SCARE	86
4.4.1	Time Relationships	88
4.4.2	Ensuring Network Connectivity	89
4.4.3	Message Complexity	91
4.5	Optimal Centralized Algorithm	92
4.5.1	Coverage Comparisons	94
4.6	Performance Evaluation	95
4.6.1	Simulation Methodology	96
4.6.2	Simulation Results	97
4.6.3	Effect of Location Estimation Error	101
4.7	Conclusion	104
5	Energy-Aware Information Dissemination	105
5.1	Introduction	105
5.2	Related Prior Work	107
5.3	Location-Aided Flooding	109
5.3.1	Modified Flooding	109
5.3.2	Location Information	110
5.3.3	Virtual Grids	111
5.3.4	Packet Header Format	111
5.3.5	LAF Node Types	112
5.3.6	Information Dissemination using LAF	113
5.3.7	Resource Management in LAF	114
5.3.8	Completeness of the Data Dissemination Procedure	114
5.3.9	Analysis	116

5.3.10 Errors in Location Estimates	117
5.4 Performance Evaluation	118
5.4.1 Energy Model	119
5.4.2 Simulation Model	119
5.5 Conclusion	126
6 Optimal Energy Equivalence Routing in Wireless Sensor Networks	127
6.1 Related Work	128
6.1.1 Networking Characteristics of WSN	128
6.1.2 WSN Protocol Stack	129
6.1.3 Classification of Energy Equivalence Routing	130
6.1.4 Energy Saving Routing Protocols	131
6.1.5 Comparison to Flooding Family	133
6.1.6 Comparison to Sensor-Centric Paradigm	137
6.1.7 Data-Centric Routing and Directed Diffusion	138
6.2 Energy Equivalence Approach	140
6.2.1 Basics	140
6.2.2 Neighbor Switching	141
6.2.3 Path Rerouting	142
6.3 EER Algorithms	143
6.3.1 Assumptions	144
6.3.2 Procedures and Functions	144
6.3.3 Formats of Packets	146
6.3.4 EER Common Entry Algorithm	147
6.3.5 Common Neighbor Switching EER Algorithm (CNS) . .	148
6.3.6 Shortest Rerouting EER Algorithm (EERS)	153
6.3.7 Longest Rerouting EER Algorithm (EERL)	157
6.4 Simulation Analysis	162
6.4.1 Basic Procedure	162
6.4.2 Lifetime and End Condition	165
6.4.3 Density of Network	168
6.5 Conclusion	169
7 Time Synchronization In Wireless Sensor Networks	171
7.1 Introduction	171
7.2 Synchronized Time in a WSN	172
7.3 Traditional Network Time Synchronization	173
7.3.1 Energy Awareness	173
7.3.2 Infrastructure Supported Vs. Ad Hoc	174
7.3.3 Static Topology vs. Dynamics	175
7.3.4 Connected vs. Disconnected	175
7.4 Design Principles for WSN Time Synchronization	176
7.5 Computer Clocks	176
7.5.1 Clock Synchronization in DSN	176

XIV Contents

7.6	Synchronization Algorithm	178
7.6.1	The Idea	179
7.6.2	Time Transformation	179
7.6.3	Message Delay	179
7.7	Time Stamp Calculation	180
7.8	Improvements	182
7.9	Acknowledgements	182
8	Conclusions	183
Bibliography		185
References		185
Index		193